



# BRANDT® OnSite Drift Reduction Agent

BRANDT ONSITE is a drift control and deposition aide that helps improve foliar contact and coverage of pesticide application sprays. The polyacrylamide formulation is effective, easy-to-use and provides great value.

## Key Benefits of BRANDT OnSite

- Helps reduce spray drift by increasing droplet size in the spray pattern
- Improves deposition and crop canopy penetration, which helps improve target application
- Compatible with most water soluble, emulsified and wettable powder pesticides
- Designed for use in dicamba and/or phenoxy tank mixes plus glyphosate; does not contain ammonium sulfate

## BRANDT OnSite is An Approved Drift Reducing Adjuvant (DRA) for XtendiMax®, FeXapan™ and Engenia® Herbicides

BRANDT ONSITE has been approved as a Drift Reducing Adjuvant/ Agent (DRA) by Monsanto®, DuPont® and BASF, and is approved for tank mixing with XtendiMax with VaporGrip® Technology, FeXapan with VaporGrip Technology and Engenia herbicides. Certain products cannot be tank mixed with XtendiMax, FeXapan or Engenia herbicides without an approved DRA in the tank.

For more information on approved tank mix products, visit:

- [XtendiMaxApplicationRequirements.com](http://XtendiMaxApplicationRequirements.com)
- [FeXapanApplicationRequirements.DuPont.com](http://FeXapanApplicationRequirements.DuPont.com)
- [EngeniaTankMix.com](http://EngeniaTankMix.com)

The mark BRANDT is a registered trademark of BRANDT Consolidated, Inc. All other trademarks, product names and company names that appear on this document are the property of their respective owners or licensees, who may or may not be affiliated with, connected to, or sponsored by BRANDT Consolidated, Inc.

## Principle Functioning Agents

Polyvinyl Polymer	1%
Constituents Ineffective as Spray Adjuvant	99%
Total	100%

CA Reg. No. 48813-50011

## Rate Recommendations

Aerial Application Equipment		
Spray Pressure	Nozzle Orientation	Rate per 100 gal spray
Up to 45 PSI	Straight back	2-4 quarts
Up to 45 PSI	45° angle back	3-5 quarts
Ground Application Equipment with Nozzles		
Spray Pressure	Nozzle Type	Rate per 100 gal spray
Up to 30 PSI	Flat fan, flood jet	1-3 quarts
	Off center	2-3 quarts
30-50 PSI	Flat fan, flood jet	2-3 quarts
	Off Center	3-4 quarts
	Hollow cone, raindrop	1-3 quarts
50-150 PSI	Spray guns	3-5 quarts
	Spray guns	3-10 quarts
Other Ground Application Equipment		Rate per 100 gal spray
Air Blast Sprayers		1-3 quarts
Controlled Droplet Applicators		1-4 pints

\*Always refer to tank mix approval lists and follow full label instructions before application.

For more information email [info@brandt.co](mailto:info@brandt.co) or call:

+1 217 547 5840 (BRANDT global)

+34 954 196 230 (BRANDT Europe)

Brandt Consolidated, Inc.  
[www.brandt.co](http://www.brandt.co)

**BRANDT®**