

Brandt[®] Topcoat

Soil Wetting Agent

Principal Functioning Agents:

A proprietary blend of nonionic surfactants and formulation aids.....100%

KEEP OUT OF REACH OF CHILDREN



WARNING

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

WARNING: Causes serious eye irritation. Wear protective eyewear, long sleeved shirt, long pants, shoes plus socks and chemical resistant gloves made of any waterproof material when mixing or handling concentrate. Avoid breathing dust, fume, gas, mist, vapors or spray. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco, or using the toilet.

ENVIRONMENTAL HAZARDS

Do not contaminate water when cleaning equipment or disposing of equipment washwaters.

FIRST AID

Have the product container or label with you when calling a poison control center or doctor or going for treatment.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses if present and easy to do then continue rinsing. If eye irritation persists, get medical attention.

Net Contents:

2.5 gallons (9.4 L)

07002BRN100 2017-03



IF ON SKIN OR CLOTHING: Wash with plenty of soap and water.

IF SWALLOWED: Call a poison control center or doctor if you feel unwell.

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal.

STORAGE: Store in cool well-ventilated place. Keep in a closed, original container away from children, animals, foods, feeds and seeds. Handle in accordance with Precautionary Statements. In the event of spillage or leakage, soak up the material with absorbent clay, sand, sawdust or other absorbent material. Scrape up and dispose in accordance with Product Disposal.

PRODUCT DISPOSAL: Wastes resulting from the use of this product may be disposed of on site or at an approved waste disposal facility. **CONTAINER DISPOSAL:** Nonrefillable container. Do not reuse or refill this container. Triple rinse (or equivalent) during mixing and loading. Recycling decontaminated containers is the best option of container disposal. The Agricultural Container Recycling Council (ACRC) operates the national recycling program. To contact your state or local ACRC recycler, visit the ACRC web page at www.acrecycle.org. Decontaminated containers may also be disposed of in a sanitary landfill.

BRANDT[®]

Manufactured by:
Brandt Consolidated, Inc.
2935 South Koke Mill Road
Springfield, Illinois 62711 USA
www.brandt.co
800 300 6559

Brandt[®] Topcoat

DIRECTIONS FOR USE

Apply recommended dosage from chart below in a minimum of 2 gallons per 1000 sq. ft. or 100 gallons of water per acre.

More reliable results are obtained with lower, more frequent applications. Irrigate before next mowing or leave clippings on ground. When applied with pesticides and fertilizers, test spray mixtures in a small area before full-scale application. Use caution when using this and all other turf care products to avoid injury or serious damage. Seed establishment - add 4 fl. oz. per 1000 sq. ft. two weeks before seeding. BRANDT TOPCOAT may be used in many different situations and under any conditions where the improvement of ability of water to penetrate soil is necessary or desired. This includes, but is not limited to:

- New plantings such as for decorative trees, bushes or flowers.
- Treatment of problem and disease areas due to the inability of water to penetrate the ground such as Localized Dry Spot or LDS.
- Hydroseeding mixtures to improve water content of the blend.

Frequency	14 days	30 days	6 weeks	Up to 6 months	
				Single App.	Split App.*
Rate per 1000 sq. ft.	2 fl. oz.	2-6 fl. oz.	3-9 fl. oz.	8 -16 fl. oz.	8 fl. oz.
Rate per acre (approx.)	5.5 pt	5.5pt-2 gal	1 -3 gal	3 -6 gal	3 gal

*Split applications will last longer than a single application.

Applications may be made pre-plant, at plant and/ or post-plant to improve water content of the soil. BRANDT TOPCOAT may be applied with most pesticides and fertilizers. Test combination first for compatibility and safety. Generally, first application at 4 fl. oz. or less per 1000 sq. ft. is compatible with most substances, then refer to chart thereafter. Use lower rates for non-sandy soils and higher rates sandy soils. For split applications, apply specified amount in 2 applications two weeks apart. Water in after application.

WARRANTY: Seller warrants that the product conforms to its chemical description and is reasonably fit for the purpose stated on the label when used in accordance with directions under normal conditions of use; but neither this warranty nor any other warranty of merchantability or fitness of a particular product expressed or implied, extends to the use of this product contrary to label conditions, or under conditions not reasonably foreseeable to the seller; and buyer assumes the risk of any such use.