RRAND

SAFETY DATA SHEET

1. Identification

Product identifier Brandt 30-10-10 Micro

Other means of identification

Product code 31064

Recommended use Agricultural/ Horticultural Use- Micronutrient Fertilizer- Refer to product label.

Recommended restrictions Refer to product label. Manufacturer/Importer/Supplier/Distributor information

Manufacturer

Brandt Consolidated, Inc. Company name **Address** 2935 South Koke Mill Road

Springfield, IL 62711

United States

1-217-547-5800 **Telephone** Corporate Office

Website www.brandt.co E-mail msds@brandt.co

Contact person EH&S / Regulatory Department

Emergency phone number CHEMTREC (24 hours):

> USA, Canada, Puerto Rico 1-800-424-9300 Virgin Islands 1-800-424-9300 International Maritime +1 (703) 527-3887

2. Hazard(s) identification

Physical hazards Not classified.

Health hazards Acute toxicity, oral Category 4

> Serious eye damage/eye irritation Category 2A Reproductive toxicity Category 2

Not classified. **Environmental hazards** Not classified. **OSHA** defined hazards

Label elements



Signal word

Harmful if swallowed. Causes serious eye irritation. Suspected of damaging fertility or the unborn **Hazard statement**

child.

Precautionary statement

Prevention Obtain special instructions before use. Do not handle until all safety precautions have been read

and understood. Wash thoroughly after handling. Do not eat, drink or smoke when using this

product. Wear protective gloves/protective clothing/eye protection/face protection.

If swallowed: Call a poison center/doctor if you feel unwell. Rinse mouth. If in eyes: Rinse Response

> cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If exposed or concerned: Get medical advice/attention. If eye irritation persists:

Get medical advice/attention.

Store locked up. **Storage**

Disposal Dispose of contents/container in accordance with local/regional/national/international regulations.

Hazard(s) not otherwise

classified (HNOC)

None known.

Supplemental information None.

Material name: Brandt 30-10-10 Micro SDS US 31064 Version #: 05 Revision date: 07-16-2018 Issue date: 11-06-2015

3. Composition/information on ingredients

Mixtures

Chemical name	Common name and synonyms	CAS number	%
Urea		57-13-6	50 - < 60*
Potassium Nitrate		7757-79-1	20 - < 30*
EDTA, Disodium Copper(II) Salt		14025-15-1	< 1*
Manganese EDTA, disodium salt		15375-84-5	< 1*
Disodium Octaborate Tetrahydrate		12008-41-2	< 0.2*
Other components below reportable	levels		10 - < 20

^{*}Designates that a specific chemical identity and/or percentage of composition has been withheld as a trade secret.

4. First-aid measures

Inhalation Move to fresh air. Call a physician if symptoms develop or persist.

Skin contact Wash off with soap and water. Get medical attention if irritation develops and persists.

Eve contact Do not rub eyes. Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get medical attention if irritation

develops and persists.

Ingestion Rinse mouth. If vomiting occurs, keep head low so that stomach content doesn't get into the lungs.

Get medical advice/attention if you feel unwell.

Most important

symptoms/effects, acute and delayed

Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Dusts may irritate the respiratory tract, skin and eyes.

Indication of immediate medical attention and special

General information

treatment needed

Provide general supportive measures and treat symptomatically. Keep victim warm. Keep victim under observation. Symptoms may be delayed.

IF exposed or concerned: Get medical advice/attention. If you feel unwell, seek medical advice (show the label where possible). Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Show this safety data sheet to the doctor in attendance.

5. Fire-fighting measures

Suitable extinguishing media

Unsuitable extinguishing media

Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2). Do not use water jet as an extinguisher, as this will spread the fire.

Specific hazards arising from

the chemical

Special protective equipment and precautions for firefighters During fire, gases hazardous to health may be formed.

Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

Fire fighting

equipment/instructions

Use water spray to cool unopened containers.

Specific methods Use standard firefighting procedures and consider the hazards of other involved materials.

General fire hazards No unusual fire or explosion hazards noted.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Wear appropriate protective equipment and clothing during clean-up. Use a NIOSH/MSHA approved respirator if there is a risk of exposure to dust/fume at levels exceeding the exposure limits. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.

Material name: Brandt 30-10-10 Micro

Methods and materials for containment and cleaning up

Avoid the generation of dusts during clean-up. Collect dust using a vacuum cleaner equipped with HEPA filter. Stop the flow of material, if this is without risk.

Large Spills: Wet down with water and dike for later disposal. Shovel the material into waste container. Absorb in vermiculite, dry sand or earth and place into containers. Following product recovery, flush area with water.

Small Spills: Sweep up or vacuum up spillage and collect in suitable container for disposal. Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.

Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS. Avoid discharge into drains, water courses or onto the ground.

Environmental precautions

7. Handling and storage

Precautions for safe handling

Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Minimize dust generation and accumulation. Provide appropriate exhaust ventilation at places where dust is formed. Do not taste or swallow. Avoid contact with eyes. Avoid prolonged exposure. When using, do not eat, drink or smoke. Pregnant or breastfeeding women must not handle this product. Should be handled in closed systems, if possible. Wear appropriate personal protective equipment. Wash hands thoroughly after handling. Observe good industrial hygiene practices.

Conditions for safe storage, including any incompatibilities

Store locked up. Store in original tightly closed container. Store in a well-ventilated place. Store away from incompatible materials (see Section 10 of the SDS).

8. Exposure controls/personal protection

Occupational exposure limits

US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000)			
Components	Туре	Value	
Manganese EDTA, disodium salt (CAS 15375-84-5)	Ceiling	5 mg/m3	
US. ACGIH Threshold Limit Values			
Components	Туре	Value	Form
Disodium Octaborate Tetrahydrate (CAS	STEL	6 mg/m3	Inhalable fraction.

12008-41-2)				
·	TWA	2 mg/m3	Inhalable fraction.	
EDTA, Disodium Copper(II) Salt (CAS 14025-15-1)	TWA	1 mg/m3	Dust and mist.	
		0.2 mg/m3	Fume.	
US. NIOSH: Pocket Guide to Chemical Hazards				
Components	Type	Value	Form	
•	71.			
EDTA, Disodium Copper(II) Salt (CAS 14025-15-1)	TWA	1 mg/m3	Dust and mist.	_
		1 mg/m3 3 mg/m3	Dust and mist. Fume.	_

Biological limit values Appropriate engineering controls

Urea (CAS 57-13-6)

Components

No biological exposure limits noted for the ingredient(s).

Type

TWA

Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. If engineering measures are not sufficient to maintain concentrations of dust particulates below the Occupational Exposure Limit (OEL), suitable respiratory protection must be worn. If material is ground, cut, or used in any operation which may generate dusts, use appropriate local exhaust ventilation to keep exposures below the recommended exposure limits. Provide eyewash station.

Value

10 mg/m3

Material name: Brandt 30-10-10 Micro

SDS US

Form

Total particulate.

US. AIHA Workplace Environmental Exposure Level (WEEL) Guides

Individual protection measures, such as personal protective equipment

Eye/face protection Chemical respirator with organic vapor cartridge, full facepiece, dust and mist filter.

Skin protection

Hand protection Wear appropriate chemical resistant gloves. Suitable gloves can be recommended by the glove

supplier.

Other Wear suitable protective clothing. Use of an impervious apron is recommended.

Respiratory protection Use a NIOSH/MSHA approved respirator if there is a risk of exposure to dust/fume at levels

exceeding the exposure limits. Chemical respirator with organic vapor cartridge, full facepiece,

dust and mist filter.

Thermal hazards Wear appropriate thermal protective clothing, when necessary.

General hygiene considerations

Observe any medical surveillance requirements. Keep away from food and drink. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.

9. Physical and chemical properties

Powder. **Appearance** Solid. Physical state **Form** Powder. Color Light blue Odor Not available. Odor threshold Not available. pН Not available. Not available. Melting point/freezing point Initial boiling point and boiling Not available.

range

Not available. Flash point Not available. **Evaporation rate** Not available. Flammability (solid, gas) Upper/lower flammability or explosive limits

Flammability limit - lower

(%)

Not available.

Flammability limit - upper

(%)

Not available.

Explosive limit - lower (%) Not available. Explosive limit - upper (%) Not available.

Not available. Vapor pressure Not available. Vapor density Not available. Relative density

Solubility(ies)

Not available. Solubility (water) Not available. Partition coefficient

(n-octanol/water)

Not available. **Auto-ignition temperature** Not available. **Decomposition temperature Viscosity** Not available.

Other information

Not explosive. **Explosive properties** Not oxidizing. Oxidizing properties

10. Stability and reactivity

Reactivity The product is stable and non-reactive under normal conditions of use, storage and transport.

Chemical stability Material is stable under normal conditions. Possibility of hazardous

reactions

No dangerous reaction known under conditions of normal use.

Conditions to avoid

Contact with incompatible materials.

Incompatible materials

Strong oxidizing agents.

Hazardous decomposition

No hazardous decomposition products are known.

products

11. Toxicological information

Information on likely routes of exposure

Inhalation Dust may irritate respiratory system. Prolonged inhalation may be harmful.

Dust or powder may irritate the skin. Skin contact

Eye contact Causes serious eye irritation.

Harmful if swallowed. Ingestion

Symptoms related to the

physical, chemical and toxicological

characteristics

Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred

vision. Dusts may irritate the respiratory tract, skin and eyes.

Information on toxicological effects

Acute toxicity Harmful if swallowed.

Product	Species	Test Results	
Brandt 30-10-10 Micro			
<u>Acute</u>			
Inhalation			
LD50	Rat	1812 mg/l estimated	
Oral			
LD50	Rabbit	4696 mg/kg estimated	
	Rat	12967 mg/kg estimated	
	Sheep	52467 mg/kg estimated	
Components	Species	Test Results	

Disodium Octaborate Tetrahydrate (CAS 12008-41-2)

Acute

Dermal

LD50 Rabbit > 2000 mg/kg

Oral

LD50 Guinea pig 5300 mg/kg Rat

2550 mg/kg

2 g/kg

Potassium Nitrate (CAS 7757-79-1)

Acute Oral

LD50 Rabbit 1166 mg/kg

Urea (CAS 57-13-6)

Acute Oral

LD50 Rat 8471 mg/kg Sheep 28500 mg/kg

Prolonged skin contact may cause temporary irritation. Skin corrosion/irritation

Serious eye damage/eye

Causes serious eye irritation.

irritation

Material name: Brandt 30-10-10 Micro 31064 Version #: 05 Revision date: 07-16-2018 Issue date: 11-06-2015

^{*} Estimates for product may be based on additional component data not shown.

Respiratory or skin sensitization

Respiratory sensitization Not a respiratory sensitizer.

Skin sensitization This product is not expected to cause skin sensitization.

Germ cell mutagenicity No data available to indicate product or any components present at greater than 0.1% are

mutagenic or genotoxic.

This product is not considered to be a carcinogen by IARC, ACGIH, NTP, or OSHA. Carcinogenicity

IARC Monographs. Overall Evaluation of Carcinogenicity

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not regulated.

US. National Toxicology Program (NTP) Report on Carcinogens

Not listed.

Suspected of damaging fertility or the unborn child. Reproductive toxicity Not classified.

Not classified.

Not an aspiration hazard.

Specific target organ

toxicity - single exposure

Specific target organ

toxicity - repeated

Aspiration hazard

exposure

Chronic effects Prolonged inhalation may be harmful.

12. Ecological information

Ecotoxicity The product is not classified as environmentally hazardous. However, this does not exclude the

possibility that large or frequent spills can have a harmful or damaging effect on the environment.

Product		Species	Test Results
Brandt 30-10-10 Micro			
Aquatic			
Crustacea	EC50	Daphnia	9226.5723 mg/l, 48 hours estimated
Acute			
Fish	LC50	Fish	980.3923 mg/l, 96 hours estimated
Components		Species	Test Results
Disodium Octaborate Te	etrahydrate (CAS	12008-41-2)	
Aquatic			
Acute			
Crustacea	LC50	Daphnia magna	619 mg/l
Fish	LC50	Pimephales promelas	370 mg/l
EDTA, Disodium Coppe	r(II) Salt (CAS 14	025-15-1)	
Aquatic			
Fish	LC50	Channel catfish (Ictalurus punctatus)	838 mg/l, 96 hours
Potassium Nitrate (CAS	7757-79-1)		
Aquatic			
Fish	LC50	Bluegill (Lepomis macrochirus)	1200 mg/l, 96 hours
Acute			
Fish	LC50	Fish	1378 - 3000 mg/l
Urea (CAS 57-13-6)			
Aquatic			
Crustacea	EC50	Water flea (Daphnia magna)	3910 mg/l, 48 hours
Fish	LC50	Carp (Leuciscus idus melanotus)	> 10000 mg/l, 48 hours
		Guppy (Poecilia reticulata)	16200 - 18300 mg/l, 96 hours
		Harlequinfish, red rasbora (Rasbora heteromorpha)	12000 mg/l, 96 hours

Material name: Brandt 30-10-10 Micro

SDS US

31064 Version #: 05 Revision date: 07-16-2018 Issue date: 11-06-2015

Components Species Test Results

Mozambique tilapia (Tilapia

590 - 730 mg/l, 96 hours

mossambica)

Persistence and degradability

No data is available on the degradability of this product.

Bioaccumulative potential

Partition coefficient n-octanol / water (log Kow)

Urea -2.11

Mobility in soil No data available.

Other adverse effects No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation

potential, endocrine disruption, global warming potential) are expected from this component.

13. Disposal considerations

Disposal instructionsCollect and reclaim or dispose in sealed containers at licensed waste disposal site. Dispose of

contents/container in accordance with local/regional/national/international regulations.

Local disposal regulations Dispose in accordance with all applicable regulations.

Hazardous waste code

The waste code should be assigned in discussion between the user, the producer and the waste

disposal company.

Waste from residues / unused

products

Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see:

Disposal instructions).

Disposal instructions

Contaminated packaging Since emptied containers may retain product residue, follow label warnings even after container is

emptied. Empty containers should be taken to an approved waste handling site for recycling or

disposal.

14. Transport information

DOT

Not regulated as dangerous goods.

IATA

Not regulated as dangerous goods.

IMDG

Not regulated as dangerous goods.

15. Regulatory information

US federal regulations This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication

Standard, 29 CFR 1910.1200.

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

CERCLA Hazardous Substance List (40 CFR 302.4)

EDTA, Disodium Copper(II) Salt (CAS 14025-15-1) Listed. Manganese EDTA, disodium salt (CAS 15375-84-5) Listed.

SARA 304 Emergency release notification

Not regulated.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not regulated.

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Hazard categories Immediate Hazard - Yes

Delayed Hazard - Yes Fire Hazard - No Pressure Hazard - No Reactivity Hazard - No

SARA 302 Extremely hazardous substance

Not listed.

SARA 311/312 Hazardous

No

chemical

31064 Version #: 05 Revision date: 07-16-2018 Issue date: 11-06-2015

^{*} Estimates for product may be based on additional component data not shown.

SARA 313 (TRI reporting)

Chemical name	CAS number	% by wt.
Potassium Nitrate	7757-79-1	20 - < 30

Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Manganese EDTA, disodium salt (CAS 15375-84-5)

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

Safe Drinking Water Act

Not regulated.

(SDWA)

US state regulations

US. California Controlled Substances. CA Department of Justice (California Health and Safety Code Section 11100)

Not listed

US. Massachusetts RTK - Substance List

Potassium Nitrate (CAS 7757-79-1)

US. New Jersey Worker and Community Right-to-Know Act

Disodium Octaborate Tetrahydrate (CAS 12008-41-2)

EDTA, Disodium Copper(II) Salt (CAS 14025-15-1)

Manganese EDTA, disodium salt (CAS 15375-84-5)

Potassium Nitrate (CAS 7757-79-1)

US. Pennsylvania Worker and Community Right-to-Know Law

Potassium Nitrate (CAS 7757-79-1)

US. Rhode Island RTK

EDTA, Disodium Copper(II) Salt (CAS 14025-15-1) Manganese EDTA, disodium salt (CAS 15375-84-5)

Potassium Nitrate (CAS 7757-79-1)

US. California Proposition 65



WARNING: This product can expose you to chemicals including arsenic, cadmium, and lead, which are known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.

International Inventories

Country(s) or region	Inventory name	On inventory (yes/no)*
Australia	Australian Inventory of Chemical Substances (AICS)	Yes
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	Yes
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	No
Korea	Existing Chemicals List (ECL)	No
New Zealand	New Zealand Inventory	Yes
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	No
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	Yes

^{*}A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s) A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

16. Other information, including date of preparation or last revision

Issue date 11-06-2015 **Revision date** 07-16-2018

Version # 05

Material name: Brandt 30-10-10 Micro SDS US

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of Manufacturer's knowledge, information and belief at the date of its publication; however, it is provided only as a guidance for safe handling, use, processing, storage, transportation, disposal and release of the Product. No warranties of any kind, either expressed or implied, including warranties of merchantability or fitness for a particular purpose, are made with respect to the Product or the information provided herein, or that the Product or information herein may be used without infringing the intellectual property rights of others. The information provided in this Safety Data Sheet relates only to the specific Product designated and may not be valid if the Product is used in combination with other materials or in any other process, unless specified herein. The user assumes all risk and liability for loss, injury, damage or expense due to any use, handling, storage or disposal of the Product, and Manufacturer recommends that the user conducts its owns tests of the Product to determine suitability of the Product for user's particular use.