# SAFETY DATA SHEET



### 1. Identification

Product identifier Grigg Ultraplex

Other means of identification

Product code 32200

Recommended use Turf- fertilizer

Recommended restrictions Refer to product label.

Manufacturer/Importer/Supplier/Distributor information

Manufacturer

Company nameBrandt Consolidated, Inc.Address2935 South Koke Mill Road

Springfield, IL 62711

**United States** 

**Telephone** Corporate Office 1-217-547-5800

Website www.brandt.co E-mail www.brandt.co

Contact person EH&S / Regulatory Department

**Emergency phone number** CHEMTREC (24 hours):

USA, Canada, Puerto Rico 1-800-424-9300 Virgin Islands 1-800-424-9300 International Maritime +1 (703) 527-3887

## 2. Hazard(s) identification

Physical hazards Not classified.

Health hazards Reproductive toxicity Category 2

Environmental hazards Not classified.

OSHA defined hazards Not classified.

Label elements



Signal word Warning

Hazard statement Suspected of damaging fertility or the unborn child.

**Precautionary statement** 

**Prevention** Obtain special instructions before use. Do not handle until all safety precautions have been read

and understood. Wear protective gloves/protective clothing/eye protection/face protection.

**Response** If exposed or concerned: Get medical advice/attention.

Storage Store locked up.

**Disposal** Dispose of contents/container in accordance with local/regional/national/international regulations.

Hazard(s) not otherwise

classified (HNOC)

None known.

Supplemental information None.

### 3. Composition/information on ingredients

### **Mixtures**

CAS number	%
57-13-6	5 - < 10*
7786-30-3	3 - < 5*
7757-79-1	3 - < 5*
	57-13-6 7786-30-3

Material name: Grigg Ultraplex

32200 Version #: 03 Revision date: 05-13-2019 Issue date: 02-06-2018

Chemical name	Common name and synonyms	CAS number	%
Copper Amino Acid Complex		13479-54-4	1 - < 3*
Disodium Octaborate Tetrahydra	ate	12008-41-2	< 1*
Other components below reports	able levels		70 - < 80

\*Designates that a specific chemical identity and/or percentage of composition has been withheld as a trade secret.

#### 4. First-aid measures

Inhalation Move to fresh air. Call a physician if symptoms develop or persist.

Wash off with soap and water. Get medical attention if irritation develops and persists. Skin contact

Rinse with water. Get medical attention if irritation develops and persists. Eye contact

Rinse mouth. Get medical attention if symptoms occur. Ingestion Most important Direct contact with eyes may cause temporary irritation.

Powder.

symptoms/effects, acute and

delayed

Indication of immediate medical attention and special treatment needed

Provide general supportive measures and treat symptomatically. Keep victim under observation. Symptoms may be delayed.

IF exposed or concerned: Get medical advice/attention. If you feel unwell, seek medical advice **General information** (show the label where possible). Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Show this safety data sheet to the doctor in attendance.

Do not use water jet as an extinguisher, as this will spread the fire.

# 5. Fire-fighting measures

Suitable extinguishing media

Unsuitable extinguishing media

Specific hazards arising from the chemical

Special protective equipment

and precautions for firefighters Fire fighting

equipment/instructions

Specific methods General fire hazards During fire, gases hazardous to health may be formed.

Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

Move containers from fire area if you can do so without risk.

Use standard firefighting procedures and consider the hazards of other involved materials.

No unusual fire or explosion hazards noted.

#### 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Wear appropriate protective equipment and clothing during clean-up. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.

Methods and materials for containment and cleaning up Use water spray to reduce vapors or divert vapor cloud drift.

Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Absorb in vermiculite, dry sand or earth and place into containers. Following product recovery, flush area with water.

Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.

Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS.

### **Environmental precautions**

Avoid discharge into drains, water courses or onto the ground.

### 7. Handling and storage

Precautions for safe handling

Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Avoid prolonged exposure. Pregnant or breastfeeding women must not handle this product. Should be handled in closed systems, if possible. Provide adequate ventilation. Wear appropriate personal protective equipment. Observe good industrial hygiene practices.

Conditions for safe storage, including any incompatibilities Store locked up. Store in tightly closed container. Store away from incompatible materials (see Section 10 of the SDS).

Material name: Grigg Ultraplex SDS US

### 8. Exposure controls/personal protection

#### Occupational exposure limits

The following constituents are the only constituents of the product which have a PEL, TLV or other recommended exposure limit. At this time, the other constituents have no known exposure limits.

110	<b>ACGIH</b>	Throck	المامد	imit \	/aluaa
US.	ACGIH	inresr	าดเสา	imit v	vailles

Components	Туре	Value	Form
Copper Amino Acid Complex (CAS 13479-54-4)	TWA	1 mg/m3	Dust and mist.
		0.2 mg/m3	Fume.
Disodium Octaborate Tetrahydrate (CAS 12008-41-2)	STEL	6 mg/m3	Inhalable fraction.
	TWA	2 mg/m3	Inhalable fraction.
US. NIOSH: Pocket Guide to Chen	nical Hazards		
Components	Туре	Value	Form
Copper Amino Acid Complex (CAS 13479-54-4)	TWA	1 mg/m3	Dust and mist.
		0.1 mg/m3	Fume.
US. Workplace Environmental Exposure Level (WEEL) Guides			
Components	Type	Value	Form
Urea (CAS 57-13-6)	TWA	10 mg/m3	Total particulate.

Biological limit values No biological exposure limits noted for the ingredient(s).

Appropriate engineering

controls

Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level.

#### Individual protection measures, such as personal protective equipment

**Eye/face protection** Chemical respirator with organic vapor cartridge and full facepiece.

Skin protection

Hand protection Wear appropriate chemical resistant gloves.Other Use of an impervious apron is recommended.

**Respiratory protection** Chemical respirator with organic vapor cartridge and full facepiece.

**Thermal hazards** Wear appropriate thermal protective clothing, when necessary.

General hygiene considerations

Observe any medical surveillance requirements. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.

# 9. Physical and chemical properties

**Appearance** 

Physical state Liquid.
Form Liquid.
Color Not available.
Odor threshold Not available.

**pH** 2.3

Melting point/freezing point 270.86 °F (132.7 °C) estimated

Initial boiling point and boiling

range

Not available.

Flash point Not available.

Evaporation rate Not available.

Flammability (solid, gas) Not applicable.

Material name: Grigg Ultraplex sps us

Upper/lower flammability or explosive limits

Flammability limit - lower

(%)

Not available.

Flammability limit - upper

(%)

Not available.

Explosive limit - lower (%) Not available. Not available. Explosive limit - upper (%)

0.00001 hPa estimated Vapor pressure

Vapor density Not available.

Relative density 1.33 g/cm3 (typical)

Solubility(ies)

Not available. Solubility (water) **Partition coefficient** Not available.

(n-octanol/water)

Not available. Auto-ignition temperature **Decomposition temperature** Not available. **Viscosity** Not available.

Other information

**Explosive properties** Not explosive. Oxidizing properties Not oxidizing. Percent volatile 51.81 % estimated Pounds per gallon 11.1 lb/gal (typical) VOC 4.74 % estimated

### 10. Stability and reactivity

Reactivity The product is stable and non-reactive under normal conditions of use, storage and transport.

**Chemical stability** Material is stable under normal conditions.

Possibility of hazardous

reactions

No dangerous reaction known under conditions of normal use.

Conditions to avoid Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. Contact with

incompatible materials.

Incompatible materials Strong oxidizing agents.

Hazardous decomposition

products

No hazardous decomposition products are known.

### 11. Toxicological information

Information on likely routes of exposure

Inhalation Prolonged inhalation may be harmful.

Skin contact No adverse effects due to skin contact are expected. Eye contact Direct contact with eyes may cause temporary irritation.

Ingestion Expected to be a low ingestion hazard.

Symptoms related to the physical, chemical and toxicological characteristics Direct contact with eyes may cause temporary irritation.

Information on toxicological effects

Acute toxicity Not known.

**Test Results Product Species** 

**Grigg Ultraplex** 

**Acute** 

Oral

LD50 Rat 22060 mg/kg

Material name: Grigg Ultraplex SDS US Components Species Test Results

Disodium Octaborate Tetrahydrate (CAS 12008-41-2)

Acute Dermal

LD50 Rabbit > 2000 mg/kg

Oral

LD50 Rat 2550 mg/kg

Magnesium Amino Acid Complex (CAS 7786-30-3)

<u>Acute</u>

Oral LD50

Rat 2800 mg/kg

Urea (CAS 57-13-6)

<u>Acute</u> Oral

LD50 Rat 8471 mg/kg

**Skin corrosion/irritation** Prolonged skin contact may cause temporary irritation. **Serious eye damage/eye** Direct contact with eyes may cause temporary irritation.

irritation

Respiratory or skin sensitization

**Respiratory sensitization** Not a respiratory sensitizer.

**Skin sensitization** This product is not expected to cause skin sensitization.

**Germ cell mutagenicity**No data available to indicate product or any components present at greater than 0.1% are

mutagenic or genotoxic.

**Carcinogenicity** Not classifiable as to carcinogenicity to humans.

IARC Monographs. Overall Evaluation of Carcinogenicity

Not listed.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1052)

Not regulated.

US. National Toxicology Program (NTP) Report on Carcinogens

Not listed.

**Reproductive toxicity** Suspected of damaging fertility or the unborn child.

Specific target organ toxicity -

single exposure

Not classified.

Specific target organ toxicity -

repeated exposure

Not classified.

**Aspiration hazard** Not an aspiration hazard.

**Chronic effects** Prolonged inhalation may be harmful.

# 12. Ecological information

**Ecotoxicity** The product is not classified as environmentally hazardous. However, this does not exclude the

possibility that large or frequent spills can have a harmful or damaging effect on the environment.

**Product Species Test Results Grigg Ultraplex Aquatic** Crustacea FC50 2089.3232 mg/l, 48 hours estimated Daphnia Fish LC50 Fish 15833.5322 mg/l, 96 hours estimated Components **Species Test Results** 

Disodium Octaborate Tetrahydrate (CAS 12008-41-2)

**Aquatic** 

Acute

Crustacea LC50 Daphnia magna 619 mg/l
Fish LC50 Pimephales promelas 370 mg/l

Material name: Grigg Ultraplex SDS US

Components Species Test Results

Magnesium Amino Acid Complex (CAS 7786-30-3)

**Aquatic** 

Crustacea EC50 Calanoid copepod (Eudiaptomus 95 - 342 mg/l, 48 hours

padanus padanus)

Fish LC50 Fathead minnow (Pimephales promelas) 1580 - 2740 mg/l, 96 hours

Potassium Nitrate (CAS 7757-79-1)

Aquatic

Fish LC50 Bluegill (Lepomis macrochirus) 1200 mg/l, 96 hours

Acute

Fish LC50 Fish 1378 - 3000 mg/l

Urea (CAS 57-13-6)

**Aquatic** 

Crustacea EC50 Water flea (Daphnia magna) 3910 mg/l, 48 hours
Fish LC50 Carp (Leuciscus idus melanotus) > 10000 mg/l, 48 hours

Guppy (Poecilia reticulata) 16200 - 18300 mg/l, 96 hours

12000 mg/l, 96 hours

Harlequinfish, red rasbora (Rasbora

heteromorpha)

Mozambique tilapia (Tilapia 590 - 730 mg/l, 96 hours

mossambica)

Persistence and degradability No data is available on the degradability of any ingredients in the mixture.

Bioaccumulative potential

Partition coefficient n-octanol / water (log Kow)

Urea -2.11

Mobility in soil No data available.

Other adverse effects No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation

potential, endocrine disruption, global warming potential) are expected from this component.

13. Disposal considerations

**Disposal instructions**Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Dispose of

contents/container in accordance with local/regional/national/international regulations.

**Local disposal regulations**Dispose in accordance with all applicable regulations.

Hazardous waste code

The waste code should be assigned in discussion between the user, the producer and the waste

disposal company.

Waste from residues / unused

products

Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see:

Disposal instructions).

**Contaminated packaging**Since emptied containers may retain product residue, follow label warnings even after container is

emptied. Empty containers should be taken to an approved waste handling site for recycling or

disposal.

### 14. Transport information

DOT

Not regulated as dangerous goods.

IATA

Not regulated as dangerous goods.

**IMDG** 

Not regulated as dangerous goods.

### 15. Regulatory information

US federal regulations This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication

Standard, 29 CFR 1910.1200.

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

**CERCLA Hazardous Substance List (40 CFR 302.4)** 

Copper Amino Acid Complex (CAS 13479-54-4) Listed

Material name: Grigg Ultraplex

### SARA 304 Emergency release notification

Not regulated.

### OSHA Specifically Regulated Substances (29 CFR 1910.1001-1052)

Not regulated.

### Superfund Amendments and Reauthorization Act of 1986 (SARA)

### SARA 302 Extremely hazardous substance

Not listed.

**Classified hazard** 

Reproductive toxicity

categories

### SARA 313 (TRI reporting)

Chemical name	CAS number	% by wt.	
Copper Amino Acid Complex	13479-54-4	1 - < 3	
Potassium Nitrate	7757-79-1	3 - < 5	

### Other federal regulations

#### Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Not regulated.

### Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

Safe Drinking Water Act

Not regulated.

(SDWA)

#### **US state regulations**

### **California Proposition 65**



WARNING: This product can expose you to chemicals including arsenic, cadmium, and lead, which are known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.

## US. California. Candidate Chemicals List. Safer Consumer Products Regulations (Cal. Code Regs, tit. 22, 69502.3, subd. (a))

Disodium Octaborate Tetrahydrate (CAS 12008-41-2) Magnesium Amino Acid Complex (CAS 7786-30-3)

#### **International Inventories**

Country(s) or region	Inventory name	On inventory (yes/no)*
Australia	Australian Inventory of Chemical Substances (AICS)	No
Canada	Domestic Substances List (DSL)	No
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	No
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	No
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	No
Korea	Existing Chemicals List (ECL)	No
New Zealand	New Zealand Inventory	No
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	No
Taiwan	Taiwan Chemical Substance Inventory (TCSI)	No
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	No

<sup>\*</sup>A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s) A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

# 16. Other information, including date of preparation or last revision

02-06-2018 Issue date 05-13-2019 **Revision date** 

Version # 03

Material name: Grigg Ultraplex SDS US

#### **Disclaimer**

The information provided in this Safety Data Sheet is correct to the best of Manufacturer's knowledge, information and belief at the date of its publication; however, it is provided only as a guidance for safe handling, use, processing, storage, transportation, disposal and release of the Product. No warranties of any kind, either expressed or implied, including warranties of merchantability or fitness for a particular purpose, are made with respect to the Product or the information provided herein, or that the Product or information herein may be used without infringing the intellectual property rights of others. The information provided in this Safety Data Sheet relates only to the specific Product designated and may not be valid if the Product is used in combination with other materials or in any other process, unless specified herein. The user assumes all risk and liability for loss, injury, damage or expense due to any use, handling, storage or disposal of the Product, and Manufacturer recommends that the user conducts its owns tests of the Product to determine suitability of the Product for user's particular use.

**Revision information** 

This document has undergone significant changes and should be reviewed in its entirety.

Material name: Grigg Ultraplex