



1. Identification

Product identifier	Brandt Dew Dropper	
Other means of identification Product code	01008	
Recommended use	Agriculture / Horticulture - Soil V	Vetter - Refer to Product Label
Recommended restrictions	None known.	
Manufacturer/Importer/Supplier/Distributor information		
Manufacturer		
Company name Address	Brandt Consolidated, Inc. 2935 South Koke Mill Road Springfield, IL 62711 US US	
Telephone Website E-mail Contact person Emergency phone number	Corporate Office 1-217-547-5800 www.brandt.co msds@brandt.co EH&S / Regulatory Department	
	USA, Canada, Puerto Rico Virgin Islands International Maritime	1-800-424-3900 1-800-424-3900 +1 (703) 527-3887

2. Hazard(s) identification

Physical hazards	Not classified.
Health hazards	Not classified.
OSHA defined hazards	Not classified.

Label elements



Signal word	None.			
Hazard statement	The mixture does not meet the criteria for classification.			
Precautionary statement				
Prevention	Observe good industrial hygiene practices.			
Response	Wash hands after handling.			
Storage	Store away from incompatible materials.			
Disposal	Dispose of contents/container in accordance with local/regional/national/international regulations.			
Hazard(s) not otherwise classified (HNOC)	Not classified.			
Environmental hazards	Hazardous to the aquatic environment, acute hazard	Category 1		
	Hazardous to the aquatic environment, long-term hazard	Category 1		
Supplemental information				
Signal word	Warning			
Hazard statement	Very toxic to aquatic life. Very toxic to aquatic life with long lasting effects.			
Precautionary statement				
Prevention	Avoid release to the environment.			
Response	Collect spillage.	Collect spillage.		

8% of the mixture consists of component(s) of unknown acute hazards to the aquatic environment. 8% of the mixture consists of component(s) of unknown long-term hazards to the aquatic environment.

3. Composition/information on ingredients

Mixtures

Hazardous components Chemical name	Common name and synonyms	CAS number	%
Poly(oxylethylene) nonylphenylether (o-, m-, p-isomer mixture)		9016-45-9	40 - < 50*
Isopropanol		67-63-0	5 - < 10*
Other components below reportable l	evels		50 - < 60

*Designates that a specific chemical identity and/or percentage of composition has been withheld as a trade secret.

4. First-aid measures

Inhalation	Move to fresh air. Call a physician if symptoms develop or persist.
Skin contact	Wash off with soap and water. Get medical attention if irritation develops and persists.
Eye contact	Rinse with water. Get medical attention if irritation develops and persists.
Ingestion	Rinse mouth. Get medical attention if symptoms occur.
Most important symptoms/effects, acute and delayed	Direct contact with eyes may cause temporary irritation.
Indication of immediate medical attention and special treatment needed	Provide general supportive measures and treat symptomatically.
General information	Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves.

5. Fire-fighting measures

5. The ingliting measures	
Suitable extinguishing media	Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2).
Unsuitable extinguishing media	Do not use water jet as an extinguisher, as this will spread the fire.
Specific hazards arising from the chemical	During fire, gases hazardous to health may be formed.
Special protective equipment and precautions for firefighters	Self-contained breathing apparatus and full protective clothing must be worn in case of fire.
Fire-fighting equipment/instructions	Move containers from fire area if you can do so without risk.
Specific methods	Move container from fire area if it can be done without risk.
6. Accidental release meas	ures
Personal precautions, protective equipment and	Keep people away from and upwind of spill/leak. Keep out of low areas. Keep unnecessary personnel away. Wear appropriate personal protective equipment. Do not touch damaged

protective equipment and emergency procedures	personnel away. Wear appropriate personal protective equipment. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the MSDS.
Methods and materials for containment and cleaning up	Extinguish all flames in the vicinity. This material is classified as a water pollutant under the Clean Water Act and should be prevented from contaminating soil or from entering sewage and drainage systems which lead to waterways. Stop the flow of material, if this is without risk.
	Large Spills: Dike the spilled material, where this is possible. Cover with plastic sheet to prevent spreading. Use a non-combustible material like vermiculite, sand or earth to soak up the product and place into a container for later disposal. Following product recovery, flush area with water.
	Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.
	Never return spills in original containers for re-use. For waste disposal, see section 13 of the MSDS.
Environmental precautions	Avoid release to the environment. Contact local authorities in case of spillage to drain/aquatic environment. Prevent further leakage or spillage if safe to do so. Do not contaminate water. Avoid discharge into drains, water courses or onto the ground.
7. Handling and storage	
Precautions for safe handling	Avoid prolonged exposure. Provide adequate ventilation. Wear appropriate personal protective equipment. Observe good industrial hygiene practices. Avoid release to the environment. Do not empty into drains.

8. Exposure controls/personal protection

Components	Туре			Value
Isopropanol (CAS 67-63-0)	PEL			980 mg/m3 400 ppm
US. ACGIH Threshold Limit	Values			
Components	Туре			Value
Isopropanol (CAS 67-63-0)	STEL			400 ppm
	TWA			200 ppm
US. NIOSH: Pocket Guide to Components	Chemical Hazards Type		,	Value
Isopropanol (CAS 67-63-0)	STEL			1225 mg/m3 500 ppm
	TWA			980 mg/m3
				400 ppm
ological limit values				
ACGIH Biological Exposure				
Components V	alue	Determinant	Specimen	Sampling Time
Isopropanol (CAS 67-63-0) 4	0 mg/l	Acetone	Urine	*
* - For sampling details, pleas	e see the source docu	iment.		
propriate engineering ntrols	Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level.			
lividual protection measures,	such as personal pre	otective equipme	ent	
Eye/face protection	Wear safety glasses	with side shields	(or goggles).	
Skin protection				
Hand protection	Wear protective glow	/es.		
Other	Wear appropriate ch	nemical resistant c	lothing.	
Respiratory protection	In case of insufficien		•	
Thermal hazards	Wear appropriate the	-	-	•
neral hygiene nsiderations	Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.			
	properties			
Physical and chemical				
•	-			
•	Liquid.			
pearance	Liquid. Liquid.			
pearance Physical state	-	ellow.		
pearance Physical state Form Color	Liquid.	ellow.		
pearance Physical state Form Color lor	Liquid. Colourless to light ye	ellow.		
pearance Physical state Form Color lor lor threshold	Liquid. Colourless to light ye Slight.	ellow.		
pearance Physical state Form Color or or threshold	Liquid. Colourless to light ye Slight. Not available.	ellow.		
ppearance Physical state Form Color lor lor threshold It-Out / Crystallization Temp	Liquid. Colourless to light ye Slight. Not available. 6 - 7 Not available.			
ppearance Physical state Form Color lor lor threshold It-Out / Crystallization Temp elting point/freezing point tial boiling point and boiling	Liquid. Colourless to light ye Slight. Not available. 6 - 7	mated		
ppearance Physical state Form Color lor lor threshold It-Out / Crystallization Temp	Liquid. Colourless to light ye Slight. Not available. 6 - 7 Not available. < 32 °F (< 0 °C) estin	mated stimated	estimated	

Not available.

Flammability (solid, gas)

Upper/lower flammability or explosive limits

Upper/lower flammability or expl	osive limits
Flammability limit - lower (%)	2.5 % estimated
Flammability limit - upper (%)	12 % estimated
Explosive limit - lower (%)	Not available.
Explosive limit - upper (%)	Not available.
Vapor pressure	8.07 hPa estimated
Vapor density	Not available.
Relative density	Not available.
Solubility(ies)	100
Partition coefficient (n-octanol/water)	Not available.
Auto-ignition temperature	750.2 °F (399 °C) estimated
Decomposition temperature	Not available.
Viscosity	Not available.
Other information	
Percent volatile	60 % estimated
Pounds per gallon	8.43
VOC (Weight %)	8 % estimated

10. Stability and reactivity

Reactivity	The product is stable and non-reactive under normal conditions of use, storage and transport.
Chemical stability	Material is stable under normal conditions.
Possibility of hazardous reactions	Hazardous polymerization does not occur.
Conditions to avoid	Avoid temperatures exceeding the flash point.
Incompatible materials	Strong oxidizing agents. Isocyanates. Chlorine.
Hazardous decomposition products	No hazardous decomposition products are known.

11. Toxicological information

Information on likely routes of exposure

Ingestion	Not available.
Inhalation	Prolonged inhalation may be harmful.
Skin contact	Not available.
Eye contact	Not available.
Symptoms related to the physical, chemical and toxicological characteristics	Direct contact with eyes may cause temporary irritation.

Information on toxicological effects

Acute toxicity

Product	Species	Test Results
Brandt Dew Dropper (CAS	S Mixture)	
Acute		
Oral		
LD50	Dog	59962.5 mg/kg, estimated
	Mouse	45000 mg/kg, estimated
		56.25 g/kg, estimated
	Rabbit	80125 mg/kg, estimated
		62.875 g/kg, estimated
	Rat	63062.5 mg/kg, estimated
		58.75 g/kg, estimated

Other LD50 Components	Mouse Rat	18862.5 mg/kg, estimated	
Components		18862.5 mg/kg, estimated	
	Rat		
	Nat	13737.5 mg/kg, estimated	
	Species	Test Results	
sopropanol (CAS 67-63-0)			
Acute			
Dermal			
LD50	Rabbit	12800 mg/kg	
Oral			
LD50	Dog	4797 mg/kg	
	Mouse	3600 mg/kg	
		4.5 g/kg	
	Rabbit	6410 mg/kg	
		5.03 g/kg	
	Rat	5045 mg/kg	
		4.7 g/kg	
Other		5 5	
LD50	Mouse	1509 mg/kg	
	Rat	1099 mg/kg	
	e based on additional component data r	iot shown.	
Skin corrosion/irritation	Not available.		
Serious eye damage/eye rritation	Not available.		
Respiratory sensitization	Not available.		
Skin sensitization	Not available.		
Germ cell mutagenicity	No data available to indicate product or any components present at greater than 0.1% are mutagenic or genotoxic.		
Carcinogenicity	This product is not considered to be a carcinogen by IARC, ACGIH, NTP, or OSHA.		
Reproductive toxicity	Not available.		
Specific target organ toxicity - single exposure	Not available.		
Specific target organ toxicity - repeated exposure	Not available.		
Aspiration hazard	Not available.		
Chronic effects	Prolonged inhalation may be harmful.		

Ecotoxicity

Very toxic to aquatic life with long lasting effects. Accumulation in aquatic organisms is expected.

Product		Species	Test Results
Brandt Dew Dropper (CAS Mixture)		
Crustacea	EC50	Daphnia	35.1667 mg/l, 48 hours, estimated
Fish	LC50	Fish	322.0663 mg/l, 96 hours, estimated
Components		Species	Test Results
Isopropanol (CAS 67-6	63-0)		
Aquatic			
Fish	LC50	Bluegill (Lepomis macrochirus)	> 1400 mg/l, 96 hours
Poly(oxylethylene) nor	nylphenylether (o-,	m-, p-isomer mixture) (CAS 9016-45-9)	
Aquatic			
Crustacea	EC50	Water flea (Daphnia magna)	12.2 mg/l, 48 hours
Fish	LC50	Bluegill (Lepomis macrochirus)	1 - 1.8 mg/l, 96 hours

* Estimates for product may be based on additional component data not shown.

Persistence and degradability No data is available on the degradability of this product.

Bioaccumulative potential	Not available.				
Partition coefficient n-octanol / water (log Kow)					
Isopropanol	0.05				
Mobility in soil	Not available.				
Other adverse effects	No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.				
13. Disposal considerations					
Disposal instructions	Collect and reclaim or dispose in sealed containers at licensed waste disposal site. This material and its container must be disposed of as hazardous waste. Do not allow this material to drain into sewers/water supplies. Do not contaminate ponds, waterways or ditches with chemical or used container. Dispose of contents/container in accordance with local/regional/national/international regulations.				
Hazardous waste code	The waste code should be assigned in discussion between the user, the producer and the waste disposal company.				
Waste from residues / unused products	Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions).				
Contaminated packaging	Empty containers should be taken to an approved waste handling site for recycling or disposal. Since emptied containers may retain product residue, follow label warnings even after container is emptied.				
14. Transport information					
General DOT	DOT Regulated Marine Pollutant. IMDG Regulated Marine Pollutant.				
Basic shipping requirements:					
UN number	UN3082				
Proper shipping name	Environmentally hazardous substances, liquid, n.o.s., MARINE POLLUTANT				
Hazard class	9				
Packing group	III				
Environmental hazards					

Read safety instructions, SDS and emergency procedures before handling.

General information DOT; IATA; IMDG

EmS

9

Marine pollutant

Special precautions Additional information: Special provisions

Packaging exceptions

UN proper shipping name Transport hazard class(es)

UN proper shipping name Transport hazard class(es)

Environmental hazards Marine pollutant

Packaging non bulk

Packaging bulk

Packing group ERG code

UN number

UN number

Packing group

ΙΑΤΑ

IMDG

Yes

155

203

241

9 III

9L

9

Ш

Yes

F-A, S-F

UN3082

UN3082

8, 146, 335, IB3, T4, TP1, TP29

Environmentally hazardous substance, liquid, n.o.s.

ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.

DOT Regulated Marine Pollutant. IMDG Regulated Marine Pollutant.

Special precautions for user Read safety instructions, SDS and emergency procedures before handling.

Marine pollutant



DOT; IATA; IMDG



Marine pollutant



15. Regulatory information

US federal regulations	This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.			
TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)				
Not regulated.				
CERCLA Hazardous Subst	ance List (40 CFR 302.4)			
Isopropanol (CAS 67-63				
	ulated Substances (29 CFR 1910.1001-1050)			
Not listed.				
SARA 304 Emergency relea	ase notification			
Not regulated.				
Superfund Amendments and Reauthorization Act of 1986 (SARA)				
Hazard categories	Immediate Hazard - Yes Delayed Hazard - Yes Fire Hazard - No Pressure Hazard - No Reactivity Hazard - No			
SARA 302 Extremely hazardous substance	No			
SARA 311/312 Hazardous chemical	No			
Other federal regulations				
Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List				
Not regulated.				
Clean Air Act (CAA) Sectio	n 112(r) Accidental Release Prevention (40 CFR 68.130)			
Not regulated.				
Safe Drinking Water Act (SDWA)	Not regulated.			

Drug Enforcement Adm Chemical Code Numbe	ninistration (DEA). List 2, Essential Chemicals (21 CFR 1310.02(b) an	d 1310.04(f)(2) and		
Not listed.				
Food and Drug Administration (FDA)	Not regulated.			
US state regulations				
US. Massachusetts RTK - S	ubstance List			
Isopropanol (CAS 67-63-	/			
US. New Jersey Worker and	I Community Right-to-Know Act			
Isopropanol (CAS 67-63- US. Pennsylvania RTK - Ha				
Isopropanol (CAS 67-63- US. Rhode Island RTK	0)			
Isopropanol (CAS 67-63-	0)			
US. California Proposition 6	5			
Not Listed.				
International Inventories				
Country(s) or region	Inventory name	On inventory (yes/no)*		
Australia	Australian Inventory of Chemical Substances (AICS)	Yes		
Canada	Domestic Substances List (DSL)	Yes		
Canada	Non-Domestic Substances List (NDSL)			
China	Inventory of Existing Chemical Substances in China (IECSC)			
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)			
Europe	European List of Notified Chemical Substances (ELINCS)	No		
Japan	Inventory of Existing and New Chemical Substances (ENCS)	Yes		
Korea	Existing Chemicals List (ECL)	Yes		
New Zealand	New Zealand Inventory	Yes		
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	Yes		
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	Yes		
	omplies with the inventory requirements administered by the governing country(s) e components of the product are not listed or exempt from listing on the inventory a	administered by the governing		
16. Other information, inc	luding date of preparation or last revision			
Issue date	03-10-2014			
Version #	01			
Further information	Not available.			

DisclaimerWhile the information contained herein are presented in good faith and believed to be accurate, it
is provided for your guidance only. Because many factors may affect processing or application,
we recommend that you make tests to determine the suitability of a product for your particular
purpose prior to use. No warranties of any kind, either expressed or implied, including warranties
of merchantability or fitness for a particular purpose, are made regarding products described or
information set forth, or that the products, or information may be used without infringing the
intellectual property rights of others. In no case shall the information provided be considered a
part of our terms and conditions of sale. Further, you expressly understand and agree that the
information furnished by our company hereunder are given gratis and we assume no obligation or
liability for the information given or results obtained, all such being given and accepted at your risk.Revision InformationProduct and Company Identification: Product and Company Identification:
Product and Company Identification: Categories

Revision InformationProduct and Company Identification: Product and Company Identification
Hazards Identification: Shared US and Canadian Categories
Composition / Information on Ingredients: Ingredients
Physical & Chemical Properties: Multiple Properties
Transport Information: Agency Name, Packaging Type, and Transport Mode Selection