RRANDT

SAFETY DATA SHEET

1. Identification

Product identifier BRANDT Level Up

Other means of identification

Product code 42002

Recommended use Experimental use only

Agricultural/ Horticultural Use- Micronutrient Fertilizer- Refer to product label.

Recommended restrictions Refer to product label.

Manufacturer/Importer/Supplier/Distributor information

Manufacturer

Company nameAddress
Brandt Consolidated, Inc.
2935 South Koke Mill Road

Springfield, IL 62711

United States

Telephone Corporate Office 1-217-547-5800

Website www.brandt.co
E-mail www.brandt.co
msds@brandt.co

Contact person EH&S / Regulatory Department

Emergency phone number CHEMTREC (24 hours):

USA, Canada, Puerto Rico 1-800-424-9300 Virgin Islands 1-800-424-9300 International Maritime +1 (703) 527-3887

2. Hazard(s) identification

Physical hazards Not classified.

Health hazards Acute toxicity, oral Category 4

Skin corrosion/irritation Category 2
Serious eye damage/eye irritation Category 2B
Reproductive toxicity Category 2
Hazardous to the aquatic environment, acute Category 3

Environmental hazards Hazardous to the aquatic environment, acute

hazard

Hazardous to the aquatic environment, Category 3

long-term hazard

OSHA defined hazards Not classified.

Label elements



Signal word Warning

Hazard statement Harmful if swallowed. Causes skin irritation. Causes eye irritation. Suspected of damaging fertility

or the unborn child. Harmful to aquatic life. Harmful to aquatic life with long lasting effects.

Precautionary statement

Prevention Obtain special instructions before use. Do not handle until all safety precautions have been read

and understood. Wash thoroughly after handling. Do not eat, drink or smoke when using this product. Avoid release to the environment. Wear protective gloves/protective clothing/eye

protection/face protection.

Response If swallowed: Call a poison center/doctor if you feel unwell. Rinse mouth. If on skin: Wash with

plenty of water. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If exposed or concerned: Get medical advice/attention. If skin irritation occurs: Get medical advice/attention. If eye irritation persists: Get

medical advice/attention. Take off contaminated clothing and wash it before reuse.

Material name: BRANDT Level Up 42002 Version #: 01 Issue date: 05-08-2020 Storage Store locked up.

Dispose of contents/container in accordance with local/regional/national/international regulations. Disposal

Hazard(s) not otherwise

classified (HNOC)

None known.

Supplemental information None.

3. Composition/information on ingredients

Mixtures

Chemical name	Common name and synonyms	CAS number	%
Ferrous Sulphate, Heptahydrate		7782-63-0	10 - < 20*
Manganese Sulfate, monohydrate		10034-96-5	5 - < 10*
Zinc Sulfate		7733-02-0	5 - < 10*
2-Amino Ethanol (Ethanolamine)		141-43-5	1 - < 3*
Boric acid (H3BO3) reaction products with ethanolamine		94095-04-2	1 - < 3*
Other components below reportable	levels		60 - < 70

4. First-aid measures

Inhalation Move to fresh air. Call a physician if symptoms develop or persist.

Remove contaminated clothing. Wash with plenty of soap and water. If skin irritation occurs: Get Skin contact

medical advice/attention. Wash contaminated clothing before reuse.

Eve contact Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if

present and easy to do. Continue rinsing. Get medical attention if irritation develops and persists.

Rinse mouth. If vomiting occurs, keep head low so that stomach content doesn't get into the lungs.

Get medical advice/attention if you feel unwell.

Most important symptoms/effects, acute and

delayed

Ingestion

Irritation of eyes. Exposed individuals may experience eye tearing, redness, and discomfort. Skin irritation. May cause redness and pain.

Indication of immediate medical attention and special treatment needed

Provide general supportive measures and treat symptomatically. Keep victim warm. Keep victim under observation. Symptoms may be delayed.

General information

IF exposed or concerned: Get medical advice/attention. If you feel unwell, seek medical advice (show the label where possible). Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Show this safety data sheet to the doctor in attendance.

5. Fire-fighting measures

Suitable extinguishing media

Unsuitable extinguishing

media

Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2).

Do not use water jet as an extinguisher, as this will spread the fire.

Specific hazards arising from the chemical

During fire, gases hazardous to health may be formed.

Special protective equipment and precautions for firefighters Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

Fire fighting

equipment/instructions

Move containers from fire area if you can do so without risk.

Specific methods

Use standard firefighting procedures and consider the hazards of other involved materials.

General fire hazards No unusual fire or explosion hazards noted.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Wear appropriate protective equipment and clothing during clean-up. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.

Material name: BRANDT Level Up

Methods and materials for containment and cleaning up

This material is classified as a water pollutant under the Clean Water Act and should be prevented from contaminating soil or from entering sewage and drainage systems which lead to waterways.

Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Absorb in vermiculite, dry sand or earth and place into containers. Following product recovery, flush area with water.

Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.

Environmental precautions

Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS. Avoid release to the environment. Inform appropriate managerial or supervisory personnel of all

environmental releases. Prevent further leakage or spillage if safe to do so. Avoid discharge into

drains, water courses or onto the ground.

7. Handling and storage

Precautions for safe handling

Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Do not get in eyes, on skin, or on clothing. Do not taste or swallow. Avoid prolonged exposure. When using, do not eat, drink or smoke. Pregnant or breastfeeding women must not handle this product. Should be handled in closed systems, if possible. Provide adequate ventilation. Wear appropriate personal protective equipment. Wash hands thoroughly after handling. Avoid release to the environment. Observe good industrial hygiene practices.

Conditions for safe storage, including any incompatibilities Store locked up. Store in tightly closed container. Store away from incompatible materials (see Section 10 of the SDS).

8. Exposure controls/personal protection

HO COULT THE TAIL TAIL TO A LONG CONTRACTOR OF ACAD ACCOUNT

Occupational exposure limits

The following constituents are the only constituents of the product which have a PEL, TLV or other recommended exposure limit. At this time, the other constituents have no known exposure limits.

Components	ir Contaminants (29 CFR 1910.1 Type	Value	
2-Amino Ethanol (Ethanolamine) (CAS 141-43-5)	PEL	6 mg/m3	
		3 ppm	
Manganese Sulfate, monohydrate (CAS 10034-96-5)	Ceiling	5 mg/m3	
US. ACGIH Threshold Limit Valu	ies		
Components	Туре	Value	Form
2-Amino Ethanol (Ethanolamine) (CAS 141-43-5)	STEL	6 ppm	
	TWA	3 ppm	
Ferrous Sulphate, Heptahydrate (CAS 7782-63-0)	TWA	1 mg/m3	
Manganese Sulfate, monohydrate (CAS 10034-96-5)	TWA	0.1 mg/m3	Inhalable fraction.
		0.02 mg/m3	Respirable fraction.
US. NIOSH: Pocket Guide to Che	emical Hazards		
Components	Туре	Value	Form
2-Amino Ethanol (Ethanolamine) (CAS 141-43-5)	STEL	15 mg/m3	
		6 ppm	
	TWA	8 mg/m3	
		3 ppm	

Material name: BRANDT Level Up

SDS US

42002 Version #: 01 Issue date: 05-08-2020

US. NIOSH: Pocket Guide to C Components	Туре	Value	Form	
Ferrous Sulphate, Heptahydrate (CAS 7782-63-0)	TWA	1 mg/m3		
Manganese Sulfate, monohydrate (CAS 10034-96-5)	STEL	3 mg/m3	Fume.	
	TWA	1 mg/m3	Fume.	

Biological limit values No biological exposure limits noted for the ingredient(s).

Appropriate engineering

controls

Good general ventilation should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. Provide eyewash station and safety shower.

Individual protection measures, such as personal protective equipment

Chemical respirator with organic vapor cartridge and full facepiece. Eye/face protection

Skin protection

Hand protection Wear appropriate chemical resistant gloves.

Wear appropriate chemical resistant clothing. Use of an impervious apron is recommended. Other

Chemical respirator with organic vapor cartridge and full facepiece. Respiratory protection

Thermal hazards Wear appropriate thermal protective clothing, when necessary.

General hygiene considerations

Observe any medical surveillance requirements. Keep away from food and drink. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.

9. Physical and chemical properties

Liquid. **Appearance** Liquid. Physical state Liquid. **Form** Color Dark brown Odor Not available. Not available. **Odor threshold**

pН 2.9

Melting point/freezing point 3.2 °F (-16 °C) estimated 219.2 °F (104 °C) estimated Initial boiling point and boiling

range

Not available. Flash point **Evaporation rate** Not available. Flammability (solid, gas) Not applicable.

Upper/lower flammability or explosive limits

Flammability limit - lower

Not available.

(%)

Flammability limit - upper

(%)

Not available.

Explosive limit - lower (%) Not available. Not available. Explosive limit - upper (%)

Vapor pressure 2.03 hPa estimated Vapor density Not available.

Relative density 1.377 g/cm3 (typical)

Solubility(ies)

Not available. Solubility (water)

SDS US

Partition coefficient (n-octanol/water)

Not available.

Auto-ignition temperature Not available. **Decomposition temperature** Not available. **Viscosity** Not available.

Other information

Not explosive. **Explosive properties** Oxidizing properties Not oxidizing. Percent volatile 44.43 % estimated Pounds per gallon 11.49 lb/gal (typical) 2.93 % estimated VOC

10. Stability and reactivity

Reactivity The product is stable and non-reactive under normal conditions of use, storage and transport.

Material is stable under normal conditions. Chemical stability Possibility of hazardous Hazardous polymerization does not occur.

reactions

Conditions to avoid Contact with incompatible materials.

Incompatible materials Strong oxidizing agents.

Hazardous decomposition

products

No hazardous decomposition products are known.

11. Toxicological information

Information on likely routes of exposure

Inhalation Prolonged inhalation may be harmful.

Skin contact Causes skin irritation.

Prolonged or repeated exposure may cause liver and kidney damage. These effects have not

been observed in humans.

Eye contact Causes eye irritation. Ingestion Harmful if swallowed.

Symptoms related to the physical, chemical and toxicological characteristics Irritation of eyes. Exposed individuals may experience eye tearing, redness, and discomfort. Skin

irritation. May cause redness and pain.

Information on toxicological effects

Harmful if swallowed. **Acute toxicity**

Test Results Product Species

BRANDT Level Up

Acute

Inhalation

LD50 Rat 2969 mg/l, 4 hours

Oral

LD50 Rat 1536 mg/kg

Components **Test Results Species**

2-Amino Ethanol (Ethanolamine) (CAS 141-43-5)

Acute Dermal

LD50 Rabbit 1025 mg/kg

Ferrous Sulphate, Heptahydrate (CAS 7782-63-0)

Acute Dermal

LD50 Mouse 60.3 mg/kg

Material name: BRANDT Level Up

SDS US 5 / 10 42002 Version #: 01 Issue date: 05-08-2020

Components	Species	Test Results
	Rat	155 mg/kg
Oral		
LD50	Mouse	1520 mg/kg
	Rat	319 mg/kg
Manganese Sulfate, mond	ohydrate (CAS 10034-96-5)	
<u>Acute</u>		
Oral		
LD50	Rat	2150 mg/kg
Zinc Sulfate (CAS 7733-0	2-0)	
<u>Acute</u>		
Dermal		
LD50	Rat	> 2000 mg/kg
Oral		
LD50	Rat	920 mg/kg
		623 mg/kg
		- -

Skin corrosion/irritation Causes skin irritation.

Serious eye damage/eye Causes eye irritation.

irritation

Respiratory or skin sensitization

Respiratory sensitization

Skin sensitization

Due to partial or complete lack of data the classification is not possible.

Due to partial or complete lack of data the classification is not possible.

Due to partial or complete lack of data the classification is not possible.

Carcinogenicity

Due to partial or complete lack of data the classification is not possible.

Due to partial or complete lack of data the classification is not possible.

IARC Monographs. Overall Evaluation of Carcinogenicity

Not listed.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1053)

Not listed.

US. National Toxicology Program (NTP) Report on Carcinogens

Not listed.

Reproductive toxicity Suspected of damaging fertility or the unborn child.

Specific target organ toxicity -

single exposure

Due to partial or complete lack of data the classification is not possible.

Specific target organ toxicity -

repeated exposure

Due to partial or complete lack of data the classification is not possible.

Aspiration hazard Due to partial or complete lack of data the classification is not possible.

Chronic effects Prolonged inhalation may be harmful. May be harmful if absorbed through skin.

Prolonged or repeated exposure may cause liver and kidney damage. These effects have not

been observed in humans.

12. Ecological information

Ecotoxicity Harmful to aquatic life with long lasting effects.

Product		Species	Test Results
BRANDT Level Up			
Aquatic			
Fish	LC50	Fish	52.8899 mg/l, 96 hours estimated
Acute			
Crustacea	EC50	Daphnia	41 mg/l, 48 hours estimated

Material name: BRANDT Level Up 42002 Version #: 01 Issue date: 05-08-2020 Components Species Test Results

2-Amino Ethanol (Ethanolamine) (CAS 141-43-5)

Aquatic

Fish LC50 Rainbow trout, donaldson trout 114 - 196 mg/l, 96 hours

(Oncorhynchus mykiss)

Ferrous Sulphate, Heptahydrate (CAS 7782-63-0)

Aquatic

Fish LC50 Carp (Cyprinus carpio) 0.56 mg/l, 96 hours

Acute

Crustacea EC50 Daphnia magna 6.15 - 9.26 mg/l, 48 hours

Fish LC50 Brook trout (Salvelinus fontinalis) 0.48 mg/l, 96 hours

Manganese Sulfate, monohydrate (CAS 10034-96-5)

Aquatic

Crustacea EC50 Water flea (Daphnia obtusa) 30.8 - 44.1 mg/l, 48 hours

Fish LC50 Fathead minnow (Pimephales promelas) 36.9 mg/l, 96 hours

29.7 - 52.7 mg/l, 192 hours

Zinc Sulfate (CAS 7733-02-0)

Aquatic

Algae LC50 Green algae (Chlorella vulgaris) 5 mg/l, 24 hours

Crustacea EC50 Amphipod (Crangonyx pseudogracilis) 15.1 - 24.5 mg/l, 96 hours

Rotifer (Philodina acuticornis) 0.5 mg/l, 48 hours

Fish LC50 Fathead minnow (Pimephales promelas) 10.62 - 11.3 mg/l, 5 days

0.168 - 0.25 mg/l, 96 hours

Fish (Lepidocephalichthyes guntea) 76 - 118.8 mg/l, 24 hours

Persistence and degradability

No data is available on the degradability of any ingredients in the mixture.

Bioaccumulative potential

Partition coefficient n-octanol / water (log Kow)

2-Amino Ethanol (Ethanolamine) -1.31

Mobility in soil No data available.

Other adverse effects No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation

potential, endocrine disruption, global warming potential) are expected from this component.

13. Disposal considerations

Disposal instructions Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Incinerate the

material under controlled conditions in an approved incinerator. Do not allow this material to drain into sewers/water supplies. Do not contaminate ponds, waterways or ditches with chemical or used container. Dispose of contents/container in accordance with local/regional/national/international

regulations.

Local disposal regulations

Dispose in accordance with all applicable regulations.

Hazardous waste code

D002: Waste Corrosive material [pH <=2 or =>12.5, or corrosive to steel]

The waste code should be assigned in discussion between the user, the producer and the waste

disposal company.

Waste from residues / unused

products

Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see:

Disposal instructions).

Contaminated packaging Since emptied containers may retain product residue, follow label warnings even after container is

emptied. Empty containers should be taken to an approved waste handling site for recycling or

disposal.

14. Transport information

DOT

UN number UN3082

UN proper shipping name Environmentally hazardous substances, liquid, n.o.s. (Ferrous Sulphate, Heptahydrate RQ =

6662 LBS), MARINE POLLUTANT

Transport hazard class(es)

9 Class Subsidiary risk 9 Label(s) Ш Packing group

Environmental hazards

Marine pollutant Yes

Special precautions for user Read safety instructions, SDS and emergency procedures before handling.

Special provisions 8, 146, 335, IB3, T4, TP1, TP29

155 Packaging exceptions Packaging non bulk 203 241 Packaging bulk

Not DOT regulated in domestic (USA ground) transportation in package sizes less than 6662 lbs (580 gallons); 3021 kg (2195 liters).

The DOT transportation information above is for shipments with package sizes equal to or exceeding this value.


IATA

Not regulated as dangerous goods.

IMDG

Not regulated as dangerous goods.

DOT



Marine pollutant



General information

Not DOT regulated in domestic (USA ground) transportation in package sizes less than 6662 lbs (580 gallons); 3021 kg (2195 liters).

The DOT transportation information above is for shipments with package sizes equal to or exceeding this value.

15. Regulatory information

US federal regulations This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication

Standard, 29 CFR 1910.1200.

Toxic Substances Control Act (TSCA)

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

CERCLA Hazardous Substance List (40 CFR 302.4)

Ferrous Sulphate, Heptahydrate (CAS 7782-63-0) Listed. Manganese Sulfate, monohydrate (CAS 10034-96-5) Listed. Zinc Sulfate (CAS 7733-02-0) Listed.

SARA 304 Emergency release notification

Not regulated.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1053)

Not listed.

Superfund Amendments and Reauthorization Act of 1986 (SARA)

SARA 302 Extremely hazardous substance

Not listed.

SARA 311/312 Hazardous

Yes

chemical

Classified hazard Acute toxicity (any route of exposure)

categories Skin corrosion or irritation

Serious eye damage or eye irritation

Reproductive toxicity

SARA 313 (TRI reporting)

Chemical name	CAS number	% by wt.	
Manganese Sulfate, monohydrate	10034-96-5	5 - < 10	
Zinc Sulfate	7733-02-0	5 - < 10	

Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Manganese Sulfate, monohydrate (CAS 10034-96-5)

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

Safe Drinking Water Act

Not regulated.

(SDWA)

US state regulations

California Proposition 65

WARNING: This product can expose you to chemicals including arsenic, cadmium, and lead, which are known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.

International Inventories

Country(s) or region	Inventory name	On inventory (yes/no)*
Australia	Australian Inventory of Chemical Substances (AICS)	No
Canada	Domestic Substances List (DSL)	No
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	No
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	No
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	No
Korea	Existing Chemicals List (ECL)	No
New Zealand	New Zealand Inventory	No
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	No
Taiwan	Taiwan Chemical Substance Inventory (TCSI)	No
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	No

^{*}A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s)

16. Other information, including date of preparation or last revision

Issue date 05-08-2020

Version # 01

Material name: BRANDT Level Up SDS US

A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of Manufacturer's knowledge, information and belief at the date of its publication; however, it is provided only as a guidance for safe handling, use, processing, storage, transportation, disposal and release of the Product. No warranties of any kind, either expressed or implied, including warranties of merchantability or fitness for a particular purpose, are made with respect to the Product or the information provided herein, or that the Product or information herein may be used without infringing the intellectual property rights of others. The information provided in this Safety Data Sheet relates only to the specific Product designated and may not be valid if the Product is used in combination with other materials or in any other process, unless specified herein. The user assumes all risk and liability for loss, injury, damage or expense due to any use, handling, storage or disposal of the Product, and Manufacturer recommends that the user conducts its owns tests of the Product to determine suitability of the Product for user's particular use.

Revision information

Product and Company Identification: Product and Company Identification

SDS US