BRANDT Rezadone

CROP RESIDUE BREAKDOWN & NUTRIENT RELEASE AID

GUARANTEED ANALYSIS:

Alkyl Polygucoside (surfactant)	35%
Organic acids (pH buffer)	5%
Rheology and dispersant agents	5%
Fulvic Acid	1%
	CFU's per ml/(g)
Bacillus coagulans	5.54 x 10 ⁷
Bacillus amyloliquefaciens	6.24 x 10 ⁷
Bacillus licheniformis	2.12 x 10 ⁸
Bacillus megaterium	6.24 x 10 ⁷
Bacillus pumlis	1.62 x 10 ⁸
Total CFÜ's	5.55 x 10 ⁸

In the liquid form, contains 2.1 Trillion total colony forming units (CFU's) of per gallon $(2.1 \times 10^{12} \text{ CFU/gal})$ of the above microbes (1 gm = 1 ml).

GENERAL INFORMATION

BRANDT REZADONE is specifically designed to break down cropresidue in the field, improving planter performance and releasing valuable nutrients to feed the crop.

RATE RECOMMENDATIONS

Row Crops: Apply 12.8 fl oz per acre to crop residue as a broadcast application after harvest. BRANDT REZADONE may be applied with typical herbicides and fertilizers used in spring and fall burndown applications.

Cover Crops: Apply 12.8 fl oz per acre as a broadcast application to terminate cover crops or in combination with the termination spray to accelerate residue breakdown. BRANDT REZADONE may be applied with herbicide at the time of termination.

Fruit and Vegetable crops: Apply 12.8 to 32 fl oz per acre postharvest using the irrigation system when possible as a broadcast spray. BRANDT REZADONE may be applied with typical herbicides and fertilizers.

Tree and Vine Crops: Apply 12.8 to 64 fl oz per acre following pruning or wood chip incorporation. Rezadone may be applied with typical herbicides and fertilizers used in spring or fall.

Optimum rate of application will vary depending on treatment interval, soil properties (such as pH, organic matter content, texture), weather conditions, time of year, plant species and its nutrient requirements. For best results, follow soil/tissue test recommendation.

TANK MIXING AND PERFORMANCE CONSIDERATIONS

- Mix with water for a minimum total spray volume of 10 gallons per acre to ensure proper coverage.
- BRANDT REZADONE may be applied with most fertilizers and pesticides.
- Co-applying BRANDT REZADONE with liquid fertilizers such as AMS, UAN, ATS, 10-34-0, KTS may help further accelerate decomposition.
- Incorporation of the residue into the soil through tillage after application of BRANDT REZADONE may further accelerate the decomposition rates of residue.
- Mechanically sizing residue through chopping, mowing, or shredding will hasten residue breakdown.

Information regarding the contents and levels of metals in this product is available on the Internet at http://www.aapfco.org/metals.html Information about the components of this lot may be obtained by writing to BRANDT Consolidated, Inc. and giving the lot number which is found on the container or label.

Precautionary Statements

Based on currently available data, this product is not classified as a hazardous substance. However, observe good industrial hygiene practices. Wash hands after handling.

Storage and Disposal Do not contaminate water, food or feed by storage or disposal. Keep out of reach of children. Store away from incompatible materials. Dispose of waste and residues in accordance with local authority requirements.

LIMITED WARRANTY: BRANDT Consolidated, Inc. ("BCI") warrants that the Product conforms to the chemical description given on this label and is reasonably fit for the purpose stated when used in accordance with label directions under normal conditions of use. BCI AND SELLER MAKE NO OTHER WARRANTIES, EXPRESS OR IMPLIED, INCLUDING WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. NOR IS ANY REPRESENTATIVE OF SELLER AUTHORIZED TO MAKE ANY SUCH WARRANTY OR MODIFY THESE TERMS. Buyer and User accept all risks arising from any use of this Product. To the extent allowed by law, BCI and the Seller shall not be liable to the Buyer or User of this Product for any consequential, special, incidental or indirect damages.

