SAFETY DATA SHEET

1. Identification

Product identifier Maximo 360

Other means of identification

Product code 34012ZNC

Synonyms ZINC SULPHATE, MONOHYDRATE

Recommended use Agriculture / Horticulture - Micronutrient - Refer to Product Label

Recommended restrictions Refer to product label.

Manufacturer/Importer/Supplier/Distributor information

Manufacturer

Company name Zinc Nacional S.A.
Address Serafin Pena

938 Sur. Monterrey N.L. Mexico. C.P. 64000

Mexico

Telephone +52 (81) 8345-4078

Fax +52 (81) 8344-3446

E-mail Not available.

Emergency phone number +52 (81) 8376-5730

2. Hazard(s) identification

Physical hazards Not classified.

Health hazards Acute toxicity, oral Category 4

Serious eye damage/eye irritation Category 2
Specific target organ toxicity, repeated Category 2

exposure

Environmental hazards Hazardous to the aquatic environment, acute Category 2

nazard

Hazardous to the aquatic environment, Category 2

long-term hazard

OSHA defined hazards Not classified.

Label elements



Signal word Warning

Hazard statement Harmful if swallowed. Causes serious eye irritation. Very toxic to aquatic life. Very toxic to aquatic

life with long lasting effects.

Precautionary statement

Prevention Wash thoroughly after handling. Do not eat, drink or smoke when using this product. Avoid

release to the environment. Wear eye protection/face protection.

Response If swallowed: Call a poison center/doctor if you feel unwell. Rinse mouth. If in eyes: Rinse

cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention. Collect spillage.

Storage Store away from incompatible materials.

Disposal Dispose of contents/container in accordance with local/regional/national/international regulations.

Hazard(s) not otherwise

classified (HNOC)

None known.

Supplemental information None.

 Material name: Maximo 360

 34012ZNC
 Version #: 01
 Issue date: 12-09-2024
 1 / 8

3. Composition/information on ingredients

Mixtures

Chemical name	Common name and synonyms	CAS number	%
Zinc Sulfate		7733-02-0	90 - 100
Other components below reportable levels			5 - < 10

^{*}Designates that a specific chemical identity and/or percentage of composition has been withheld as a trade secret.

4. First-aid measures

Inhalation Move to fresh air. Call a physician if symptoms develop or persist.

Wash off with soap and water. Get medical attention if irritation develops and persists. Skin contact

Do not rub eyes. Immediately flush eyes with plenty of water for at least 15 minutes. Remove Eye contact

contact lenses, if present and easy to do. Continue rinsing. Get medical attention if irritation

develops and persists.

Rinse mouth. If vomiting occurs, keep head low so that stomach content doesn't get into the lungs. Ingestion

Get medical advice/attention if you feel unwell.

Most important

symptoms/effects, acute and delayed

Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Dusts may irritate the respiratory tract, skin and eyes.

Indication of immediate medical attention and special treatment needed

Provide general supportive measures and treat symptomatically. Keep victim warm. Keep victim under observation. Symptoms may be delayed.

General information Ensure that medical personnel are aware of the material(s) involved, and take precautions to

protect themselves. Show this safety data sheet to the doctor in attendance.

5. Fire-fighting measures

Suitable extinguishing media

Unsuitable extinguishing

media

Water fog. Foam, Dry chemical powder, Carbon dioxide (CO2).

Do not use water jet as an extinguisher, as this will spread the fire.

Specific hazards arising from

the chemical

During fire, gases hazardous to health may be formed.

Special protective equipment and precautions for firefighters Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

Fire fighting equipment/instructions Use water spray to cool unopened containers.

Specific methods

Use standard firefighting procedures and consider the hazards of other involved materials.

General fire hazards No unusual fire or explosion hazards noted.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Wear appropriate protective equipment and clothing during clean-up. Use a NIOSH/MSHA approved respirator if there is a risk of exposure to dust/fume at levels exceeding the exposure limits. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained.

Methods and materials for containment and cleaning up Avoid the generation of dusts during clean-up. Collect dust using a vacuum cleaner equipped with HEPA filter. Prevent entry into waterways, sewer, basements or confined areas. Stop the flow of material, if this is without risk.

Large Spills: Wet down with water and dike for later disposal. Shovel the material into waste container. Absorb in vermiculite, dry sand or earth and place into containers. Following product recovery, flush area with water.

Small Spills: Sweep up or vacuum up spillage and collect in suitable container for disposal. Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.

Never return spills to original containers for re-use.

Environmental precautions

Avoid release to the environment. Inform appropriate managerial or supervisory personnel of all environmental releases. Prevent further leakage or spillage if safe to do so. Avoid discharge into drains, water courses or onto the ground.

Material name: Maximo 360 SDS US 34012ZNC Version #: 01 Issue date: 12-09-2024

7. Handling and storage

Precautions for safe handling Minimize dust generation and accumulation. Provide appropriate exhaust ventilation at places

where dust is formed. Do not taste or swallow. Avoid contact with eyes. When using, do not eat, drink or smoke. Wear appropriate personal protective equipment. Wash hands thoroughly after handling. Avoid release to the environment. Observe good industrial hygiene practices.

Conditions for safe storage, including any incompatibilities Store in original tightly closed container. Store in a well-ventilated place.

Store in secured area away from children, feed, and other food products. Store in original container. Store in a well-ventilated area. Storage temperature: 40 F to 100 F.

8. Exposure controls/personal protection

Occupational exposure limits

Biological limit values

Appropriate engineering

controls

This mixture has no ingredients that have PEL, TLV, or other recommended exposure limit.

No biological exposure limits noted for the ingredient(s).

Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. If material is ground, cut, or used in any operation which may generate dusts, use appropriate local exhaust ventilation to keep exposures below the recommended exposure limits. Provide eyewash

Individual protection measures, such as personal protective equipment

station.

Face shield is recommended. Wear safety glasses with side shields (or goggles). Eye/face protection

Skin protection

Wear appropriate chemical resistant gloves. Suitable gloves can be recommended by the glove **Hand protection**

supplier.

Other Wear suitable protective clothing.

Respiratory protection Use a NIOSH/MSHA approved respirator if there is a risk of exposure to dust/fume at levels

exceeding the exposure limits.

Thermal hazards Wear appropriate thermal protective clothing, when necessary.

General hygiene considerations

Keep away from food and drink. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash

work clothing and protective equipment to remove contaminants.

9. Physical and chemical properties

Appearance Powder. Solid. Physical state Powder. **Form** White Color

Odor Not available. **Odor threshold** Not available. Not available. Melting point/freezing point 1256 °F (680 °C)

Initial boiling point and boiling

range

211.95 °F (99.97 °C) estimated

Not available. Flash point Not available. **Evaporation rate** Not available. Flammability (solid, gas) Upper/lower flammability or explosive limits

Explosive limit - lower (%) Not available. Not available. Explosive limit - upper (%)

Vapor pressure <0.0000001 kPa at 25 °C

Not available. Vapor density Relative density Not available.

Solubility(ies)

50 % estimated Solubility (water)

Material name: Maximo 360 SDS US

Solubility (other) Insoluble in alcohol Partition coefficient Not available.

(n-octanol/water)

Auto-ignition temperature Not available. **Decomposition temperature** Not available. Not available. Viscosity

Other information

> 88 - < 92 lb/ft3 (typical) **Bulk density** 3.66 g/cm3 estimated Density

Explosive properties Not explosive. Molecular formula ZnSO4 - H2O 161.45 g/mol Molecular weight **Oxidizing properties** Not oxidizing.

> 5.5 - < 5.9 (5% Solution) estimated pH in aqueous solution

3.66 estimated Specific gravity

10. Stability and reactivity

The product is stable and non-reactive under normal conditions of use, storage and transport. Reactivity

Chemical stability Material is stable under normal conditions. Possibility of hazardous Hazardous polymerization does not occur.

reactions

Conditions to avoid Contact with incompatible materials.

Incompatible materials Strong oxidizing agents.

Hazardous decomposition

products

Product

Thermal decomposition products may include toxic sulfur oxides.

11. Toxicological information

Information on likely routes of exposure

Inhalation Dust may irritate respiratory system. Dust or powder may irritate the skin. Skin contact

Causes serious eye irritation. Eye contact

Harmful if swallowed. Ingestion

Symptoms related to the physical, chemical and toxicological characteristics Severe eye irritation. Symptoms may include stinging, tearing, redness, swelling, and blurred

Test Results

vision. Dusts may irritate the respiratory tract, skin and eyes.

Information on toxicological effects

Acute toxicity Harmful if swallowed.

Species Maximo 360 **Acute** Oral Dust LD50 Mouse 245 mg/kg Cited data for Zinc Sulfate (anhydrous) Rat 1710 mg/kg Cited data for Zinc Sulfate (anhydrous) Components **Species Test Results**

Zinc Sulfate (CAS 7733-02-0)

Acute Dermal

LD50 Rat > 2000 mg/kg

SDS US 4/8 34012ZNC Version #: 01 Issue date: 12-09-2024

Components	Species	Test Results	
Oral			
LD50	Rat	920 mg/kg	
		623 mg/kg	

^{*} Estimates for product may be based on additional component data not shown.

Prolonged skin contact may cause temporary irritation. Skin corrosion/irritation

Serious eye damage/eye

irritation

Causes serious eye irritation.

Respiratory or skin sensitization

Respiratory sensitization Not a respiratory sensitizer.

Skin sensitization This product is not expected to cause skin sensitization.

No data available to indicate product or any components present at greater than 0.1% are Germ cell mutagenicity

mutagenic or genotoxic.

Carcinogenicity This product is not considered to be a carcinogen by IARC, ACGIH, NTP, or OSHA.

IARC Monographs. Overall Evaluation of Carcinogenicity

Not listed.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1053)

Not listed.

US. National Toxicology Program (NTP) Report on Carcinogens

Not listed.

Reproductive toxicity This product is not expected to cause reproductive or developmental effects.

Species

Specific target organ toxicity -

single exposure

Not classified.

Specific target organ toxicity -

repeated exposure

Product

Not classified.

Not an aspiration hazard. **Aspiration hazard**

12. Ecological information

Very toxic to aquatic life with long lasting effects. **Ecotoxicity**

		•	
Maximo 360			
Aquatic			
Crustacea	EC50	Daphnia	6.9983 mg/l, 48 hours
Fish	LC50	Fish	11.8354 mg/l, 96 hours
Acute			
Crustacea	EC50	Daphnia	0.2105 mg/l, 48 hours estimated
Fish	LC50	Fish	0.0674 mg/l, 96 hours estimated
Components		Species	Test Results
Zinc Sulfate (CAS 773	3-02-0)		
Aquatic			
Acute			
Algae	LC50	Green algae (Chlorella vulgaris)	5 mg/l, 24 hours
Crustacea	EC50	Amphipod (Crangonyx pseudogracilis)	>= 15.1 - <= 24.5 mg/l, 96 hours
		Rotifer (Philodina acuticornis)	0.2 mg/l, 48 hours
Fish	LC50	Cutthroat trout (Oncorhynchus clarki)	0.064 - 0.085 mg/l, 96 hours
		Fathead minnow (Pimephales promelas)	>= 10.62 - <= 11.3 mg/l, 5 days
		Fish (Lepidocephalichthyes guntea)	>= 76 - <= 118.8 mg/l, 24 hours

Test Results

Persistence and degradability No data is available on the degradability of this product.

Bioaccumulative potential No data available.

Material name: Maximo 360 SDS US

^{*} Estimates for product may be based on additional component data not shown.

Mobility in soil No data available.

Other adverse effects No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation

potential, endocrine disruption, global warming potential) are expected from this component.

13. Disposal considerations

Disposal instructionsCollect and reclaim or dispose in sealed containers at licensed waste disposal site. Do not allow

this material to drain into sewers/water supplies. Do not contaminate ponds, waterways or ditches

with chemical or used container. Dispose of contents/container in accordance with local/regional/national/international regulations.

Local disposal regulations Dispose in accordance with all applicable regulations.

Hazardous waste code The waste code should be assigned in discussion between the user, the producer and the waste

disposal company.

Waste from residues / unused

products

Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see:

Disposal instructions).

Contaminated packaging Since emptied containers may retain product residue, follow label warnings even after container is

emptied. Empty containers should be taken to an approved waste handling site for recycling or

disposal.

14. Transport information

DOT

UN number UN3077

UN proper shipping name Transport hazard class(es) Environmentally hazardous substances, solid, n.o.s. (Zinc Sulfate RQ = 1000 lbs)

Class 9

Subsidiary hazard Label(s) 9
Packing group

Environmental hazards

Marine pollutant No.

Special precautions for user Not assigned.

Special provisions 8, 146, 335, A112, B54, IB8, IP3, N20, T1, TP33

Packaging exceptions155Packaging non bulk213Packaging bulk240

IMDG Regulated Marine Pollutant. Not DOT regulated in domestic (USA ground) transportation in package sizes less than 1,000 lbs (454 kg). The DOT transportation information above is for shipments with package sizes equal to or exceeding this value.

DOT Shipping Notes: 40 CFR 172.504(f)(9) For Class 9, a CLASS 9 placard is not required for domestic (USA ground) transportation, however shipments with packaging exceeding the Reportable Quantity (RQ) or bulk packaging must be marked with the appropriate identification number on a CLASS 9 placard, an orange panel, or a white square-on-point display configuration as required. Since the Class 9 placard is not required (although it may be used) the hazardous material endorsement is also not required on a Commercial Drivers License.

IATA

UN number UN3077

UN proper shipping name Environmentally hazardous substances, solid, n.o.s. (Zinc Sulfate)

Transport hazard class(es)

Class 9
Subsidiary hazard Label(s) 9
Packing group III
Environmental hazards Yes

Special precautions for user Not assigned.

IMDG

UN number UN3077

UN proper shipping name Environmentally hazardous substances, solid, n.o.s. (Zinc Sulfate), MARINE POLLUTANT

Transport hazard class(es)

Class 9
Subsidiary hazard Label(s) 9
Packing group III


Material name: Maximo 360 SDS US

Environmental hazards

Marine pollutant Yes

EmS Not assigned.
Special precautions for user Not assigned.

DOT; IATA; IMDG



Marine pollutant



General information

IMDG Regulated Marine Pollutant. Not DOT regulated in domestic (USA ground) transportation in package sizes less than 1,000 lbs (454 kg). The DOT transportation information above is for shipments with package sizes equal to or exceeding this value.

15. Regulatory information

US federal regulations

This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.

Toxic Substances Control Act (TSCA)

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

CERCLA Hazardous Substance List (40 CFR 302.4)

Zinc Sulfate (CAS 7733-02-0)

Listed.

SARA 304 Emergency release notification

Not regulated.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1053)

Not listed

Superfund Amendments and Reauthorization Act of 1986 (SARA)

SARA 302 Extremely hazardous substance

Not listed.

SARA 311/312 Hazardous

No (Exempt)

chemical

SARA 313 (TRI reporting)

Chemical name	CAS number	% by wt.	
Zinc Sulfate	7733-02-0	90 - 100	

Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Not regulated.

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

Material name: Maximo 360

Clean Water Act (CWA) Hazardous substance Section 112(r) (40 CFR Priority pollutant Toxic pollutant 68.130)

Safe Drinking Water Act

(SDWA)

Not regulated.

US state regulations

California Proposition 65

WARNING: This product can expose you to chemicals including arsenic, cadmium, and lead, which are known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.

International Inventories

Country(s) or region	Inventory name	On inventory (yes/no)*
Australia	Australian Inventory of Industrial Chemicals (AICIS)	Yes
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	Yes
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	Yes
Korea	Existing Chemicals List (ECL)	Yes
New Zealand	New Zealand Inventory	Yes
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	Yes
Taiwan	Taiwan Chemical Substance Inventory (TCSI)	Yes

^{*}A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s) A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

16. Other information, including date of preparation or last revision

12-09-2024 Issue date

Version # 01

United States & Puerto Rico

The information provided in this Safety Data Sheet is correct to the best of Manufacturer's Disclaimer

Toxic Substances Control Act (TSCA) Inventory

knowledge, information and belief at the date of its publication; however, it is provided only as a guidance for safe handling, use, processing, storage, transportation, disposal and release of the Product. No warranties of any kind, either expressed or implied, including warranties of merchantability or fitness for a particular purpose, are made with respect to the Product or the information provided herein, or that the Product or information herein may be used without infringing the intellectual property rights of others. The information provided in this Safety Data Sheet relates only to the specific Product designated and may not be valid if the Product is used in combination with other materials or in any other process, unless specified herein. The user assumes all risk and liability for loss, injury, damage or expense due to any use, handling, storage or disposal of the Product, and Manufacturer recommends that the user conducts its owns tests of

Yes

the Product to determine suitability of the Product for user's particular use.

Product and Company Identification: Alternate Trade Names **Revision information**

Material name: Maximo 360 SDS US 8/8

34012ZNC Version #: 01 Issue date: 12-09-2024