

Safety Data Sheet

According to OSHA HazCom Standard [2024]

Date of issue: 01/07/2026

Version 1

Reviewed on 01/07/2026

1 Identification

Product identifier

Trade name: Nordox 30/30

Other means of identification

Application of the substance / the mixture: Fungicide

Details of the supplier of the safety data sheet

Manufacturer/Supplier:

NORDOX AS

Address: Østensjøveien 13, 0661, OSLO, Norway

Tel: +47 22 97 50 00

Fax: +47 22 64 12 08

E-mail: michael.nowak@nodox.no

Website: www.nodox.no

Emergency telephone number:

Emergency Telephone: National Capital Poison Control (800) 222-1222

EPA National Response Center: (800) 424-8802

2 Hazard(s) identification

Classification of the substance or mixture

Aquatic Acute 1 H400 Very toxic to aquatic life.

Aquatic Chronic 1 H410 Very toxic to aquatic life with long lasting effects.

Label elements

GHS label elements

The product is classified and labeled according to the Globally Harmonized System (GHS).

Hazard pictograms



GHS09

Signal word

Warning

Hazard-determining components of labeling:

dicopper oxide

Hazard statements

H410 Very toxic to aquatic life with long lasting effects.

Precautionary statements:

P273 Avoid release to the environment.

P391 Collect spillage.

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

Additional Information:

Information pertaining to particular dangers for man and environment:

Classification system:

NFPA ratings (scale 0 - 4)



Health = 2

Fire = 0

Reactivity = 0

Safety Data Sheet

According to OSHA HazCom Standard [2024]

Date of issue: 01/07/2026

Version 1

Reviewed on 01/07/2026

Trade name: Nordox 30/30**HMIS-ratings (scale 0 - 4)**

HEALTH	<input checked="" type="checkbox"/> *1	Health = *1
FIRE	<input type="checkbox"/> 0	Fire = 0
REACTIVITY	<input type="checkbox"/> 0	Reactivity = 0

Other hazards**Results of PBT and vPvB assessment**

PBT: Not applicable

vPvB: Not applicable

3 Composition/information on ingredients

Description: Mixture: consisting of the following components.

Hazardous Components:			
1314-13-2	Zinc oxide		≥25-≤40%
	Aquatic Acute 1, H400 (M=1); Aquatic Chronic 1, H410 (M=1)		
1317-39-1	dicopper oxide		15-40%
	Eye damage 1, H318; Aquatic Acute 1, H400 (M=100); Aquatic Chronic 1, H410 (M=10); Acute toxicity - oral 4, H302; Acute toxicity - inhalation 4, H332		

Information on components:

1314-13-2	Zinc oxide	Aquatic Acute 1, H400 (M=1); Aquatic Chronic 1, H410 (M=1)	≥25-≤40%
-----------	------------	--	----------

4 First-aid measures

Description of first aid measures**General information:**

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

After inhalation: Move patient to fresh air, if symptom arise consult a doctor.**After skin contact:**

Remove/ Take off immediately all contaminated clothing.
Immediately wash with water and soap and rinse thoroughly.
If skin irritation continues, consult a doctor.

After eye contact:

Remove contact lenses.
Rinse opened eye for several minutes under running water. Then consult a doctor.

After swallowing:

Call for a doctor immediately.
Rinse out mouth with water.
Do not induce vomiting.
Never give anything by mouth to an unconscious person.

Most important symptoms and effects, both acute and delayed

Dust may cause irritation in skin folds or by contact in combination with tight clothing.
The inhalation of emissions containing a high concentration of metallic oxides may cause, during the following 12 hours, transient febrile states

Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

5 Fire-fighting measures

Extinguishing media**Suitable extinguishing agents:**

Foam
Dry powder

Safety Data Sheet

According to OSHA HazCom Standard [2024]

Date of issue: 01/07/2026

Version 1

Reviewed on 01/07/2026

Trade name: Nordox 30/30

Carbon dioxide
Water spray
Sand

For safety reasons unsuitable extinguishing agents: Water with full jet

Special hazards arising from the substance or mixture

In case of fire, the following can be released:
Cupric oxide

Advice for firefighters

Protective equipment:

Wear self-contained respiratory protective device.
Wear fully protective suit.

Additional information

Collect contaminated fire fighting water separately. It must not enter the sewage system.

6 Accidental release measures

Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away.

Avoid contact with skin and eyes.

Avoid formation of dust.

Avoid inhaling dust and fumes.

Ensure adequate ventilation

For non-emergency personnel Evacuate unnecessary personnel

For emergency responders

Equip cleanup and emergency crew with proper protection

Ventilate area

Environmental precautions:

Do not allow product to reach sewage system or any water course.

Inform respective authorities in case of seepage into water course or sewage system.

Methods and material for containment and cleaning up:

Use neutralizing agent.

Collect mechanically.

Sweep or shovel into suitable containers

Dispose contaminated material as waste according to section 13.

Special spill response procedures:

Protective Action Criteria for Chemicals

PAC-1:		
1314-13-2	Zinc oxide	10 mg/m3
1317-39-1	dicopper oxide	3.4 mg/m3
PAC-2:		
1314-13-2	Zinc oxide	15 mg/m3
1317-39-1	dicopper oxide	21 mg/m3
PAC-3:		
1314-13-2	Zinc oxide	2500 mg/m3
1317-39-1	dicopper oxide	130 mg/m3

Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

Safety Data Sheet

According to OSHA HazCom Standard [2024]

Date of issue: 01/07/2026

Version 1

Reviewed on 01/07/2026

Trade name: Nordox 30/30

7 Handling and storage

Precautions for safe handling

Thorough dedusting.
Provide suction extractors if dust is formed.
Avoid breathing dust.
Avoid contact with skin, eyes and clothing.
Do not eat or drink while working.
Ensure good ventilation/exhaustion at the workplace.
Wash hands before breaks and at the end of work.
Prevent formation of dust.

Information about protection against explosions and fires: No special measures required.

Conditions for safe storage, including any incompatibilities

Requirements to be met by storerooms and receptacles:

Store only in the original receptacle.
Store in cool, dry conditions in well sealed receptacles.

Information about storage in one common storage facility: Not required

Further information about storage conditions:

Keep receptacle tightly sealed.
Keep out of reach of children

Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

Control parameters

Components with limit values that require monitoring at the workplace:

1314-13-2 Zinc oxide

PEL	Long-term value: 15* 5** mg/m ³ *total dust **respirable fraction and fume
REL	Short-term value: 10** mg/m ³ Long-term value: 5 mg/m ³ Ceiling limit value: 15* mg/m ³ *dust only **fume
TLV	Short-term value: 10* mg/m ³ Long-term value: 2* mg/m ³ *respirable particulate matter

1317-39-1 dicopper oxide

TLV	Long-term value: 0.2* 1** mg/m ³ as Cu *fume **dust/mist
-----	--

Additional information: The lists that were valid during the creation were used as basis.

Exposure controls

Personal protective equipment

General protective and hygienic measures:

The usual precautionary measures for handling chemicals should be followed.

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Avoid contact with the eyes and skin.

Do not inhale dust / smoke / mist.

Ensure good ventilation/exhaustion at the workplace.

Ensure that washing facilities are available at the work place.

Safety Data Sheet

According to OSHA HazCom Standard [2024]

Date of issue: 01/07/2026

Version 1

Reviewed on 01/07/2026

Trade name: Nordox 30/30

Wash hands before breaks and at the end of work.



Do not eat, drink and smoke while working.

Breathing equipment: Filter P3

Protection of hands:



Protective gloves

The glove material must be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

Material of gloves

Natural rubber, NR

Neoprene gloves

Nitrile rubber, NBR

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

Eye protection:



Tightly sealed goggles

Body protection: Protective work clothing

9 Physical and chemical properties

Information on basic physical and chemical properties

General Information

Physical state

Solid

Color:

Yellow-brown

Odor:

Slight.

Odor threshold:

Not determined

Melting point/Melting range:

1235 °C (2,255 °F) (CuO2)

Boiling point/Boiling range:

332 °C (629.6 °F)

Flammability:

Not determined

Explosion limits:

Not determined

Lower:

Not determined

Upper:

Not determined

Flash point:

Not applicable

Auto-ignition temperature:

Not determined.

Decomposition temperature:

>332 °C (>629.6 °F)

pH-value at 20 °C (68 °F):

8.32-8.83

Viscosity:

Not applicable

Kinematic:

Not applicable

Dynamic:

Not applicable

Safety Data Sheet

According to OSHA HazCom Standard [2024]

Date of issue: 01/07/2026

Version 1

Reviewed on 01/07/2026

Trade name: Nordox 30/30**Solubility in / Miscibility with**

Water:	Partly soluble.
Partition coefficient (n-octanol/water):	Not determined
Vapor pressure:	Not determined
Vapor pressure:	
Density:	Not determined
Relative density at 20 °C (68 °F)	1.3 kg/l
Vapor density	Not applicable
Particle characteristics	Not determined

Other information

Appearance:	
Form:	Granulate
Danger of explosion:	Product does not present an explosion hazard. Not determined

Flammability Limits:

Upper:	
VOC content:	0.00 %
Solids content:	100.0 %
Oxidizing properties	Not determined.

Evaporation rate

10 Stability and reactivity**Reactivity** Avoid raising dust.**Chemical stability****Thermal decomposition / conditions to be avoided:**
No decomposition if used according to specifications.**Possibility of hazardous reactions** Dust may form flammable and explosive mixture with air**Conditions to avoid** Protect against moisture.**Incompatible materials:** Aluminium. magnesium. Potassium oxides. Hydrazine [(NH₂)₂]. Acids.**Hazardous decomposition products:**

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

11 Toxicological information**Information on toxicological effects****Acute toxicity:****LD/LC50 values that are relevant for classification:**

Oral	LD50	>2,500 mg/kg (Rat)
Dermal	LD50	>2,000 mg/kg (Rat)
Inhalative	LC50/4h	>5.03 mg/L (Rat)

1314-13-2 Zinc oxide

Oral	LD50	>5,000 mg/kg (Rat)
------	------	--------------------

1317-39-1 dicopper oxide

Oral	LD50	1,340 mg/kg (Rat)
Inhalative	LC50/4h	3.34 mg/L (Rat)

Primary irritant effect:**on the skin:** No irritant effect.**on the eye:** No irritating effect.**Sensitization:** No sensitizing effects known.

Safety Data Sheet

According to OSHA HazCom Standard [2024]

Date of issue: 01/07/2026

Version 1

Reviewed on 01/07/2026

Trade name: Nordox 30/30

Additional toxicological information:

Interactive effects No interactive effects between components are known.

Carcinogenic categories

IARC (International Agency for Research on Cancer)

None of the ingredients are listed.

NTP (National Toxicology Program)

None of the ingredients are listed.

OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients are listed.

Alternative sources for toxicological information

No non-standard sources for toxicological information where used.

12 Ecological information

Toxicity

Aquatic toxicity:

1314-13-2 Zinc oxide

LC50/96h	0-1 mg/L (Fish)
IC50/72h	0.17 mg/L (Pseudokirchneriella Subcapitata)

1317-39-1 dicopper oxide

LC50/96h	>0.173 mg/L (Cyprinodon variegatus)
EC50/48h	0.51 mg/L (Daphnia Magna)

Persistence and degradability Product has only a limited biodegradability in soil and water

Bioaccumulative potential

No evidence of bioaccumulative potential.

Bioconcentration factor (BCF) 2120 l/kg

Mobility in soil Adsorbs into the soil.

Results of PBT and vPvB assessment

PBT: Not applicable

vPvB: Not applicable

Other adverse effects

Do not allow product to reach ground water, water course or sewage system.

Avoid release to the environment

Remark: Very toxic for fish

Additional ecological information

General notes:

Water hazard class 3 (Self-assessment): extremely hazardous for water

Do not allow product to reach ground water, water course or sewage system, even in small quantities.

Must not reach bodies of water or drainage ditch undiluted or unneutralized.

Danger to drinking water if even extremely small quantities leak into the ground.

Also poisonous for fish and plankton in water bodies.

Very toxic for aquatic organisms

13 Disposal considerations

Waste treatment methods

Recommendation:

Disposal must be made in accordance with official regulations.

Do not allow product to reach sewage system.

Uncleaned packagings:

Recommendation:

Disposal must be made according to official regulations.

Safety Data Sheet

According to OSHA HazCom Standard [2024]

Date of issue: 01/07/2026

Version 1

Reviewed on 01/07/2026

Trade name: Nordox 30/30

Packagings that cannot be cleansed are to be disposed of in the same manner as the product.

Recommended cleansing agent: Water, if necessary with cleaning agents.**14 Transport information****UN-Number**

DOT, ADR, IMDG, IATA

UN3077

UN proper shipping name

DOT

Environmentally hazardous substance, solid, n.o.s. (Zinc oxide, dicopper oxide)

ADR

3077 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (Zinc oxide, dicopper oxide)

IMDG


ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (Zinc oxide, dicopper oxide), MARINE POLLUTANT

IATA

ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (Zinc oxide, dicopper oxide)

Transport hazard class(es)

DOT, ADR, IMDG, IATA

**Class
Label**9 Miscellaneous dangerous substances and articles
9**Packing group**

DOT, ADR, IMDG, IATA

III

Environmental hazards:

Marine pollutant:

Yes (DOT)

Transport in bulk according to Annex II of**MARPOL73/78 and the IBC Code**

Not applicable

Transport/Additional information:

DOT

Quantity limitations

On passenger aircraft/rail: No limit

On cargo aircraft only: No limit

Special marking with the symbol (fish and tree).

Remarks:

ADR

Excepted quantities (EQ)

Code: E1

Maximum net quantity per inner packaging: 30 g

Maximum net quantity per outer packaging: 1000 g

IMDG

Limited quantities (LQ)

5 kg

Excepted quantities (EQ)

Code: E1

Maximum net quantity per inner packaging: 30 g

Maximum net quantity per outer packaging: 1000 g

Special precautions for user

Warning: Miscellaneous dangerous substances and articles

Hazard identification number (Kemler code):

90

EMS Number:

F-A,S-F

Stowage Category

A

Stowage Code

SW23 When transported in BK3 bulk container, see 7.6.2.12 and 7.7.3.9.

Safety Data Sheet

According to OSHA HazCom Standard [2024]

Date of issue: 01/07/2026

Version 1

Reviewed on 01/07/2026

Trade name: Nordox 30/30**15 Regulatory information****Safety, health and environmental regulations/legislation specific for the substance or mixture**

No further relevant information available.

Sara**Section 355 (extremely hazardous substances):**

None of the ingredients are listed.

Section 313 (Specific toxic chemical listings):

All ingredients are listed.

USA - TSCA (Toxic Substances Control Act):

All components have the value ACTIVE.

Hazardous Air Pollutants

None of the ingredients are listed.

Proposition 65**Chemicals known to cause cancer:**

None of the ingredients is listed.

Chemicals known to cause reproductive toxicity for females:

None of the ingredients are listed.

Chemicals known to cause reproductive toxicity for males:

None of the ingredients are listed.

Chemicals known to cause developmental toxicity:

None of the ingredients are listed.

Carcinogenic categories**EPA (Environmental Protection Agency)**

1314-13-2 Zinc oxide

D, I, II

TLV (Threshold Limit Value)

None of the ingredients are listed.

NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients are listed.

GHS label elements

The product is classified and labeled according to the Globally Harmonized System (GHS).

Hazard pictograms

GHS09

Signal word Warning**Hazard-determining components of labeling:**

dicopper oxide

Hazard statements

H410 Very toxic to aquatic life with long lasting effects.

Precautionary statements

P273 Avoid release to the environment.

P391 Collect spillage.

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Safety Data Sheet

According to OSHA HazCom Standard [2024]

Date of issue: 01/07/2026

Version 1

Reviewed on 01/07/2026

Trade name: Nordox 30/30

Date of previous version 01/07/2026

Date of preparation 01/07/2026

Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA)

HMIS: Hazardous Materials Identification System (USA)

VOC: Volatile Organic Compounds (USA, EU)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

Acute toxicity - oral 4: Acute toxicity – Category 4

Eye damage 1: Serious eye damage/eye irritation – Category 1

Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard – Category 1

Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard – Category 1