

# Brandt Umbrella®

## Spreader / Sticker

### Principal Functioning Agents:

|                         |      |
|-------------------------|------|
| Polymeric terpene ..... | 96%  |
| Emulsifier .....        | 4%   |
| Total: .....            | 100% |

### DIRECTIONS FOR USE

BRANDT UMBRELLA is a spreader / sticker designed to increase the efficiency of various pesticides. It forms a rainfast film which resists weathering and enhances the efficacy of pesticides. BRANDT UMBRELLA may be used on agricultural, forestry, turf and ornamental, industrial, structural and non-cropland sites.

Read and follow the precautions, restrictions and recommendations on the labels of pesticides used with BRANDT UMBRELLA. Use according to the most restrictive label directions for each product in any tank mix.

**COMPATIBILITY:** BRANDT UMBRELLA is compatible with most pesticides. However, if the desired combination has not been previously used, a compatibility test is recommended.

**MIXING:** Shake well before using. Fill spray tank ½ full of water and begin agitation. Add the recommended amount of BRANDT UMBRELLA. Add products as directed by label or in the following sequence and continue filling tank: (1) Dry flowables or water dispersing granules, (2) Wettable powders, (3) Flowables, (4) Solutions, (5) Emulsifiable

concentrates. Continue agitation until spray solution is completely mixed. Continuous agitation of finished spray is recommended. If spray solution has been allowed to stand, thoroughly agitate and remix before application.

**RECOMMENDATIONS:** Specific use rates will vary with conditions of application such as water hardness, application method, equipment, spray droplet size, condition of foliage, etc. Smooth, waxy, or hairy foliage will require higher rates. Also, higher rates than those below may be used if recommended by pesticide labeling. Follow pesticide label directions. However, do not add this product at a rate which exceeds 5% of the finished spray volume.

**FOR USE AS A SPREADER / STICKER** (air or ground): Use 4-16 fl.oz. per acre. For improved efficacy, use at least 4 fl.oz. per acre when finished spray volume is less than 20 gallons per acre. For backpack or hand held sprayers, use ½ fl.oz. per gallon of finished spray solution.

**FOR USE WITH SPRAYABLE PHEROMONES** (air or ground): Use at a rate of up to 3% of the finished spray solution. Mix with sufficient water for adequate coverage of the crop according to the pesticide label. Equipment producing larger droplets are preferred, thereby enhancing the effectiveness of BRANDT UMBRELLA.



### WARNING

**Hazard Statement:** Causes serious eye irritation. Harmful to aquatic life.

### Precautionary Statements:

**Prevention:** Wash thoroughly after handling. Wear eye/face protection. Avoid release to the environment.

**Response:** If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.

**Storage:** Store away from incompatible materials.

**Disposal:** Dispose of contents/ container in accordance with local/ regional/national/international regulations.

**WARRANTY:** Seller warrants that the product conforms to its chemical description and is reasonably fit for the purpose stated on the label when used in accordance with directions under normal conditions of use; but neither this warranty nor any other warranty of merchantability or fitness of a particular product expressed or implied, extends to the use of this product contrary to label conditions, or under conditions not reasonably foreseeable to the seller; and buyer assumes the risk of any such use.

**NET CONTENTS:** 1000 LITERS (264 GALLONS)

**FOR EXPORT TO AUSTRALIA**

**BRANDT**

Manufactured by:  
Brandt Consolidated, Inc.  
2935 South Koke Mill Road  
Springfield, Illinois 62711 USA  
www.brandt.co  
800 300 6559  
2014-05