BRANDT

SAFETY DATA SHEET

1. Identification

Product identifier Brandt ZM-Nite

Other means of identification

Product code 32035

Recommended use Agricultural/ Horticultural Use- Micronutrient Fertilizer- Refer to product label.

Recommended restrictions Refer to product label. **Manufacturer/Importer/Supplier/Distributor information**

Manufacturer

Company nameBrandt Consolidated, Inc.Address2935 South Koke Mill Road

Springfield, IL 62711

United States

Telephone Corporate Office 1-217-547-5800

Website www.brandt.co E-mail www.brandt.co

Contact person EH&S / Regulatory Department

Emergency phone number CHEMTREC (24 hours):

USA, Canada, Puerto Rico 1-800-424-9300 Virgin Islands 1-800-424-9300 International Maritime +1 (703) 527-3887

2. Hazard(s) identification

Physical hazardsOxidizing liquidsCategory 3Health hazardsAcute toxicity, oralCategory 4Serious eye damage/eye irritationCategory 2A

Specific target organ toxicity, single exposure Category 3 respiratory tract irritation

Environmental hazards Hazardous to the aquatic environment, acute Category 3

hazard

Hazardous to the aquatic environment,

long-term hazard

OSHA defined hazards Not classified.

Label elements



Signal word Warning

Hazard statement May intensify fire; oxidizer. Harmful if swallowed. Causes serious eye irritation. May cause

respiratory irritation. Harmful to aquatic life. Harmful to aquatic life with long lasting effects.

Precautionary statement

Prevention Keep away from heat. Wear protective gloves/eye protection/face protection. Keep/Store away

from clothing and other combustible materials. Take any precaution to avoid mixing with

combustibles. Avoid breathing mist or vapor. Wash thoroughly after handling. Do not eat, drink or smoke when using this product. Use only outdoors or in a well-ventilated area. Avoid release to

Category 3

the environment. Wear eye/face protection.

Response If swallowed: Call a poison center/doctor if you feel unwell. If inhaled: Remove person to fresh air

and keep comfortable for breathing. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Call a poison center/doctor if you feel unwell. Rinse mouth. If eye irritation persists: Get medical advice/attention. In case of fire:

Use appropriate media to extinguish.

Storage Store in a well-ventilated place. Keep container tightly closed. Store locked up.

Disposal

Hazard(s) not otherwise classified (HNOC)

None known.

Supplemental information

25.97% of the mixture consists of component(s) of unknown acute oral toxicity. 25.97% of the mixture consists of component(s) of unknown acute hazards to the aquatic environment. 25.97% of the mixture consists of component(s) of unknown long-term hazards to the aquatic

Dispose of contents/container in accordance with local/regional/national/international regulations.

environment.

3. Composition/information on ingredients

Mixtures

Chemical name	Common name and synonyms	CAS number	%
Manganese Nitrate		10377-66-9	20 - < 30*
Zinc Nitrate		7779-88-6	20 - < 30*
Other components below reportable	e levels		50 - < 60

^{*}Designates that a specific chemical identity and/or percentage of composition has been withheld as a trade secret.

4. First-aid measures

Inhalation Remove victim to fresh air and keep at rest in a position comfortable for breathing. Call a POISON

CENTER or doctor/physician if you feel unwell.

Skin contact IF ON CLOTHING: rinse immediately contaminated clothing and skin with plenty of water before

removing clothes. Get medical attention if irritation develops and persists.

Eye contactImmediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if

present and easy to do. Continue rinsing. Get medical attention if irritation develops and persists.

Ingestion Rinse mouth. If vomiting occurs, keep head low so that stomach content doesn't get into the lungs.

Get medical advice/attention if you feel unwell. Get medical attention if symptoms occur.

Most important Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Severe eye symptoms/effects, acute and irritation. May cause respiratory irritation.

symptoms/effects, acute and delayed

Indication of immediate medical attention and special treatment needed

General information

Provide general supportive measures and treat symptomatically. Keep victim warm. Keep victim under observation. Symptoms may be delayed.

Take off all contaminated clothing immediately. Contact with combustible material may cause fire. If you feel unwell, seek medical advice (show the label where possible). Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Show this safety data sheet to the doctor in attendance. Wash contaminated clothing before reuse.

5. Fire-fighting measures

Suitable extinguishing media

Unsuitable extinguishing media

illeula

Fire-fighting

Specific hazards arising from the chemical

Special protective equipment

and precautions for firefighters

Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2).

Do not use water jet as an extinguisher, as this will spread the fire.

Greatly increases the burning rate of combustible materials. Containers may explode when heated. During fire, gases hazardous to health may be formed.

Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

In case of fire and/or explosion do not breathe fumes. In case of fire: Stop leak if safe to do so. Move containers from fire area if you can do so without risk.

equipment/instructions

Move containers from fire area if you can do so without risk.

Specific methods

Cool containers exposed to flames with water until well after the fire is out.

General fire hazards May intensify fire; oxidizer. Contact with combustible material may cause fire.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Keep out of low areas. Keep away from clothing and other combustible materials. Wear appropriate protective equipment and clothing during clean-up. Avoid breathing mist or vapor. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.

Methods and materials for containment and cleaning up

Eliminate all ignition sources (no smoking, flares, sparks, or flames in immediate area). Keep combustibles (wood, paper, oil, etc.) away from spilled material. Ventilate the contaminated area.

Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Absorb with earth, sand or other non-combustible material and transfer to containers for later disposal. Following product recovery, flush area with water.

Small Spills: Clean surface thoroughly to remove residual contamination.

Never return spills to original containers for re-use. Wear appropriate protective equipment and clothing during clean-up. Prevent entry into waterways, sewer, basements or confined areas. For waste disposal, see section 13 of the SDS.

Environmental precautions

Avoid release to the environment. Inform appropriate managerial or supervisory personnel of all environmental releases. Contact local authorities in case of spillage to drain/aquatic environment. Prevent further leakage or spillage if safe to do so. Avoid discharge into drains, water courses or onto the ground.

7. Handling and storage

Precautions for safe handling

Keep away from heat. Take any precaution to avoid mixing with combustibles. Do not taste or swallow. Avoid breathing mist or vapor. Avoid contact with eyes. Avoid prolonged exposure. Provide adequate ventilation. Wear appropriate personal protective equipment. When using, do not eat, drink or smoke. Wash hands thoroughly after handling. Avoid release to the environment. Observe good industrial hygiene practices.

Conditions for safe storage, including any incompatibilities

Store locked up. Keep away from heat. Store in original tightly closed container. Keep container tightly closed. Store in a cool, dry place out of direct sunlight. Store in a well-ventilated place. Do not store near combustible materials. Store away from incompatible materials (see Section 10 of the SDS).

8. Exposure controls/personal protection

Occupational exposure limits

US. OSHA Table Z-1 Limits for Ail Components	Type `	, Value	
Manganese Nitrate (CAS 10377-66-9)	Ceiling	5 mg/m3	
US. ACGIH Threshold Limit Value	es		
Components	Туре	Value	Form
Manganese Nitrate (CAS 10377-66-9)	TWA	0.1 mg/m3	Inhalable fraction.
,		0.02 mg/m3	Respirable fraction.
US. NIOSH: Pocket Guide to Cher	mical Hazards		
Components	Туре	Value	Form
Manganese Nitrate (CAS 10377-66-9)	STEL	3 mg/m3	Fume.
•	TWA	1 mg/m3	Fume.

Biological limit values Appropriate engineering

controls

No biological exposure limits noted for the ingredient(s).

Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. Provide eyewash station.

Individual protection measures, such as personal protective equipment

Eve/face protection	Face shield is recommended. Wear safety glasses with side shields (or goggles).
---------------------	---------------------------------------------------------------------------------

Skin protection

Hand protection Wear appropriate chemical resistant gloves. Suitable gloves can be recommended by the glove

supplier. Be aware that the liquid may penetrate the gloves. Frequent change is advisable.

Other Wear suitable protective clothing. Use of an impervious apron is recommended.

Respiratory protection In case of insufficient ventilation, wear suitable respiratory equipment. Chemical respirator with

organic vapor cartridge.

Thermal hazards Wear appropriate thermal protective clothing, when necessary.

General hygiene considerations

Keep from contact with clothing and other combustible materials. Remove and wash contaminated clothing promptly. Keep away from food and drink. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.

9. Physical and chemical properties

Appearance Liquid.
Physical state Liquid.
Form Liquid.

Color Nearly colorless to Pink.

Odor Odorless.

Odor threshold Not available.

pH 2.5

Salt-Out / Crystallization Temp Not available.

Melting point/freezing point Not available.

Initial boiling point and boiling Not available.

range

Flash point Not available.

Evaporation rate Not available.

Flammability (solid, gas) Not available.

Upper/lower flammability or explosive limits

Flammability limit - lower

(%)

Not available.

Flammability limit - upper

(%)

Not available.

Explosive limit - lower (%) Not available.

Explosive limit - upper (%) Not available.

Vapor pressure 0.00001 hPa estimated

Vapor density Not available.

Relative density 1.59 g/cm3 (typical)

Solubility(ies)

Solubility (water) Soluble

Partition coefficient Not available.

(n-octanol/water)

Auto-ignition temperature Not available.

Decomposition temperature Not available.

Viscosity Not available.

Other information

Percent volatile 50.88 %

Pounds per gallon 13.3 lb/gal (typical)

10. Stability and reactivity

Reactivity Greatly increases the burning rate of combustible materials.

Chemical stability Material is stable under normal conditions.

Possibility of hazardous Hazardous polymerization does not occur. reactions

Conditions to avoid Heat. Contact with incompatible materials.

Incompatible materials Combustible material. Reducing agents.

Hazardous decomposition

products

No hazardous decomposition products are known.

11. Toxicological information

Information on likely routes of exposure

Ingestion Harmful if swallowed.

Material name: Brandt ZM-Nite 917 Version #: 01 Issue date: 02-15-2016 **Inhalation** Prolonged inhalation may be harmful. May cause irritation to the respiratory system.

Skin contact No adverse effects due to skin contact are expected.

Eye contact Causes serious eye irritation.

Symptoms related to the physical, chemical and toxicological characteristics Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Severe eye

irritation. May cause respiratory irritation.

Information on toxicological effects

Acute toxicity In high concentrations, vapors are anesthetic and may cause headache, fatigue, dizziness and

central nervous system effects. Harmful if swallowed. May cause respiratory irritation. Not known.

241.3 mg/kg

1400 mg/kg

Product	Species	Test Results	
Brandt ZM-Nite (CAS Mixt	ure)		
Acute			
Oral			
LD50	Mouse	1042.4452 mg/kg estimated	
	Rat	6048.1694 mg/kg estimated	
Components	Species	Test Results	
Zinc Nitrate (CAS 7779-88	i-6)		
Acute			
Oral			

^{*} Estimates for product may be based on additional component data not shown.

Mouse

Rat

Skin corrosion/irritation Prolonged skin contact may cause temporary irritation.

Serious eye damage/eye

LD50

irritation

Causes serious eve irritation.

Respiratory or skin sensitization

Respiratory sensitization Not available.

Skin sensitization This product is not expected to cause skin sensitization.

Germ cell mutagenicityNo data available to indicate product or any components present at greater than 0.1% are

mutagenic or genotoxic.

Carcinogenicity This product is not considered to be a carcinogen by IARC, ACGIH, NTP, or OSHA.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not listed.

Reproductive toxicity This product is not expected to cause reproductive or developmental effects.

Specific target organ toxicity -

single exposure

May cause respiratory irritation.

Specific target organ toxicity -

repeated exposure

Not classified.

Aspiration hazard Not available.

Chronic effects Prolonged inhalation may be harmful.

12. Ecological information

Ecotoxicity Harmful to aquatic life with long lasting effects.

Product		Species	Test Results	
Brandt ZM-Nite (CAS Mixture)				
Aquatic				
Fish	LC50	Fish	55.2435 mg/l, 96 hours estimated	

Material name: Brandt ZM-Nite SDS US

917 Version #: 01 Issue date: 02-15-2016

Test Results Components **Species**

Zinc Nitrate (CAS 7779-88-6)

Aquatic

LC50 Minnow (Phoxinus phoxinus) Fish 2.7 - 3.7 mg/l, 96 hours

* Estimates for product may be based on additional component data not shown.

Persistence and degradability No data is available on the degradability of this product.

Bioaccumulative potential Not available. Mobility in soil No data available.

Other adverse effects No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation

potential, endocrine disruption, global warming potential) are expected from this component.

13. Disposal considerations

Disposal instructions Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Do not allow

this material to drain into sewers/water supplies. Do not contaminate ponds, waterways or ditches

with chemical or used container. Dispose of contents/container in accordance with

local/regional/national/international regulations.

Local disposal regulations Dispose in accordance with all applicable regulations.

Hazardous waste code The waste code should be assigned in discussion between the user, the producer and the waste

disposal company.

Waste from residues / unused

products

Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see:

Disposal instructions).

Contaminated packaging Empty containers should be taken to an approved waste handling site for recycling or disposal.

Since emptied containers may retain product residue, follow label warnings even after container is

emptied.

14. Transport information

DOT

UN3093 **UN** number

Corrosive liquids, oxidizing, n.o.s. (Zinc Nitrate) **UN proper shipping name**

Transport hazard class(es)

Class 8 Subsidiary risk 5.1 Label(s) 8, 5.1 Ш Packing group

Special precautions for user Read safety instructions, SDS and emergency procedures before handling.

Special provisions A6, A7 Packaging exceptions None Packaging non bulk 201 Packaging bulk 243

IATA

UN number UN3093

Corrosive liquids, oxidizing, n.o.s. (Zinc Nitrate) UN proper shipping name

Transport hazard class(es)

8 Class Subsidiary risk 5.1 Label(s) 8.5.1 Ш Packing group **Environmental hazards** Yes

Other information

Special precautions for user Read safety instructions, SDS and emergency procedures before handling.

Passenger and cargo

aircraft

Forbidden.

Forbidden. Cargo aircraft only

IMDG

UN3093 **UN** number

UN proper shipping name Transport hazard class(es) Corrosive liquids, oxidizing, n.o.s. (Zinc Nitrate)

Class 8 Subsidiary risk 5.1 Label(s) 8, 5.1 Packing group III

Environmental hazards

Marine pollutant Yes

EmS Not available.

Special precautions for user Read safety instructions, SDS and emergency procedures before handling.

DOT



IATA; IMDG



Marine pollutant



15. Regulatory information

US federal regulations This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication

Standard, 29 CFR 1910.1200.

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

CERCLA Hazardous Substance List (40 CFR 302.4)

Manganese Nitrate (CAS 10377-66-9) Listed. Zinc Nitrate (CAS 7779-88-6) Listed.

SARA 304 Emergency release notification

Not regulated.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not listed.

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Hazard categories Immediate Hazard - Yes

Delayed Hazard - No Fire Hazard - Yes Pressure Hazard - No Reactivity Hazard - No

SARA 302 Extremely hazardous substance

Not listed.

SARA 311/312 Hazardous No

chemical

SARA 313 (TRI reporting)

Chemical name	CAS number	% by wt.
Manganese Nitrate	10377-66-9	20 - < 30
Zinc Nitrate	7779-88-6	20 - < 30

Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Manganese Nitrate (CAS 10377-66-9)

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

Safe Drinking Water Act

Not regulated.

(SDWA)

US state regulations

US. Massachusetts RTK - Substance List

Zinc Nitrate (CAS 7779-88-6)

US. New Jersey Worker and Community Right-to-Know Act

Manganese Nitrate (CAS 10377-66-9)

Zinc Nitrate (CAS 7779-88-6)

US. Pennsylvania Worker and Community Right-to-Know Law

Zinc Nitrate (CAS 7779-88-6)

US. Rhode Island RTK

Manganese Nitrate (CAS 10377-66-9)

Zinc Nitrate (CAS 7779-88-6)

US. California Proposition 65

WARNING: This product contains a chemical known to the State of California to cause cancer and birth defects or other reproductive harm.

International Inventories

Country(s) or region	Inventory name	On inventory (yes/no)*
Australia	Australian Inventory of Chemical Substances (AICS)	Yes
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	Yes
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	Yes
Korea	Existing Chemicals List (ECL)	Yes
New Zealand	New Zealand Inventory	Yes
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	Yes
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	Yes

^{*}A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s)

A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

16. Other information, including date of preparation or last revision

Issue date 02-15-2016

Version # 01

Material name: Brandt ZM-Nite sps us

917 Version #: 01 Issue date: 02-15-2016

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of Manufacturer's knowledge, information and belief at the date of its publication; however, it is provided only as a guidance for safe handling, use, processing, storage, transportation, disposal and release of the Product. No warranties of any kind, either expressed or implied, including warranties of merchantability or fitness for a particular purpose, are made with respect to the Product or the information provided herein, or that the Product or information herein may be used without infringing the intellectual property rights of others. The information provided in this Safety Data Sheet relates only to the specific Product designated and may not be valid if the Product is used in combination with other materials or in any other process, unless specified herein. The user assumes all risk and liability for loss, injury, damage or expense due to any use, handling, storage or disposal of the Product, and Manufacturer recommends that the user conducts its owns tests of the Product to determine suitability of the Product for user's particular use.