# RRAND

# SAFETY DATA SHEET

#### 1. Identification

**Product identifier Brandt Ultra 90** 

Other means of identification

Product code 01037

Recommended use Agricultural/ Horticultural Use- Adjuvant- Refer to product label.

**Recommended restrictions** Refer to product label. Manufacturer/Importer/Supplier/Distributor information

Manufacturer

Brandt Consolidated, Inc. Company name **Address** 2935 South Koke Mill Road

Springfield, IL 62711

**United States** 

1-217-547-5800 **Telephone** Corporate Office

www.brandt.co Website E-mail msds@brandt.co

**Contact person** EH&S / Regulatory Department

**Emergency phone number** CHEMTREC (24 hours):

> USA, Canada, Puerto Rico 1-800-424-9300 Virgin Islands 1-800-424-9300 International Maritime +1 (703) 527-3887

## 2. Hazard(s) identification

Physical hazards Not classified.

**Health hazards** Acute toxicity, oral Category 4

> Serious eye damage/eye irritation Category 2A Category 2

**Environmental hazards** Hazardous to the aquatic environment, acute

hazard

Hazardous to the aquatic environment, Category 2

long-term hazard

Not classified. **OSHA** defined hazards

Label elements



Signal word Warning

**Hazard statement** Harmful if swallowed. Causes serious eye irritation.

**Precautionary statement** 

Prevention Wash thoroughly after handling. Do not eat, drink or smoke when using this product. Avoid

release to the environment. Wear eye/face protection.

If swallowed: Call a poison center/doctor if you feel unwell. If in eyes: Rinse cautiously with water Response

for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Rinse

mouth. If eye irritation persists: Get medical advice/attention.

Store away from incompatible materials. Storage

Dispose of contents/container in accordance with local/regional/national/international regulations. **Disposal** 

Hazard(s) not otherwise

classified (HNOC)

None known.

Supplemental information None.

Material name: Brandt Ultra 90 SDS US

## 3. Composition/information on ingredients

#### **Mixtures**

Chemical name	Common name and synonyms	CAS number	%
Poly(ethylene oxide)		25322-68-3	1 - < 3
Alkyl phenol ethoxylate		Trade Secret	Trade Secret
Propylene glycol		57-55-6	Trade Secret*
Other components below reportable	e levels		20 - < 30

<sup>\*</sup>Designates that a specific chemical identity and/or percentage of composition has been withheld as a trade secret.

#### 4. First-aid measures

Inhalation Move to fresh air. Call a physician if symptoms develop or persist.

Skin contact Wash off with soap and water. Get medical attention if irritation develops and persists.

Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if Eve contact

present and easy to do. Continue rinsing. Get medical attention if irritation develops and persists. Rinse mouth. If vomiting occurs, keep head low so that stomach content doesn't get into the lungs.

Get medical advice/attention if you feel unwell. Get medical attention if symptoms occur.

Most important

**General information** 

Ingestion

symptoms/effects, acute and delaved

Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Severe eye irritation.

Indication of immediate medical attention and special

treatment needed

Provide general supportive measures and treat symptomatically. Keep victim warm. Keep victim under observation. Symptoms may be delayed.

Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Show this safety data sheet to the doctor in attendance.

Alcohol resistant foam. Water spray. Water fog. Dry chemical powder. Carbon dioxide (CO2).

# 5. Fire-fighting measures

Suitable extinguishing media

Unsuitable extinguishing

media

During fire, gases hazardous to health may be formed.

the chemical Special protective equipment

Specific hazards arising from

and precautions for firefighters

Move containers from fire area if you can do so without risk.

Do not use water jet as an extinguisher, as this will spread the fire.

Fire-fighting equipment/instructions

Specific methods General fire hazards Use standard firefighting procedures and consider the hazards of other involved materials.

Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

No unusual fire or explosion hazards noted.

#### 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Keep out of low areas. Wear appropriate protective equipment and clothing during clean-up. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.

Methods and materials for containment and cleaning up Large Spills: This material is classified as a water pollutant under the Clean Water Act and should be prevented from contaminating soil or from entering sewage and drainage systems which lead to waterways. Stop the flow of material, if this is without risk. Use water spray to reduce vapors or divert vapor cloud drift. Dike the spilled material, where this is possible. Cover with plastic sheet to prevent spreading. Absorb in vermiculite, dry sand or earth and place into containers. Following product recovery, flush area with water.

Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.

## **Environmental precautions**

Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS. Avoid release to the environment. Inform appropriate managerial or supervisory personnel of all environmental releases. Contact local authorities in case of spillage to drain/aquatic environment. Prevent further leakage or spillage if safe to do so. Avoid discharge into drains, water courses or onto the ground.

Material name: Brandt Ultra 90

## 7. Handling and storage

Precautions for safe handling Do not taste or swallow. Avoid contact with eyes. Avoid prolonged exposure. Provide adequate ventilation. Wear appropriate personal protective equipment. When using, do not eat, drink or

smoke. Wash hands thoroughly after handling. Avoid release to the environment. Observe good

industrial hygiene practices.

Conditions for safe storage, including any incompatibilities Store in original tightly closed container. Keep container tightly closed. Store away from

incompatible materials (see Section 10 of the SDS).

## 8. Exposure controls/personal protection

#### Occupational exposure limits

US.	AIHA V	Vorkplace	<b>Environmental</b>	Exposure	Level	(WEEL)	Guides
-----	--------	-----------	----------------------	----------	-------	--------	--------

Components	Туре	Value	Form	
Poly(ethylene oxide) (CAS 25322-68-3)	TWA	10 mg/m3	Particulate.	
Propylene glycol (CAS 57-55-6)	TWA	10 mg/m3	Aerosol.	

No biological exposure limits noted for the ingredient(s). **Biological limit values** 

Appropriate engineering controls

Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. Provide eyewash station.

Individual protection measures, such as personal protective equipment

Eye/face protection Face shield is recommended. Wear safety glasses with side shields (or goggles).

Skin protection

**Hand protection** Wear appropriate chemical resistant gloves.

Other Wear suitable protective clothing.

Respiratory protection In case of insufficient ventilation, wear suitable respiratory equipment. Respiratory protection not

required.

Not available.

Thermal hazards Wear appropriate thermal protective clothing, when necessary.

General hygiene considerations

**Odor threshold** 

Keep away from food and drink. Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash

work clothing and protective equipment to remove contaminants.

#### 9. Physical and chemical properties

Liquid. **Appearance** Liquid. Physical state Liquid. **Form** Color Yellow

Alcoholic. Very faint. Odor

pН 4.6 (10% solution) Not available. Salt-Out / Crystallization Temp Melting point/freezing point Not available. Initial boiling point and boiling Not available.

range

Flash point Not available. Not available. **Evaporation rate** Flammability (solid, gas) Not available.

Upper/lower flammability or explosive limits

Explosive limit - lower (%) Not available. Explosive limit - upper (%) Not available. Vapor pressure Not available.

Vapor density > 1

Relative density 1.03 g/cm3 (typical)

Material name: Brandt Ultra 90 753 Version #: 05 Revision date: 04-04-2016 Issue date: 02-25-2016 Solubility(ies)

Solubility (water) emulsifiable

Partition coefficient Not available.
(n-octanol/water)

Auto-ignition temperatureNot available.Decomposition temperatureNot available.ViscosityNot available.

Other information

Pounds per gallon 8.6 lb/gal (typical)

## 10. Stability and reactivity

**Reactivity**The product is stable and non-reactive under normal conditions of use, storage and transport.

Chemical stability Material is stable under normal conditions.

Possibility of hazardous Hazardous polymerization does not occur.

reactions

**Conditions to avoid**Contact with incompatible materials.

Incompatible materials Strong oxidizing agents.

Hazardous decomposition

products

No hazardous decomposition products are known.

## 11. Toxicological information

Information on likely routes of exposure

**Ingestion** Harmful if swallowed.

**Inhalation** Prolonged inhalation may be harmful.

**Skin contact** No adverse effects due to skin contact are expected.

**Eye contact** Causes serious eye irritation.

Symptoms related to the physical, chemical and toxicological characteristics

Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Severe eye

irritation.

## Information on toxicological effects

Acute toxicity	Harmful if swallowed. Not known.	
Product	Species	Test Results
Brandt Ultra 90 (CAS Mixt	ure)	
Acute		
Dermal		
LD50	Rabbit	> 2020 mg/kg Study No.: 2927-96
Oral		
LD50	Dog	94.4334 g/kg estimated
	Guinea pig	91.4513 g/kg estimated
	Mouse	118.7873 g/kg estimated
	Rabbit	89.4632 g/kg estimated
	Rat	1703 mg/kg Study No.: 2926-96
Other		
LD50	Mouse	32952.2852 mg/kg estimated
	Rat	31923.459 mg/kg estimated
Components	Species	Test Results
Propylene glycol (CAS 57-	-55-6)	
Acute		
Oral		
LD50	Dog	19 g/kg
	Guinea pig	18.4 g/kg
	Mouse	23.9 g/kg

Material name: Brandt Ultra 90

Components	Species	Test Results	
	Rabbit	18 g/kg	
	Rat	30 g/kg	
Other			
LD50	Mouse	6630 mg/kg	
	Rat	6423 mg/kg	

<sup>\*</sup> Estimates for product may be based on additional component data not shown.

**Skin corrosion/irritation** Prolonged skin contact may cause temporary irritation.

Erythema value 0.7500 Oedema value 0.0000

Serious eye damage/eye

irritation

Causes serious eye irritation.

Corneal opacity value2.0000Iris lesion value0.0000Conjunctival reddening3.0000

value

Conjunctival oedema value 2.0000 Recover days 17

Respiratory or skin sensitization

**Respiratory sensitization** Not available.

**Skin sensitization** This product is not expected to cause skin sensitization.

**Germ cell mutagenicity**No data available to indicate product or any components present at greater than 0.1% are

mutagenic or genotoxic.

Carcinogenicity This product is not considered to be a carcinogen by IARC, ACGIH, NTP, or OSHA.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not listed.

**Reproductive toxicity**This product is not expected to cause reproductive or developmental effects.

Specific target organ toxicity -

single exposure

Not classified.

Specific target organ toxicity -

repeated exposure

Not classified.

Aspiration hazard Not available.

**Chronic effects** Prolonged inhalation may be harmful.

# 12. Ecological information

**Ecotoxicity** Toxic to aquatic life with long lasting effects.

Product		Species	Test Results	
Brandt Ultra 90 (CAS	Mixture)			
Aquatic				
Crustacea	EC50	Daphnia	49701.7891 mg/l, 48 hours estimated	
Fish	LC50	Fish	7.1493 mg/l, 96 hr estimated	
Components		Species	Test Results	
Alkyl phenol ethoxylat	e (CAS Trade Secr	et)		
Aquatic				
Fish	LC50	Fish	3.8 - 6.2 mg/l, 96 hr	
Poly(ethylene oxide) (	CAS 25322-68-3)			
Aquatic				
Fish	LC50	Atlantic salmon (Salmo salar)	> 1000 mg/l, 96 hours	
Propylene glycol (CAS	S 57-55-6)			
Aquatic				
Crustacea	EC50	Water flea (Daphnia magna)	> 10000 mg/l, 48 hours	
anial manas. Dramati I litua (	20			

Material name: Brandt Ultra 90

SDS US

Components Species Test Results

Fish LC50 Fathead minnow (Pimephales promelas) 29485 - 39339 mg/l, 96 hours

**Persistence and degradability** No data is available on the degradability of this product.

Bioaccumulative potential Not available.

Partition coefficient n-octanol / water (log Kow)

Propylene glycol -0.92

Mobility in soil No data available.

Other adverse effects No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation

potential, endocrine disruption, global warming potential) are expected from this component.

#### 13. Disposal considerations

**Disposal instructions**Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Do not allow

this material to drain into sewers/water supplies. Do not contaminate ponds, waterways or ditches

with chemical or used container. Dispose of contents/container in accordance with

local/regional/national/international regulations.

**Local disposal regulations** Dispose in accordance with all applicable regulations.

Hazardous waste code

The waste code should be assigned in discussion between the user, the producer and the waste

disposal company.

Waste from residues / unused

products

Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see:

Disposal instructions).

**Contaminated packaging** Empty containers should be taken to an approved waste handling site for recycling or disposal.

Since emptied containers may retain product residue, follow label warnings even after container is

emptied.

### 14. Transport information

DOT

Not regulated as dangerous goods.

**IATA** 

Not regulated as dangerous goods.

**IMDG** 

UN number UN3082

UN proper shipping name

Transport hazard class(es)

Environmentally hazardous substances, liquid, n.o.s. (Alkyl phenol ethoxylate)

Class 9
Subsidiary risk Label(s) 9
Packing group III


Environmental hazards

Marine pollutant Yes

EmS Not available.

Special precautions for user Read safety instructions, SDS and emergency procedures before handling.

## IMDG



Material name: Brandt Ultra 90 sps us

<sup>\*</sup> Estimates for product may be based on additional component data not shown.

#### Marine pollutant



## 15. Regulatory information

**US federal regulations** 

This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication

Standard, 29 CFR 1910.1200.

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

**CERCLA Hazardous Substance List (40 CFR 302.4)** 

Not listed.

SARA 304 Emergency release notification

Not regulated.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not listed.

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Nο

Hazard categories Immediate Hazard - Yes

Delayed Hazard - No Fire Hazard - No Pressure Hazard - No Reactivity Hazard - No

SARA 302 Extremely hazardous substance

Not listed.

SARA 311/312 Hazardous

chemical

SARA 313 (TRI reporting)

Not regulated.

#### Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Not regulated.

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

Safe Drinking Water Act

Not regulated.

(SDWA)

**US** state regulations

**US. Massachusetts RTK - Substance List** 

Not regulated.

US. New Jersey Worker and Community Right-to-Know Act

Propylene glycol (CAS 57-55-6)

US. Pennsylvania Worker and Community Right-to-Know Law

Propylene glycol (CAS 57-55-6)

**US. Rhode Island RTK** 

Not regulated.

**US. California Proposition 65** 

California Safe Drinking Water and Toxic Enforcement Act of 1986 (Proposition 65): This material is not known to contain any chemicals currently listed as carcinogens or reproductive toxins.

#### **International Inventories**

Country(s) or regionInventory nameOn inventory (yes/no)\*AustraliaAustralian Inventory of Chemical Substances (AICS)Yes

Material name: Brandt Ultra 90 sps us

China	Inventory of Existing Chemical Substances in China (IECSC)	Yes
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	No
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	Yes
Korea	Existing Chemicals List (ECL)	Yes
New Zealand	New Zealand Inventory	Yes
Philippines	Philippine Inventory of Chemicals and Chemical Substances	Yes

(PICCS)

United States & Puerto Rico Toxic Substances Control Act (TSCA) Inventory

Inventory name

Domestic Substances List (DSL)
Non-Domestic Substances List (NDSL)

Yes

No

On inventory (yes/no)\*

# 16. Other information, including date of preparation or last revision

 Issue date
 02-25-2016

 Revision date
 04-04-2016

Version # 05

Country(s) or region

Canada

Canada

**Disclaimer** The information provided in this Safety Data Sheet is correct to the best of Manufacturer's

knowledge, information and belief at the date of its publication; however, it is provided only as a guidance for safe handling, use, processing, storage, transportation, disposal and release of the Product. No warranties of any kind, either expressed or implied, including warranties of merchantability or fitness for a particular purpose, are made with respect to the Product or the information provided herein, or that the Product or information herein may be used without infringing the intellectual property rights of others. The information provided in this Safety Data Sheet relates only to the specific Product designated and may not be valid if the Product is used in combination with other materials or in any other process, unless specified herein. The user assumes all risk and liability for loss, injury, damage or expense due to any use, handling, storage

or disposal of the Product, and Manufacturer recommends that the user conducts its owns tests of

the Product to determine suitability of the Product for user's particular use.

**Revision Information** Hazard(s) identification: Supplemental information

Toxicological Information: Toxicological Data

Material name: Brandt Ultra 90 sps us

<sup>\*</sup>A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s)

A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).