# RRAND

# SAFETY DATA SHEET

## 1. Identification

**Product identifier** Commander 410 Pre-Mix

Other means of identification

Product code 20014

Recommended use Agricultural/ Horticultural Use- Micronutrient Fertilizer- Refer to product label.

Recommended restrictions Refer to product label. Manufacturer/Importer/Supplier/Distributor information

Manufacturer

Brandt Consolidated, Inc. Company name 2935 South Koke Mill Road **Address** 

Springfield, IL 62711

**United States** 

1-217-547-5800 **Telephone** Corporate Office

Website www.brandt.co E-mail msds@brandt.co

**Contact person** EH&S / Regulatory Department

**Emergency phone number** CHEMTREC (24 hours):

> USA, Canada, Puerto Rico 1-800-424-9300 Virgin Islands 1-800-424-9300 International Maritime +1 (703) 527-3887

# 2. Hazard(s) identification

Physical hazards Not classified.

**Health hazards** Skin corrosion/irritation Category 2

> Serious eye damage/eye irritation Category 1 Sensitization, skin Category 1 Germ cell mutagenicity Category 2 Reproductive toxicity Category 2 Specific target organ toxicity, repeated Category 1

exposure

**Environmental hazards** Hazardous to the aquatic environment, acute Category 1

Hazardous to the aquatic environment, Category 1

long-term hazard

**OSHA** defined hazards Not classified.

Label elements



Signal word Danger

Causes serious eye damage. Suspected of damaging fertility or the unborn child. May cause **Hazard statement** 

damage to organs through prolonged or repeated exposure. Very toxic to aquatic life. Very toxic to

aquatic life with long lasting effects.

**Precautionary statement** 

Prevention Obtain special instructions before use. Do not handle until all safety precautions have been read

and understood. Do not breathe mist or vapor. Avoid release to the environment. Wear protective

gloves/protective clothing/eye protection/face protection.

Response If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and

easy to do. Continue rinsing. Immediately call a poison center/doctor. Collect spillage.

Material name: Commander 410 Pre-Mix 20014 Version #: 02 Revision date: 08-31-2016 Issue date: 06-08-2016

Store locked up. **Storage** 

Dispose of contents/container in accordance with local/regional/national/international regulations. Disposal

Hazard(s) not otherwise

classified (HNOC)

None known.

Supplemental information None.

# 3. Composition/information on ingredients

#### **Mixtures**

Chemical name	Common name and synonyms	CAS number	%
Manganese Sulfate, monohydrate		10034-96-5	5 - < 10*
Disodium Octaborate Tetrahydrate		12008-41-2	3 - < 5*
Acetic Acid		64-19-7	1 - < 3*
Cupric Sulfate, pentahydrate		7758-99-8	1 - < 3*
Urea		57-13-6	1 - < 3*
Zinc Sulfate		7733-02-0	1 - < 3*
Propylene glycol		57-55-6	< 0.1*
Other components below reportable I	levels		70 - < 80

<sup>\*</sup>Designates that a specific chemical identity and/or percentage of composition has been withheld as a trade secret.

#### 4. First-aid measures

Inhalation Move to fresh air. Call a physician if symptoms develop or persist.

Wash off with soap and water. Get medical attention if irritation develops and persists. Skin contact

Eye contact Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if

present and easy to do. Get medical attention immediately. Continue rinsing.

Rinse mouth. Get medical attention if symptoms occur. Ingestion

Most important

symptoms/effects, acute and

delayed

Indication of immediate medical attention and special treatment needed

**General information** 

Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Severe eye irritation. Permanent eye damage including blindness could result. Prolonged exposure may cause chronic effects.

Provide general supportive measures and treat symptomatically. Keep victim under observation. Symptoms may be delayed.

IF exposed or concerned: Get medical advice/attention. Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves. Show this safety data sheet to the doctor in attendance.

## 5. Fire-fighting measures

Suitable extinguishing media Unsuitable extinguishing

media

Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2).

Do not use water jet as an extinguisher, as this will spread the fire.

Specific hazards arising from

the chemical

During fire, gases hazardous to health may be formed.

Special protective equipment and precautions for firefighters Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

Fire fighting

Move containers from fire area if you can do so without risk.

equipment/instructions Specific methods

Use standard firefighting procedures and consider the hazards of other involved materials.

General fire hazards No unusual fire or explosion hazards noted.

#### 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Keep out of low areas. Wear appropriate protective equipment and clothing during clean-up. Do not breathe mist or vapor. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.

Material name: Commander 410 Pre-Mix

# Methods and materials for containment and cleaning up

Large Spills: This material is classified as a water pollutant under the Clean Water Act and should be prevented from contaminating soil or from entering sewage and drainage systems which lead to waterways. Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Cover with plastic sheet to prevent spreading. Absorb in vermiculite, dry sand or earth and place into containers. Following product recovery, flush area with water.

Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.

# **Environmental precautions**

Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS. Avoid release to the environment. Inform appropriate managerial or supervisory personnel of all environmental releases. Contact local authorities in case of spillage to drain/aquatic environment. Prevent further leakage or spillage if safe to do so. Avoid discharge into drains, water courses or onto the ground.

## 7. Handling and storage

#### Precautions for safe handling

Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Do not breathe mist or vapor. Do not get this material in contact with eyes. Avoid prolonged exposure. Provide adequate ventilation. Should be handled in closed systems, if possible. Wear appropriate personal protective equipment. Pregnant or breastfeeding women must not handle this product. Avoid release to the environment. Observe good industrial hygiene practices.

Conditions for safe storage, including any incompatibilities

Store locked up. Store in original tightly closed container. Keep container tightly closed. Store away from incompatible materials (see Section 10 of the SDS).

## 8. Exposure controls/personal protection

US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000)

## Occupational exposure limits

Components	Туре	Value	
Acetic Acid (CAS 64-19-7)	PEL	25 mg/m3	
		10 ppm	
Manganese Sulfate, monohydrate (CAS 10034-96-5)	Ceiling	5 mg/m3	
US. ACGIH Threshold Limit Value	s		
Components	Туре	Value	Form
Acetic Acid (CAS 64-19-7)	STEL	15 ppm	
	TWA	10 ppm	
Cupric Sulfate, pentahydrate (CAS 7758-99-8)	TWA	1 mg/m3	Dust and mist.
		0.2 mg/m3	Fume.
Disodium Octaborate Tetrahydrate (CAS 12008-41-2)	STEL	6 mg/m3	Inhalable fraction.
,	TWA	2 mg/m3	Inhalable fraction.
Manganese Sulfate, monohydrate (CAS 10034-96-5)	TWA	0.1 mg/m3	Inhalable fraction.
,		0.02 mg/m3	Respirable fraction.
US. NIOSH: Pocket Guide to Chen	nical Hazards		
Components	Туре	Value	Form
Acetic Acid (CAS 64-19-7)	STEL	37 mg/m3	
		15 ppm	
	TWA	25 mg/m3	
		10 ppm	
Cupric Sulfate, pentahydrate (CAS 7758-99-8)	TWA	1 mg/m3	Dust and mist.
Manganese Sulfate, monohydrate (CAS 10034-96-5)	STEL	3 mg/m3	Fume.

### **US. NIOSH: Pocket Guide to Chemical Hazards**

Components	Туре	Value	Form	
	TWA	1 mg/m3	Fume.	
US. AIHA Workplace Environme Components	ental Exposure Level (WEEL) Guid Type	les Value	Form	
Propylene glycol (CAS 57-55-6)	TWA	10 mg/m3	Aerosol.	
Urea (CAS 57-13-6)	TWA	10 mg/m3	Total particulate.	

**Biological limit values** No biological exposure limits noted for the ingredient(s).

Appropriate engineering

controls

Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. Provide eyewash station.

## Individual protection measures, such as personal protective equipment

Eye/face protection Chemical respirator with organic vapor cartridge and full facepiece.

Skin protection

Wear appropriate chemical resistant gloves. Hand protection

Other Wear suitable protective clothing. Use of an impervious apron is recommended.

Respiratory protection Chemical respirator with organic vapor cartridge and full facepiece.

Thermal hazards Wear appropriate thermal protective clothing, when necessary.

When using, do not eat, drink or smoke. Always observe good personal hygiene measures, such General hygiene as washing after handling the material and before eating, drinking, and/or smoking. Routinely considerations wash work clothing and protective equipment to remove contaminants.

# 9. Physical and chemical properties

Liquid. **Appearance** Liquid. **Physical state Form** Liquid. Brown. Color

Burnt caramel Odor Not available. **Odor threshold** 

2 - 4

Melting point/freezing point Not available.

Initial boiling point and boiling

range

1562 °F (850 °C) estimated

Flash point Not available. **Evaporation rate** Not available. Flammability (solid, gas) Not available. Upper/lower flammability or explosive limits

Flammability limit - lower

(%)

Not available.

Flammability limit - upper

Not available.

Explosive limit - lower (%) Not available. Explosive limit - upper (%) Not available.

0.00001 hPa estimated Vapor pressure

Vapor density Not available. Relative density 1.2 g/cm3 (typical)

Solubility(ies)

Solubility (water) Not available. Not available. Partition coefficient

(n-octanol/water)

Not available. **Auto-ignition temperature** Not available. **Decomposition temperature Viscosity** Not available.

Other information

**Density** 2.79 g/cm3 estimated 64.25 % estimated Percent volatile Pounds per gallon 10.2 lb/gal (typical) 2.79 estimated Specific gravity VOC 0.94 % estimated

# 10. Stability and reactivity

Reactivity The product is stable and non-reactive under normal conditions of use, storage and transport.

Material is stable under normal conditions. **Chemical stability** Hazardous polymerization does not occur. Possibility of hazardous

reactions

Conditions to avoid Contact with incompatible materials.

Incompatible materials Strong oxidizing agents.

**Hazardous decomposition** 

products

No hazardous decomposition products are known.

# 11. Toxicological information

# Information on likely routes of exposure

Inhalation Prolonged inhalation may be harmful. May cause damage to organs through prolonged or

repeated exposure by inhalation.

No adverse effects due to skin contact are expected. Skin contact

Causes serious eye damage. Eye contact

Expected to be a low ingestion hazard. Ingestion

Symptoms related to the physical, chemical and

toxicological characteristics Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Severe eye

irritation. Permanent eye damage including blindness could result.

## Information on toxicological effects

**Acute toxicity** 

Product	Species Test Results		
Commander 410 Pre-Mix			
<u>Acute</u>			
Dermal			
LD50	Rabbit	17179 mg/kg estimated	
Inhalation			
LC50	Rat	543 mg/l, 4 Hours estimated	
LD50	Rat	49 mg/l estimated	
Oral			
LD100	Mouse	1256 mg/kg estimated	
LD50	Mouse	11758 mg/kg estimated	
	Rabbit	57143 mg/kg estimated	
	Rat	23972 mg/kg estimated	
Components	Species	Test Results	
Acetic Acid (CAS 64-19-7)			

Acetic Acid (CAS 64-19-7)

Acute **Dermal** 

LD50 Rabbit 1060 mg/kg

Material name: Commander 410 Pre-Mix

SDS US

20014 Version #: 02 Revision date: 08-31-2016 Issue date: 06-08-2016

Components	Species	Test Results
Inhalation		
LC50	Guinea pig	5000 ppm, 1 Hours
	Mouse	5620 ppm, 1 Hours
	Rat	11.4 mg/l, 4 Hours
Oral		
LD50	Mouse	4960 mg/kg
	Rabbit	1200 mg/kg
	Rat	3.31 g/kg
Cupric Sulfate, pentahydrate	e (CAS 7758-99-8)	
<u>Acute</u>		
Oral		
LD100	Mouse	50 mg/kg
LD50	Rat	960 mg/kg
Disodium Octaborate Tetrah	ydrate (CAS 12008-41-2)	
<u>Acute</u>		
Dermal		
LD50	Rabbit	> 2000 mg/kg
Oral		
LD50	Guinea pig	5300 mg/kg
	Rat	2550 mg/kg
		2 g/kg
Manganese Sulfate, monohy	ydrate (CAS 10034-96-5)	
<u>Acute</u>		
Oral		
LD100	Mouse	305 mg/kg
Propylene glycol (CAS 57-5	5-6)	
<u>Acute</u>		
Oral	<b>D</b>	40 - 41 -
LD50	Dog	19 g/kg
	Guinea pig	18.4 g/kg
	Mouse	23.9 g/kg
	Rabbit	18 g/kg
	Rat	30 g/kg
Urea (CAS 57-13-6)		
<u>Acute</u>		
Oral		
LD50	Rat	8471 mg/kg
	Sheep	28500 mg/kg
Zinc Sulfate (CAS 7733-02-0	0)	
<u>Acute</u>		
Dermal	_	
LD50	Rat	> 2000 mg/kg
Oral		
LD50	Rat	623 mg/kg

<sup>\*</sup> Estimates for product may be based on additional component data not shown.

**Skin corrosion/irritation** Prolonged skin contact may cause temporary irritation.

Serious eye damage/eye

irritation

Causes serious eye damage.

Respiratory or skin sensitization

Respiratory sensitization Not available.

Skin sensitization This product is not expected to cause skin sensitization.

Germ cell mutagenicity No data available to indicate product or any components present at greater than 0.1% are

mutagenic or genotoxic.

This product is not considered to be a carcinogen by IARC, ACGIH, NTP, or OSHA. Carcinogenicity

IARC Monographs. Overall Evaluation of Carcinogenicity

Not listed.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not regulated.

US. National Toxicology Program (NTP) Report on Carcinogens

Not listed.

Suspected of damaging fertility or the unborn child. Reproductive toxicity Not classified.

Specific target organ

toxicity - single exposure

Specific target organ

toxicity - repeated

exposure

May cause damage to organs through prolonged or repeated exposure.

**Aspiration hazard** Not available.

**Chronic effects** Prolonged inhalation may be harmful. May cause damage to organs through prolonged or

repeated exposure.

12. Ecological information

**Ecotoxicity** Very toxic to aquatic life with long lasting effects.

Product		Species	Test Results
Commander 410 Pre-M	lix		
Aquatic			
Crustacea	EC50	Daphnia	244.3471 mg/l, 48 hours estimated
Fish	LC50	Fish	25.7007 mg/l, 96 hours estimated
Components		Species	Test Results
Acetic Acid (CAS 64-19	9-7)		
Aquatic			
Crustacea	EC50	Water flea (Daphnia magna)	65 mg/l, 48 hours
Fish	LC50	Bluegill (Lepomis macrochirus)	75 mg/l, 96 hours
Cupric Sulfate, pentahy	drate (CAS 7758-	99-8)	
Aquatic			
Crustacea	EC50	Water flea (Daphnia magna)	0.0058 - 0.0073 mg/l, 48 hours
Fish	LC50	Bluegill (Lepomis macrochirus)	0.66 - 1.15 mg/l, 96 hours
Disodium Octaborate T	etrahydrate (CAS	12008-41-2)	
Aquatic			
Acute			
Crustacea	LC50	Daphnia magna	619 mg/l
Fish	LC50	Pimephales promelas	370 mg/l
Manganese Sulfate, mo	onohydrate (CAS 1	10034-96-5)	
Aquatic			
Crustacea	EC50	Water flea (Daphnia obtusa)	30.8 - 44.1 mg/l, 48 hours
Fish	LC50	Fathead minnow (Pimephales promelas)	36.9 mg/l, 96 hours
			29.7 - 52.7 mg/l, 192 hours
Propylene glycol (CAS	57-55-6)		
Aquatic			
Crustacea	EC50	Water flea (Daphnia magna)	> 10000 mg/l, 48 hours
Fish	LC50	Fathead minnow (Pimephales promelas)	29485 - 39339 mg/l, 96 hours

Material name: Commander 410 Pre-Mix

SDS US

20014 Version #: 02 Revision date: 08-31-2016 Issue date: 06-08-2016

Components **Test Results Species** Urea (CAS 57-13-6) **Aquatic** EC50 Crustacea Water flea (Daphnia magna) 3910 mg/l, 48 hours Fish LC50 Carp (Leuciscus idus melanotus) > 10000 mg/l, 48 hours Guppy (Poecilia reticulata) 16200 - 18300 mg/l, 96 hours Harlequinfish, red rasbora (Rasbora 12000 mg/l, 96 hours heteromorpha) 590 - 730 mg/l, 96 hours Mozambique tilapia (Tilapia mossambica) Zinc Sulfate (CAS 7733-02-0) Aquatic LC50 Algae Green algae (Chlorella vulgaris) 5 mg/l, 24 hours Crustacea EC50 Amphipod (Crangonyx pseudogracilis) 15.1 - 24.5 mg/l, 96 hours Rotifer (Philodina acuticornis) 0.5 mg/l, 48 hours Fish LC50 Fathead minnow (Pimephales promelas) 10.62 - 11.3 mg/l, 5 days 0.168 - 0.25 mg/l, 96 hours Fish (Lepidocephalichthyes guntea) 76 - 118.8 mg/l, 24 hours \* Estimates for product may be based on additional component data not shown. Persistence and degradability No data is available on the degradability of this product. Not available. Partition coefficient n-octanol / water (log Kow) -0.17Acetic Acid

Bioaccumulative potential

-0.92 Propylene glycol -2.11 Urea

Mobility in soil No data available.

Other adverse effects No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation

potential, endocrine disruption, global warming potential) are expected from this component.

#### 13. Disposal considerations

**Disposal instructions** Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Do not allow

this material to drain into sewers/water supplies. Do not contaminate ponds, waterways or ditches

with chemical or used container. Dispose of contents/container in accordance with

local/regional/national/international regulations.

Local disposal regulations

Dispose in accordance with all applicable regulations.

Hazardous waste code

The waste code should be assigned in discussion between the user, the producer and the waste

disposal company.

Waste from residues / unused

products

Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see:

Disposal instructions).

Contaminated packaging

Empty containers should be taken to an approved waste handling site for recycling or disposal.

Since emptied containers may retain product residue, follow label warnings even after container is

emptied.

# 14. Transport information

DOT

UN3082 **UN number** 

Environmentally hazardous substances, liquid, n.o.s. (Cupric Sulfate, pentahydrate RQ = 392 **UN proper shipping name** 

LBS) (Yes)

Transport hazard class(es)

Class 9 Subsidiary risk 9 Label(s) **Packing group** Ш

Special precautions for user Read safety instructions, SDS and emergency procedures before handling.

8, 146, 335, IB3, T4, TP1, TP29 Special provisions

155 Packaging exceptions 203 Packaging non bulk 241 Packaging bulk

Not DOT regulated in domestic (USA ground) transportation in package sizes less than 392 lbs (38 gallons); 178 kg (144 liters). The DOT transportation information below is for shipments with package sizes equal to or exceeding this value.

DOT Shipping Notes: 40 CFR 172.504(f)(9) For Class 9, a CLASS 9 placard is not required for domestic (USA ground) transportation, however shipments with packaging exceeding the Reportable Quantity (RQ) or bulk packaging must be marked with the appropriate identification number on a CLASS 9 placard, an orange panel, or a white square-on-point display configuration as required. Since the Class 9 placard is not required (although it may be used) the hazardous material endorsement is also not required on a Commercial Drivers License.

#### IATA

**UN** number UN3082

Environmentally hazardous substance, liquid, n.o.s. (Cupric Sulfate, pentahydrate) **UN proper shipping name** 

Transport hazard class(es)

Subsidiary risk Packing group Ш **Environmental hazards** Yes **ERG Code** 91

Special precautions for user Read safety instructions, SDS and emergency procedures before handling.

Other information

Passenger and cargo

Allowed with restrictions.

aircraft

Cargo aircraft only Allowed with restrictions.

**IMDG** 

**UN** number UN3082

ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Cupric Sulfate, **UN** proper shipping name

pentahydrate), MARINE POLLUTANT

Transport hazard class(es)

9 Class Subsidiary risk Ш Packing group **Environmental hazards** 

Marine pollutant Yes F-A. S-F **EmS** 

Special precautions for user Read safety instructions, SDS and emergency procedures before handling.

# DOT; IATA; IMDG



## Marine pollutant



#### **General information**

Not DOT regulated in domestic (USA ground) transportation in package sizes less than 392 lbs (38 gallons); 178 kg (144 liters). The DOT transportation information below is for shipments with package sizes equal to or exceeding this value.

# 15. Regulatory information

**US federal regulations** 

This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication

Standard, 29 CFR 1910.1200.

#### TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

## **CERCLA Hazardous Substance List (40 CFR 302.4)**

Acetic Acid (CAS 64-19-7)

Manganese Sulfate, monohydrate (CAS 10034-96-5)

Zinc Sulfate (CAS 7733-02-0)

Listed.

Listed.

Listed.

#### SARA 304 Emergency release notification

Not regulated.

## OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not regulated.

#### Superfund Amendments and Reauthorization Act of 1986 (SARA)

Hazard categories Immediate Hazard - Yes

Delayed Hazard - Yes Fire Hazard - No Pressure Hazard - No Reactivity Hazard - No

#### SARA 302 Extremely hazardous substance

Not listed.

SARA 311/312 Hazardous No

chemical

## SARA 313 (TRI reporting)

Chemical name	CAS number	% by wt.	
Manganese Sulfate, monohydrate	10034-96-5	5 - < 10	
Cupric Sulfate, pentahydrate	7758-99-8	1 - < 3	
Zinc Sulfate	7733-02-0	1 - < 3	

#### Other federal regulations

#### Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Manganese Sulfate, monohydrate (CAS 10034-96-5)

#### Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

Safe Drinking Water Act

Not regulated.

(SDWA)

## FEMA Priority Substances Respiratory Health and Safety in the Flavor Manufacturing Workplace

Acetic Acid (CAS 64-19-7) High priority

#### **US** state regulations

#### US. California Controlled Substances. CA Department of Justice (California Health and Safety Code Section 11100)

Not listed.

#### **US. Massachusetts RTK - Substance List**

Acetic Acid (CAS 64-19-7)

Cupric Sulfate, pentahydrate (CAS 7758-99-8)

Zinc Sulfate (CAS 7733-02-0)

# US. New Jersey Worker and Community Right-to-Know Act

Acetic Acid (CAS 64-19-7)

Cupric Sulfate, pentahydrate (CAS 7758-99-8)

Disodium Octaborate Tetrahydrate (CAS 12008-41-2)

Manganese Sulfate, monohydrate (CAS 10034-96-5)

Propylene glycol (CAS 57-55-6) Zinc Sulfate (CAS 7733-02-0)

## US. Pennsylvania Worker and Community Right-to-Know Law

Acetic Acid (CAS 64-19-7)

Cupric Sulfate, pentahydrate (CAS 7758-99-8)

20014 Version #: 02 Revision date: 08-31-2016 Issue date: 06-08-2016

Propylene glycol (CAS 57-55-6)

Material name: Commander 410 Pre-Mix

Zinc Sulfate (CAS 7733-02-0)

#### **US. Rhode Island RTK**

Acetic Acid (CAS 64-19-7)

Manganese Sulfate, monohydrate (CAS 10034-96-5)

Zinc Sulfate (CAS 7733-02-0)

#### **US. California Proposition 65**

WARNING: This product contains a chemical known to the State of California to cause cancer and birth defects or other reproductive harm.

#### **International Inventories**

Country(s) or region

Australia	Australian Inventory of Chemical Substances (AICS)	Yes
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	Yes
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	No
Korea	Existing Chemicals List (ECL)	Yes
New Zealand	New Zealand Inventory	Yes
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	Yes

United States & Puerto Rico Toxic Substances Control Act (TSCA) Inventory

\*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s)

# 16. Other information, including date of preparation or last revision

Inventory name

 Issue date
 06-08-2016

 Revision date
 08-31-2016

Version # 02

**Disclaimer** The information provided in this Safety Data Sheet is correct to the best of Manufacturer's

knowledge, information and belief at the date of its publication; however, it is provided only as a guidance for safe handling, use, processing, storage, transportation, disposal and release of the Product. No warranties of any kind, either expressed or implied, including warranties of merchantability or fitness for a particular purpose, are made with respect to the Product or the information provided herein, or that the Product or information herein may be used without infringing the intellectual property rights of others. The information provided in this Safety Data Sheet relates only to the specific Product designated and may not be valid if the Product is used in combination with other materials or in any other process, unless specified herein. The user assumes all risk and liability for loss, injury, damage or expense due to any use, handling, storage or disposal of the Product, and Manufacturer recommends that the user conducts its owns tests of

the Product to determine suitability of the Product for user's particular use.

**Revision information** Transport Information: Material Transportation Information

Material name: Commander 410 Pre-Mix

SDS US

On inventory (yes/no)\*

Yes

A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).