

1. Identification

Product identifier	Brandt Nutrient Buffer 10-12-0	
Other means of identification		
Product code	02008	
Recommended use	Adjuvant/ Fertilizer	
Recommended restrictions	Refer to product label.	
Manufacturer/Importer/Supplier/Distributor information		
Manufacturer		
Company name	Brandt Consolidated, Inc.	
Address	2935 South Koke Mill Road Springfield, IL 62711 United States	
Telephone	Corporate Office	1-217-547-5800
Website	www.brandt.co	
E-mail	msds@brandt.co	
Contact person	EH&S / Regulatory Department	
Emergency phone number	CHEMTREC (24 hours): USA, Canada, Puerto Rico 1-800-424-9300 Virgin Islands 1-800-424-9300 International Maritime +1 (703) 527-3887	

2. Hazard(s) identification

Physical hazards	Not classified.	
Health hazards	Skin corrosion/irritation	Category 1
	Serious eye damage/eye irritation	Category 1
	Specific target organ toxicity, repeated exposure	Category 2
Environmental hazards	Hazardous to the aquatic environment, acute hazard	Category 2
	Hazardous to the aquatic environment, long-term hazard	Category 3
OSHA defined hazards	Not classified.	
Label elements		



Signal word	Danger
Hazard statement	Causes severe skin burns and eye damage. Causes serious eye damage. May cause damage to organs through prolonged or repeated exposure. Toxic to aquatic life. Harmful to aquatic life with long lasting effects.
Precautionary statement	
Prevention	Do not breathe mist or vapor. Wash thoroughly after handling. Avoid release to the environment. Wear protective gloves/protective clothing/eye protection/face protection.
Response	If swallowed: Rinse mouth. Do NOT induce vomiting. If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. If inhaled: Remove person to fresh air and keep comfortable for breathing. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a poison center/doctor. Wash contaminated clothing before reuse.
Storage	Store locked up.
Disposal	Dispose of contents/container in accordance with local/regional/national/international regulations.

Hazard(s) not otherwise classified (HNOC) None known.

Supplemental information None.

3. Composition/information on ingredients

Mixtures

Chemical name	Common name and synonyms	CAS number	%
Urea		57-13-6	20 - < 30*
Phosphoric Acid		7664-38-2	10 - < 20*
Zinc Sulfate		7733-02-0	5 - < 10*
Manganese Sulfate, monohydrate		10034-96-5	3 - < 5*
Nonylphenol polyethylene glycol ether		127087-87-0	1 - < 3*
Poly(ethylene oxide)		25322-68-3	< 0.1*
Other components below reportable levels			50 - < 60

*Designates that a specific chemical identity and/or percentage of composition has been withheld as a trade secret.

4. First-aid measures

Inhalation

Move to fresh air. Call a physician if symptoms develop or persist.

Skin contact

Take off immediately all contaminated clothing. Rinse skin with water/shower. Call a physician or poison control center immediately. Chemical burns must be treated by a physician. Wash contaminated clothing before reuse.

Eye contact

Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Call a physician or poison control center immediately.

Ingestion

Call a physician or poison control center immediately. Rinse mouth. Do not induce vomiting. If vomiting occurs, keep head low so that stomach content doesn't get into the lungs.

Most important symptoms/effects, acute and delayed

Burning pain and severe corrosive skin damage. Causes serious eye damage. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Permanent eye damage including blindness could result. Prolonged exposure may cause chronic effects.

Indication of immediate medical attention and special treatment needed

Provide general supportive measures and treat symptomatically. Chemical burns: Flush with water immediately. While flushing, remove clothes which do not adhere to affected area. Call an ambulance. Continue flushing during transport to hospital. Keep victim under observation. Symptoms may be delayed.

General information

If you feel unwell, seek medical advice (show the label where possible). Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves.

5. Fire-fighting measures

Suitable extinguishing media

Water fog. Foam. Dry chemical powder. Carbon dioxide (CO₂).

Unsuitable extinguishing media

Do not use water jet as an extinguisher, as this will spread the fire.

Specific hazards arising from the chemical

During fire, gases hazardous to health may be formed.

Special protective equipment and precautions for firefighters

Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

Fire fighting equipment/instructions

Move containers from fire area if you can do so without risk.

Specific methods

Use standard firefighting procedures and consider the hazards of other involved materials.

General fire hazards

No unusual fire or explosion hazards noted.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Wear appropriate protective equipment and clothing during clean-up. Do not breathe mist or vapor. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.

Methods and materials for containment and cleaning up

This product is miscible in water. Should not be released into the environment. Prevent entry into waterways, sewer, basements or confined areas.

Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Absorb in vermiculite, dry sand or earth and place into containers. Following product recovery, flush area with water.

Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.

Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS.

Environmental precautions

Avoid release to the environment. Inform appropriate managerial or supervisory personnel of all environmental releases. Prevent further leakage or spillage if safe to do so. Do not contaminate water. Avoid discharge into drains, water courses or onto the ground.

7. Handling and storage**Precautions for safe handling**

Do not breathe mist or vapor. Do not get in eyes, on skin, or on clothing. Avoid prolonged exposure. Provide adequate ventilation. Wear appropriate personal protective equipment. Avoid release to the environment. Observe good industrial hygiene practices.

Conditions for safe storage, including any incompatibilities

Store locked up. Store in original tightly closed container. Store away from incompatible materials (see Section 10 of the SDS).

8. Exposure controls/personal protection**Occupational exposure limits****US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000)**

Components	Type	Value
Manganese Sulfate, monohydrate (CAS 10034-96-5)	Ceiling	5 mg/m ³
Phosphoric Acid (CAS 7664-38-2)	PEL	1 mg/m ³

US. ACGIH Threshold Limit Values

Components	Type	Value	Form
Manganese Sulfate, monohydrate (CAS 10034-96-5)	TWA	0.1 mg/m ³	Inhalable fraction.
		0.02 mg/m ³	Respirable fraction.
Phosphoric Acid (CAS 7664-38-2)	STEL	3 mg/m ³	
	TWA	1 mg/m ³	

US. NIOSH: Pocket Guide to Chemical Hazards

Components	Type	Value	Form
Manganese Sulfate, monohydrate (CAS 10034-96-5)	STEL	3 mg/m ³	Fume.
	TWA	1 mg/m ³	Fume.
Phosphoric Acid (CAS 7664-38-2)	STEL	3 mg/m ³	
	TWA	1 mg/m ³	

US. AIHA Workplace Environmental Exposure Level (WEEL) Guides

Components	Type	Value	Form
Poly(ethylene oxide) (CAS 25322-68-3)	TWA	10 mg/m ³	Particulate.
Urea (CAS 57-13-6)	TWA	10 mg/m ³	Total particulate.

Biological limit values

No biological exposure limits noted for the ingredient(s).

Appropriate engineering controls

Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. Eye wash facilities and emergency shower must be available when handling this product.

Individual protection measures, such as personal protective equipment

Eye/face protection	Chemical respirator with organic vapor cartridge and full facepiece.
Skin protection	
Hand protection	Wear appropriate chemical resistant gloves. Suitable gloves can be recommended by the glove supplier.
Other	Wear appropriate chemical resistant clothing. Use of an impervious apron is recommended.
Respiratory protection	Chemical respirator with organic vapor cartridge and full facepiece.
Thermal hazards	Wear appropriate thermal protective clothing, when necessary.
General hygiene considerations	Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.

9. Physical and chemical properties

Appearance	Liquid.
Physical state	Liquid.
Form	Liquid.
Color	Clear. Amber
Odor	Slightly soap; phosphoric acid-like.
Odor threshold	Not available.
pH	< 1.5
Melting point/freezing point	Not available.
Initial boiling point and boiling range	212 °F (100 °C)
Flash point	Not available.
Evaporation rate	Not available.
Flammability (solid, gas)	Not applicable.
Upper/lower flammability or explosive limits	
Flammability limit - lower (%)	Not available.
Flammability limit - upper (%)	Not available.
Explosive limit - lower (%)	Not available.
Explosive limit - upper (%)	Not available.
Vapor pressure	0.00001 hPa
Vapor density	> 1
Relative density	1.29 g/cm ³ (typical)
Solubility(ies)	
Solubility (water)	Miscible
Partition coefficient (n-octanol/water)	Not available.
Auto-ignition temperature	Not available.
Decomposition temperature	Not available.
Viscosity	Not available.
Other information	
Density	1.69 g/cm ³ estimated
Explosive properties	Not explosive.
Oxidizing properties	Not oxidizing.
Percent volatile	52.69 % estimated
Pounds per gallon	10.75 lb/gal (typical)
Specific gravity	1.69 estimated
VOC	10.92 % estimated

10. Stability and reactivity

Reactivity	Reacts violently with strong alkaline substances. This product may react with reducing agents.
Chemical stability	Material is stable under normal conditions.
Possibility of hazardous reactions	Hazardous polymerization does not occur.
Conditions to avoid	Contact with incompatible materials. Do not mix with other chemicals.
Incompatible materials	Bases. Reducing agents.
Hazardous decomposition products	No hazardous decomposition products are known.

11. Toxicological information

Information on likely routes of exposure

Inhalation	May cause damage to organs through prolonged or repeated exposure by inhalation. May cause irritation to the respiratory system.
Skin contact	Causes severe skin burns.
Eye contact	Causes serious eye damage.
Ingestion	Causes digestive tract burns.
Symptoms related to the physical, chemical and toxicological characteristics	Burning pain and severe corrosive skin damage. Causes serious eye damage. Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Permanent eye damage including blindness could result.

Information on toxicological effects

Acute toxicity

Product	Species	Test Results
Brandt Nutrient Buffer 10-12-0		
Acute		
Dermal		
LD50	Rabbit	16443 mg/kg estimated
	Rat	35400 mg/kg estimated
Oral		
LD100	Mouse	9473 mg/kg estimated
LD50	Mouse	4225 mg/kg estimated
	Rat	5803 mg/kg estimated
Components	Species	Test Results
Manganese Sulfate, monohydrate (CAS 10034-96-5)		
Acute		
Oral		
LD100	Mouse	305 mg/kg
Phosphoric Acid (CAS 7664-38-2)		
Acute		
Dermal		
LD50	Rabbit	2740 mg/kg
Oral		
LD50	Rat	1530 mg/kg
Urea (CAS 57-13-6)		
Acute		
Oral		
LD50	Rat	8471 mg/kg
	Sheep	28500 mg/kg

Components	Species	Test Results
Zinc Sulfate (CAS 7733-02-0)		
Acute		
Dermal		
LD50	Rat	> 2000 mg/kg
Oral		
LD50	Rat	623 mg/kg
* Estimates for product may be based on additional component data not shown.		
Skin corrosion/irritation	Causes severe skin burns and eye damage.	
Serious eye damage/eye irritation	Causes serious eye damage.	
Respiratory or skin sensitization		
Respiratory sensitization	Not a respiratory sensitizer.	
Skin sensitization	This product is not expected to cause skin sensitization.	
Germ cell mutagenicity	No data available to indicate product or any components present at greater than 0.1% are mutagenic or genotoxic.	
Carcinogenicity	This product is not considered to be a carcinogen by IARC, ACGIH, NTP, or OSHA.	
IARC Monographs. Overall Evaluation of Carcinogenicity		
Not listed.		
OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)		
Not regulated.		
US. National Toxicology Program (NTP) Report on Carcinogens		
Not listed.		
Reproductive toxicity	This product is not expected to cause reproductive or developmental effects.	
Specific target organ toxicity - single exposure	Not classified.	
Specific target organ toxicity - repeated exposure	May cause damage to organs through prolonged or repeated exposure.	
Aspiration hazard	Not an aspiration hazard.	
Chronic effects	May cause damage to organs through prolonged or repeated exposure. Prolonged inhalation may be harmful.	

12. Ecological information

Ecotoxicity Toxic to aquatic life. Harmful to aquatic life with long lasting effects. Because of the low pH of this product, it would be expected to produce significant ecotoxicity upon exposure to aquatic organisms and aquatic systems.

Product	Species	Test Results	
Brandt Nutrient Buffer 10-12-0			
Aquatic			
Crustacea	EC50	Daphnia	1151.5006 mg/l, 48 hours estimated
Fish	LC50	Fish	204.0598 mg/l, 96 hr estimated
Components	Species	Test Results	
Manganese Sulfate, monohydrate (CAS 10034-96-5)			
Aquatic			
Crustacea	EC50	Water flea (Daphnia obtusa)	30.8 - 44.1 mg/l, 48 hours
Fish	LC50	Fathead minnow (Pimephales promelas)	36.9 mg/l, 96 hours
			29.7 - 52.7 mg/l, 192 hours
Nonylphenol polyethylene glycol ether (CAS 127087-87-0)			
Aquatic			
Fish	LC50	Fish	3.8 - 6.2 mg/l, 96 hr

Components	Species	Test Results
Poly(ethylene oxide) (CAS 25322-68-3)		
Aquatic		
Fish	LC50	Atlantic salmon (<i>Salmo salar</i>) > 1000 mg/l, 96 hours
Urea (CAS 57-13-6)		
Aquatic		
Crustacea	EC50	Water flea (<i>Daphnia magna</i>) 3910 mg/l, 48 hours
Fish	LC50	Carp (<i>Leuciscus idus melanotus</i>) > 10000 mg/l, 48 hours
		Guppy (<i>Poecilia reticulata</i>) 16200 - 18300 mg/l, 96 hours
		Harlequinfish, red rasbora (<i>Rasbora heteromorpha</i>) 12000 mg/l, 96 hours
		Mozambique tilapia (<i>Tilapia mossambica</i>) 590 - 730 mg/l, 96 hours
Zinc Sulfate (CAS 7733-02-0)		
Aquatic		
Algae	LC50	Green algae (<i>Chlorella vulgaris</i>) 5 mg/l, 24 hours
Crustacea	EC50	Amphipod (<i>Crangonyx pseudogracilis</i>) 15.1 - 24.5 mg/l, 96 hours
		Rotifer (<i>Philodina acuticornis</i>) 0.5 mg/l, 48 hours
Fish	LC50	Fathead minnow (<i>Pimephales promelas</i>) 10.62 - 11.3 mg/l, 5 days
		0.168 - 0.25 mg/l, 96 hours
		Fish (<i>Lepidocephalichthyes guntea</i>) 76 - 118.8 mg/l, 24 hours

* Estimates for product may be based on additional component data not shown.

Persistence and degradability No data is available on the degradability of this product.

Bioaccumulative potential

Partition coefficient n-octanol / water (log Kow)

Urea -2.11

Mobility in soil No data available.

Other adverse effects No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.

13. Disposal considerations

Disposal instructions Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Do not allow this material to drain into sewers/water supplies. Do not contaminate ponds, waterways or ditches with chemical or used container. Dispose of contents/container in accordance with local/regional/national/international regulations.

Local disposal regulations Dispose in accordance with all applicable regulations.

Hazardous waste code The waste code should be assigned in discussion between the user, the producer and the waste disposal company.

Waste from residues / unused products Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions).

Contaminated packaging Since emptied containers may retain product residue, follow label warnings even after container is emptied. Empty containers should be taken to an approved waste handling site for recycling or disposal.

14. Transport information

DOT

UN number UN1760
UN proper shipping name Corrosive liquids, n.o.s. (Phosphoric Acid)
Transport hazard class(es)
Class 8
Subsidiary risk -
Label(s) 8
Packing group III
Special precautions for user Read safety instructions, SDS and emergency procedures before handling.

Special provisions	A6, A7, B10, T14, TP2, TP27
Packaging exceptions	None
Packaging non bulk	201
Packaging bulk	243

IATA

UN number	UN1760
UN proper shipping name	Corrosive liquids, n.o.s. (Phosphoric Acid)
Transport hazard class(es)	
Class	8
Subsidiary risk	-
Label(s)	8
Packing group	III
Environmental hazards	Yes
Special precautions for user	Read safety instructions, SDS and emergency procedures before handling.

IMDG

UN number	UN1760
UN proper shipping name	Corrosive liquids, n.o.s. (Phosphoric Acid), MARINE POLLUTANT
Transport hazard class(es)	
Class	8
Subsidiary risk	-
Label(s)	8
Packing group	III
Environmental hazards	
Marine pollutant	Yes
EmS	Not available.
Special precautions for user	Read safety instructions, SDS and emergency procedures before handling.


DOT



IATA; IMDG



Marine pollutant



15. Regulatory information

US federal regulations

This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

TSCA Chemical Action Plans, Chemicals of Concern

Nonylphenol polyethylene glycol ether (CAS 127087-87-0)

Nonylphenol (NP) and Nonylphenol Ethoxylates (NPEs) Action Plan

CERCLA Hazardous Substance List (40 CFR 302.4)

Manganese Sulfate, monohydrate (CAS 10034-96-5)

Listed.

Phosphoric Acid (CAS 7664-38-2)

Listed.

Zinc Sulfate (CAS 7733-02-0)

Listed.

SARA 304 Emergency release notification

Not regulated.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not regulated.

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Hazard categories

Immediate Hazard - Yes

Delayed Hazard - Yes

Fire Hazard - No

Pressure Hazard - No

Reactivity Hazard - No

SARA 302 Extremely hazardous substance

Not listed.

SARA 311/312 Hazardous chemical No

SARA 313 (TRI reporting)

Chemical name	CAS number	% by wt.
Zinc Sulfate	7733-02-0	5 - < 10
Manganese Sulfate, monohydrate	10034-96-5	3 - < 5

Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Manganese Sulfate, monohydrate (CAS 10034-96-5)

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

Safe Drinking Water Act (SDWA) Not regulated.

FEMA Priority Substances Respiratory Health and Safety in the Flavor Manufacturing Workplace

Phosphoric Acid (CAS 7664-38-2)

High priority

US state regulations

US. California Controlled Substances. CA Department of Justice (California Health and Safety Code Section 11100)

Not listed.

US. California. Candidate Chemicals List. Safer Consumer Products Regulations (Cal. Code Regs, tit. 22, 69502.3, subd. (a))

Phosphoric Acid (CAS 7664-38-2)

US. Massachusetts RTK - Substance List

Phosphoric Acid (CAS 7664-38-2)

Zinc Sulfate (CAS 7733-02-0)

US. New Jersey Worker and Community Right-to-Know Act

Manganese Sulfate, monohydrate (CAS 10034-96-5)

Phosphoric Acid (CAS 7664-38-2)

Zinc Sulfate (CAS 7733-02-0)

US. Pennsylvania Worker and Community Right-to-Know Law

Phosphoric Acid (CAS 7664-38-2)

Zinc Sulfate (CAS 7733-02-0)

US. Rhode Island RTK

Manganese Sulfate, monohydrate (CAS 10034-96-5)

Phosphoric Acid (CAS 7664-38-2)
Zinc Sulfate (CAS 7733-02-0)

US. California Proposition 65



WARNING: This product can expose you to chemicals including arsenic, cadmium, and lead, which are known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.

International Inventories

Country(s) or region	Inventory name	On inventory (yes/no)*
Australia	Australian Inventory of Chemical Substances (AICS)	Yes
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	No
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	Yes
Korea	Existing Chemicals List (ECL)	Yes
New Zealand	New Zealand Inventory	Yes
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	Yes
United States & Puerto Rico	Toxic Substances Control Act (TSCA) Inventory	Yes

*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s)

A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

16. Other information, including date of preparation or last revision

Issue date 07-13-2016
Revision date 09-13-2018
Version # 02

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of Manufacturer's knowledge, information and belief at the date of its publication; however, it is provided only as a guidance for safe handling, use, processing, storage, transportation, disposal and release of the Product. No warranties of any kind, either expressed or implied, including warranties of merchantability or fitness for a particular purpose, are made with respect to the Product or the information provided herein, or that the Product or information herein may be used without infringing the intellectual property rights of others. The information provided in this Safety Data Sheet relates only to the specific Product designated and may not be valid if the Product is used in combination with other materials or in any other process, unless specified herein. The user assumes all risk and liability for loss, injury, damage or expense due to any use, handling, storage or disposal of the Product, and Manufacturer recommends that the user conducts its own tests of the Product to determine suitability of the Product for user's particular use.

Revision information

Hazard(s) identification: Hazard statement
Hazard(s) identification: Supplemental information
Physical & Chemical Properties: Multiple Properties
Toxicological information: Acute toxicity
Toxicological information: Ingestion
Transport information: General information
Regulatory information: California Prop 65
Regulatory information: US state regulations