SAFETY DATA SHEET



1. Identification

Product identifier Brandt pH Adjust

Other means of identification

Product code 02001

Recommended use Agricultural/ Horticultural Use- Adjuvant- Refer to product label.

Recommended restrictions Refer to product label.

Manufacturer/Importer/Supplier/Distributor information

Manufacturer

Company nameBrandt Consolidated, Inc.Address2935 South Koke Mill Road

Springfield, IL 62711

United States

Telephone Corporate Office 1-217-547-5800

Website www.brandt.co E-mail wsds@brandt.co

Contact person EH&S / Regulatory Department

Emergency phone number CHEMTREC (24 hours):

USA, Canada, Puerto Rico 1-800-424-9300 Virgin Islands 1-800-424-9300 International Maritime +1 (703) 527-3887

2. Hazard(s) identification

Physical hazards Not classified.

Health hazards Skin corrosion/irritation Category 2

Serious eye damage/eye irritation Category 2A

Environmental hazards Not classified.

OSHA defined hazards Not classified.

Label elements



Signal word Warning

Hazard statement Causes skin irritation. Causes serious eye irritation.

Precautionary statement

Prevention Wear eye/face protection. Wash thoroughly after handling. Wear protective gloves.

Response If on skin: Wash with plenty of water. If in eyes: Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do. Continue rinsing. Specific treatment (see this label). If skin irritation occurs: Get medical advice/attention. If eye irritation persists: Get medical

advice/attention. Take off contaminated clothing and wash before reuse.

Storage Store away from incompatible materials.

Disposal Dispose of waste and residues in accordance with local authority requirements.

Hazard(s) not otherwise

classified (HNOC)

None known.

Supplemental information None.

3. Composition/information on ingredients

Mixtures

Material name: Brandt pH Adjust

Chemical name	Common name and synonyms	CAS number	%
Citric Acid, Anhydrous		77-92-9	20 - < 30*
Potassium Nitrate		7757-79-1	5 - < 10*
Urea		57-13-6	5 - < 10*
Potassium Hydroxide (Caustic Potash)		1310-58-3	< 1*
Other components below reportab	le levels		50 - < 60

^{*}Designates that a specific chemical identity and/or percentage of composition has been withheld as a trade secret.

4. First-aid measures

Inhalation Move to fresh air. Call a physician if symptoms develop or persist.

Remove contaminated clothing. Wash with plenty of soap and water. If skin irritation occurs: Get Skin contact

medical advice/attention. Wash contaminated clothing before reuse.

Immediately flush eyes with plenty of water for at least 15 minutes. Remove contact lenses, if Eye contact

present and easy to do. Continue rinsing. Get medical attention if irritation develops and persists.

Rinse mouth. Get medical attention if symptoms occur. Ingestion

Most important symptoms/effects, acute and

delayed

Symptoms may include stinging, tearing, redness, swelling, and blurred vision. May cause redness and pain. Severe eye irritation.

Indication of immediate medical attention and special treatment needed

Provide general supportive measures and treat symptomatically. Keep victim under observation. Symptoms may be delayed.

Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves.

5. Fire-fighting measures

Suitable extinguishing media

Unsuitable extinguishing media

General information

Do not use water jet as an extinguisher, as this will spread the fire.

Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2).

Specific hazards arising from the chemical

During fire, gases hazardous to health may be formed.

Special protective equipment and precautions for firefighters

Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

Fire fighting equipment/instructions Move containers from fire area if you can do so without risk.

Specific methods

Use standard firefighting procedures and consider the hazards of other involved materials.

No unusual fire or explosion hazards noted. General fire hazards

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Keep unnecessary personnel away. Keep people away from and upwind of spill/leak. Keep out of low areas. Wear appropriate protective equipment and clothing during clean-up. Do not touch damaged containers or spilled material unless wearing appropriate protective clothing. Ensure adequate ventilation. Local authorities should be advised if significant spillages cannot be contained. For personal protection, see section 8 of the SDS.

Methods and materials for containment and cleaning up Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Cover with plastic sheet to prevent spreading. Absorb in vermiculite, dry sand or earth and place into containers. Following product recovery, flush area with water.

Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.

Never return spills to original containers for re-use. Prevent entry into waterways, sewer, basements or confined areas. For waste disposal, see section 13 of the SDS.

Environmental precautions

Avoid discharge into drains, water courses or onto the ground.

7. Handling and storage

Precautions for safe handling

Avoid contact with eyes. Avoid contact with eyes, skin, and clothing. Avoid prolonged exposure. Provide adequate ventilation. Wear appropriate personal protective equipment. Observe good industrial hygiene practices.

Material name: Brandt pH Adjust SDS US 2/8

Store in original tightly closed container. Keep container tightly closed. Store away from incompatible materials (see Section 10 of the SDS).

8. Exposure controls/personal protection

Occupational exposure limits

US.	ACGIH	Threshold	Limit	Values
-----	--------------	------------------	-------	---------------

Value Components **Type** Potassium Hydroxide Ceiling 2 mg/m3 (Caustic Potash) (CAS

1310-58-3)

US. NIOSH: Pocket Guide to Chemical Hazards

Components Value Type Potassium Hydroxide **TWA** 2 mg/m3

(Caustic Potash) (CAS

1310-58-3)

US. AIHA Workplace Environmental Exposure Level (WEEL) Guides

Value **Form** Components **Type** Urea (CAS 57-13-6) **TWA** 10 mg/m3 Total particulate.

Biological limit values No biological exposure limits noted for the ingredient(s).

Appropriate engineering controls

Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level. Eye wash facilities and emergency shower must be available when handling this product.

Individual protection measures, such as personal protective equipment

Face shield is recommended. Wear safety glasses with side shields (or goggles). Eye/face protection

Skin protection

Hand protection Wear appropriate chemical resistant gloves.

Wear appropriate chemical resistant clothing. Use of an impervious apron is recommended. Other

Respiratory protection In case of insufficient ventilation, wear suitable respiratory equipment. Respiratory protection not

required.

Thermal hazards Wear appropriate thermal protective clothing, when necessary.

General hygiene considerations

Always observe good personal hygiene measures, such as washing after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to remove contaminants.

9. Physical and chemical properties

Liquid. Clear. **Appearance**

Physical state Liquid. **Form** Liquid. Color Clear. Slight. Citrus

Odor threshold Not available. Not available. Melting point/freezing point Not available.

Initial boiling point and boiling

range

Odor

212 °F (100 °C)

Flash point Not available. **Evaporation rate** Not available. Flammability (solid, gas) Not available.

Upper/lower flammability or explosive limits

Flammability limit - lower

Not available.

Flammability limit - upper

Not available.

(%)

(%)

Material name: Brandt pH Adjust 02001 Version #: 06 Revision date: 09-13-2018 Issue date: 07-17-2015

Not available. Explosive limit - lower (%) Explosive limit - upper (%) Not available. Vapor pressure 760 mm Hg

Vapor density < 1

Relative density Not available.

Solubility(ies)

Solubility (water) Not available. Not available. **Partition coefficient** (n-octanol/water)

Auto-ignition temperature Not available. **Decomposition temperature** Not available. 70 cP

Viscosity

Other information

Density 10.20 lbs/gal typical Specific gravity 1.71 estimated VOC 4.05 % estimated

10. Stability and reactivity

Reactivity The product is stable and non-reactive under normal conditions of use, storage and transport.

Material is stable under normal conditions. **Chemical stability**

Possibility of hazardous

reactions

No dangerous reaction known under conditions of normal use.

Conditions to avoid Contact with incompatible materials.

Incompatible materials Strong oxidizing agents.

Hazardous decomposition

products

No hazardous decomposition products are known.

11. Toxicological information

Information on likely routes of exposure

Prolonged inhalation may be harmful. Inhalation

Skin contact Causes skin irritation.

Causes serious eye irritation. Eye contact

Ingestion Expected to be a low ingestion hazard.

Symptoms related to the physical, chemical and

toxicological characteristics Symptoms may include stinging, tearing, redness, swelling, and blurred vision. Skin irritation.

Severe eye irritation. May cause redness and pain.

Information on toxicological effects

Acute toxicity

Product	Species	Test Results	
Brandt pH Adjust			
<u>Acute</u>			
Dermal			
LD50	Rat	> 5000 mg/kg, 24 hours	
Oral			
LD50	Mouse	20161 mg/kg estimated	
	Rabbit	12146 mg/kg estimated	
	Rat	> 5000 mg/kg	

Material name: Brandt pH Adjust SDS US

Species Components **Test Results**

Citric Acid, Anhydrous (CAS 77-92-9)

Acute

Oral

LD50 Mouse 5040 mg/kg

> Rat 6730 mg/kg

Potassium Hydroxide (Caustic Potash) (CAS 1310-58-3)

Acute Oral

LD50 Rat 273 mg/kg

Potassium Nitrate (CAS 7757-79-1)

Acute

Oral

LD50 Rabbit 1166 mg/kg

Urea (CAS 57-13-6)

Acute Oral

LD50 Rat 8471 mg/kg

> Sheep 28500 mg/kg

Skin corrosion/irritation Causes skin irritation.

Serious eye damage/eye

Causes serious eye irritation.

irritation

Conjunctival reddening 1.0000

value

7 Recover days Respiratory or skin sensitization

> Respiratory sensitization Not available.

This product is not expected to cause skin sensitization. Skin sensitization

No data available to indicate product or any components present at greater than 0.1% are Germ cell mutagenicity

mutagenic or genotoxic.

Carcinogenicity This product is not considered to be a carcinogen by IARC, ACGIH, NTP, or OSHA.

IARC Monographs. Overall Evaluation of Carcinogenicity

Not listed.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not regulated.

US. National Toxicology Program (NTP) Report on Carcinogens

Not listed.

This product is not expected to cause reproductive or developmental effects. Reproductive toxicity

Specific target organ

toxicity - single exposure

Not classified.

Specific target organ

toxicity - repeated

Not classified.

Aspiration hazard

exposure

Not available.

Chronic effects Prolonged inhalation may be harmful.

12. Ecological information

Ecotoxicity The product is not classified as environmentally hazardous. However, this does not exclude the

possibility that large or frequent spills can have a harmful or damaging effect on the environment.

02001 Version #: 06 Revision date: 09-13-2018 Issue date: 07-17-2015

^{*} Estimates for product may be based on additional component data not shown.

Product		Species	Test Results
Brandt pH Adjust			
Aquatic			
Crustacea	EC50	Daphnia	61884.4883 mg/l, 48 hours estimated
Fish	LC50	Fish	2792.0906 mg/l, 96 hours estimated
Components		Species	Test Results
Potassium Hydroxide (C	austic Potash) (C	CAS 1310-58-3)	
Aquatic			
Fish	LC50	Western mosquitofish (Gambusia affinis)	80 mg/l, 96 hours
Potassium Nitrate (CAS	7757-79-1)		
Aquatic			
Fish	LC50	Bluegill (Lepomis macrochirus)	1200 mg/l, 96 hours
Acute			
Fish	LC50	Fish	1378 - 3000 mg/l
Jrea (CAS 57-13-6)			
Aquatic			
Crustacea	EC50	Water flea (Daphnia magna)	3910 mg/l, 48 hours
Fish	LC50	Carp (Leuciscus idus melanotus)	> 10000 mg/l, 48 hours
		Guppy (Poecilia reticulata)	16200 - 18300 mg/l, 96 hours
		Harlequinfish, red rasbora (Rasbora heteromorpha)	12000 mg/l, 96 hours
		Mozambique tilapia (Tilapia mossambica)	590 - 730 mg/l, 96 hours

^{*} Estimates for product may be based on additional component data not shown.

No data is available on the degradability of this product. Persistence and degradability

Bioaccumulative potential Not available. Partition coefficient n-octanol / water (log Kow)

-2.11

No data available. Mobility in soil

Other adverse effects No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation

potential, endocrine disruption, global warming potential) are expected from this component.

13. Disposal considerations

Collect and reclaim or dispose in sealed containers at licensed waste disposal site. Dispose of **Disposal instructions**

contents/container in accordance with local/regional/national/international regulations.

Local disposal regulations Dispose in accordance with all applicable regulations.

The waste code should be assigned in discussion between the user, the producer and the waste Hazardous waste code

disposal company.

Waste from residues / unused

products

Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see:

Disposal instructions).

Empty containers should be taken to an approved waste handling site for recycling or disposal. Contaminated packaging

Since emptied containers may retain product residue, follow label warnings even after container is

emptied.

14. Transport information

DOT

Not regulated as dangerous goods.

IATA

Not regulated as dangerous goods.

IMDG

Not regulated as dangerous goods.

Material name: Brandt pH Adjust SDS US

15. Regulatory information

US federal regulations

This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication

Standard, 29 CFR 1910.1200.

All components are on the U.S. EPA TSCA Inventory List.

This product is not known to be a "Hazardous Chemical" as defined by the OSHA Hazard

Communication Standard, 29 CFR 1910.1200.

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

CERCLA Hazardous Substance List (40 CFR 302.4)

Potassium Hydroxide (Caustic Potash) (CAS 1310-58-3) Listed.

SARA 304 Emergency release notification

Not regulated.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Not regulated.

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Hazard categories Immediate Hazard - Yes

Delayed Hazard - No Fire Hazard - No Pressure Hazard - No Reactivity Hazard - No

SARA 302 Extremely hazardous substance

Not listed.

SARA 311/312 Hazardous

Nο

chemical

SARA 313 (TRI reporting)

Chemical name	CAS number	% by wt.
Potassium Nitrate	7757-79-1	5 - < 10

Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Not regulated.

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

Safe Drinking Water Act

Not regulated.

(SDWA)

US state regulations

US. California Controlled Substances. CA Department of Justice (California Health and Safety Code Section 11100)

Not listed.

US. Massachusetts RTK - Substance List

Potassium Hydroxide (Caustic Potash) (CAS 1310-58-3)

Potassium Nitrate (CAS 7757-79-1)

US. New Jersey Worker and Community Right-to-Know Act

Potassium Hydroxide (Caustic Potash) (CAS 1310-58-3)

Potassium Nitrate (CAS 7757-79-1)

US. Pennsylvania Worker and Community Right-to-Know Law

Potassium Hydroxide (Caustic Potash) (CAS 1310-58-3)

Potassium Nitrate (CAS 7757-79-1)

US. Rhode Island RTK

Potassium Hydroxide (Caustic Potash) (CAS 1310-58-3)

Potassium Nitrate (CAS 7757-79-1)

US. California Proposition 65



WARNING: This product can expose you to chemicals including arsenic, cadmium, and lead, which are known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.

International Inventories

On inventory (yes/no)* Country(s) or region Inventory name

Australia Australian Inventory of Chemical Substances (AICS) Yes

Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	Yes
Europe	European List of Notified Chemical Substances (ELINCS)	No

JapanInventory of Existing and New Chemical Substances (ENCS)YesKoreaExisting Chemicals List (ECL)YesNew ZealandNew Zealand InventoryYesPhilippinesPhilippine Inventory of Chemicals and Chemical SubstancesYes

(PICCS)

United States & Puerto Rico Toxic Substances Control Act (TSCA) Inventory

Inventory name

Yes

On inventory (yes/no)*

16. Other information, including date of preparation or last revision

 Issue date
 07-17-2015

 Revision date
 09-13-2018

Version # 06

Country(s) or region

Disclaimer The information provided in this Safety Data Sheet is correct to the best of Manufacturer's

knowledge, information and belief at the date of its publication; however, it is provided only as a guidance for safe handling, use, processing, storage, transportation, disposal and release of the Product. No warranties of any kind, either expressed or implied, including warranties of merchantability or fitness for a particular purpose, are made with respect to the Product or the information provided herein, or that the Product or information herein may be used without infringing the intellectual property rights of others. The information provided in this Safety Data Sheet relates only to the specific Product designated and may not be valid if the Product is used in combination with other materials or in any other process, unless specified herein. The user assumes all risk and liability for loss, injury, damage or expense due to any use, handling, storage

or disposal of the Product, and Manufacturer recommends that the user conducts its owns tests of

the Product to determine suitability of the Product for user's particular use.

Revision information Toxicological Information: Toxicological Data

Transport Information: Material Transportation Information

Regulatory information: California Prop 65

GHS: Classification

Material name: Brandt pH Adjust sps us

^{*}A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s)

A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).